Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
⟷ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
⟷ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
←→ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —•— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —•— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
←→ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —●— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
⟷ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —•— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- —•— Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

- Risk-adjusted mortality rate and confidence interval.
- ⟷ Indicates interval extends beyond graph.
- N = Number of patients
- (+) Mortality rate significantly lower than statewide rate (P-value < .01).
- (–) Mortality rate significantly higher than statewide rate (P-value < .01).
- ** Hospital comment letter received. See Appendix B.

Chart 1: Community-Acquired Pneumonia 30-Day Mortality Rates, 2003-2005



Key:

—●— Risk-adjusted mortality rate and confidence interval.
⟷ Indicates interval extends beyond graph.
N = Number of patients
(+) Mortality rate significantly lower than statewide rate (P-value < .01).
(–) Mortality rate significantly higher than statewide rate (P-value < .01).
** Hospital comment letter received. See Appendix B.