V0084 HIV DISEASE WITH HIV TEST RESULTS

Guideline: A positive antibody test does not identify the presence of HIV infection; it indicates only that HIV antibodies are present. Patients previously diagnosed with any HIV illness (042) should never be assigned with codes 795.71, 795.8, and V08.

V0084 Exclusive check (if match, error) - Z004

Diagnosis Table	042.	Human Immunodeficiency Virus [HIV] disease
Relational Table	V08.	Asymptomatic human immunodeficiency virus [HIV] infection status *effective 10-1-94*
	795.71	Nonspecific serologic evidence of Human Immunodeficiency Virus [HIV] *effective 10-1-94*
	795.8	Positive serological or viral culture findings for Human Immunodeficiency Virus (HIV) *prior to 10-1-94*

V0086 CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE

Guideline: When the malignant neoplasm recurs after it has been excised or eradicated, it is coded as a malignant neoplasm of the stated site. Note that a code from the V10 category, History of malignancy, is not assigned when the neoplastic disease has recurred. For example, a primary carcinoma of the anterior wall of the urinary bladder that has been excised but has recurred in the lateral wall is coded to 188.2.

When a recurrence is discovered at the primary site, it should be coded as primary to that site. When there is no recurrence at the primary site but there is evidence of a malignancy at a secondary (metastatic) site, the code for the secondary site should be assigned along with a code from category V10 to indicate that the malignancy at the primary site has already been eradicated. Note that a code from category V10, Personal history of malignant neoplasm, is assigned as an additional code only when the malignancy has been excised or otherwise eradicated and is no longer under treatment.

Note: Some edits were turned off until further response is received from Coding Clinic for ICD-9-CM.

V0086 Exclusive check (if match, error) - N001 - **Turned Off** - Wait for CC

Diagnosis Table	141.0	Malignant neoplasm, base of tongue
	141.1	Malignant neoplasm, dorsal surface of tongue
	141.2	Malignant neoplasm, tip and lateral border of tongue
	141.3	Malignant neoplasm, ventral surface of tongue
	141.4	Malignant neoplasm, anterior 2/3 of tongue
	141.5	Malignant neoplasm, junctional zone of tongue
	141.6	Malignant neoplasm, lingual tonsil
	141.8	Malignant neoplasm, other sites of tongue
	141.9	Malignant neoplasm, tongue, unspecified
Relational Table	V10.01	History of malignant neoplasm, tongue

---

V0086 **CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE** – CONTINUED (see guideline on page 27)

V0086 Exclusive check (if match, error) - N002 - **Turned Off** - Wait for CC

Diagnosis Table	150.0	Malignant neoplasm, cervical esophagus
	150.1	Malignant neoplasm, thoracic esophagus
	150.2	Malignant neoplasm, abdominal esophagus
	150.3	Malignant neoplasm, upper third of esophagus
	150.4	Malignant neoplasm, middle third of esophagus
	150.5	Malignant neoplasm, lower third of esophagus
	150.8	Malignant neoplasm, other specified part of esophagus
	150.9	Malignant neoplasm, esophagus, unspecified
Relational Table	V10.03	History of malignant neoplasm, esophagus

---

V0086 Exclusive check (if match, error) - N003 - **Turned Off** - Wait for CC

Diagnosis Table	151.0	Malignant neoplasm, cardia
	151.1	Malignant neoplasm, pylorus
	151.2	Malignant neoplasm, pyloric antrum
	151.3	Malignant neoplasm, fundus of stomach
	151.4	Malignant neoplasm, body of stomach
	151.5	Malignant neoplasm, lesser curvature, unspecified
	151.6	Malignant neoplasm, greater curvature, unspecified
	151.8	Malignant neoplasm, other specified sites of stomach
	151.9	Malignant neoplasm, stomach, unspecified
Relational Table	V10.04	History of malignant neoplasm, stomach

---

V0086 Exclusive check (if match, error) - N004 - **Turned Off** - Wait for CC

Diagnosis Table	153.0	Malignant neoplasm, hepatic flexure
	153.1	Malignant neoplasm, transverse colon
	153.2	Malignant neoplasm, descending colon
	153.3	Malignant neoplasm, sigmoid colon
	153.4	Malignant neoplasm, cecum
	153.5	Malignant neoplasm, appendix
	153.6	Malignant neoplasm, ascending colon
	153.7	Malignant neoplasm, splenic flexure
	153.8	Malignant neoplasm, other specified sites of large intestine
	153.9	Malignant neoplasm, colon, unspecified
Relational Table	V10.05	History of malignant neoplasm, large intestine

---

V0086 **CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE** – CONTINUED (see guideline on page 27)

V0086 Exclusive check (if match, error) - N005 - **Turned Off** - Wait for CC

Diagnosis Table	154.0	Malignant neoplasm, rectosigmoid colon
	154.1	Malignant neoplasm, rectum
	154.2	Malignant neoplasm, anal canal
	154.3	Malignant neoplasm, anus, unspecified
	154.8	Malignant neoplasm, other
Relational Table	V10.06	History of malignant neoplasm, rectum, rectosigmoid junction and anus

---

V0086 Exclusive check (if match, error) - N006

Diagnosis Table	155.0	Malignant neoplasm, liver, primary
	155.2	Malignant neoplasm, liver not specified as primary or secondary
Relational Table	V10.07	History of malignant neoplasm, liver

V0086 Exclusive check (if match, error) - N007

Diagnosis Table	162.0	Malignant neoplasm, trachea
Relational Table	V10.12	History of malignant neoplasm, trachea

---

V0086 Exclusive check (if match, error) - N008 - **Turned Off** - Wait for CC

Diagnosis Table	161.0	Malignant neoplasm, glottis
	161.1	Malignant neoplasm, supraglottis
	161.2	Malignant neoplasm, subglottis
	161.3	Malignant neoplasm, laryngeal cartilages
	161.8	Malignant neoplasm, other specified sites of larynx
	161.9	Malignant neoplasm, larynx, unspecified
Relational Table	V10.21	History of malignant neoplasm, larynx

---

V0086 **CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE** – CONTINUED (see guideline on page 27)

V0086 Exclusive check (if match, error) - N009 - **Turned Off** - Wait for CC

Diagnosis Table	174.0	Malignant neoplasm, nipple and areola - female
	174.1	Malignant neoplasm, central portion - female
	174.2	Malignant neoplasm, upper-inner quadrant - female
	174.3	Malignant neoplasm, lower-inner quadrant - female
	174.4	Malignant neoplasm, upper-outer quadrant - female
	174.5	Malignant neoplasm, upper-inner quadrant - female
	174.6	Malignant neoplasm, axillary tail - female
	174.8	Malignant neoplasm, other specified sites of female breast
	174.9	Malignant neoplasm, breast (female), unspecified
	175.0	Malignant neoplasm, nipple and areola - male
	175.9	Malignant neoplasm, other and unspecified sites of male breast
Relational Table	V10.3	History of malignant neoplasm, breast

V0086 Exclusive check (if match, error) - N010 - **Turned Off** - Wait for CC

Diagnosis Table	180.0	Malignant neoplasm, endocervix
	180.1	Malignant neoplasm, exocervix
	180.8	Malignant neoplasm, other specified sites of cervix
	180.9	Malignant neoplasm, cervix uteri, unspecified
Relational Table	V10.41	History of malignant neoplasm, cervix uteri

---

V0086 Exclusive check (if match, error) - N011 - **Turned Off** - Wait for CC

Diagnosis Table	183.0	Malignant neoplasm, ovary
Relational Table	V10.43	History of malignant neoplasm, ovary

V0086 Exclusive check (if match, error) - N012

Diagnosis Table	185	Malignant neoplasm, prostate
Relational Table	V10.46	History of malignant neoplasm, prostate

---

V0086 **CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE** – CONTINUED (see guideline on page 27)

V0086 Exclusive check (if match, error) - N013 - **Turned Off** - Wait for CC

Diagnosis Table	186.0	Malignant neoplasm, undescended testis
	186.9	Malignant neoplasm, other and unspecified testis
Relational Table	V10.47	History of malignant neoplasm, testis

---

V0086 Exclusive check (if match, error) - N014

Diagnosis Table	188.0	Malignant neoplasm, trigone of urinary bladder
	188.1	Malignant neoplasm, dome of urinary bladder
	188.2	Malignant neoplasm, lateral wall of urinary bladder
	188.3	Malignant neoplasm, anterior wall of urinary bladder
	188.4	Malignant neoplasm, posterior wall of urinary bladder
	188.5	Malignant neoplasm, bladder neck
	188.6	Malignant neoplasm, ureteric orifice
	188.7	Malignant neoplasm, urachus
	188.8	Malignant neoplasm, other specified sites of bladder
	188.9	Malignant neoplasm, bladder part unspecified
Relational Table	V10.51	History of malignant neoplasm, bladder

---

V0086 Exclusive check (if match, error) - N015 - **Turned Off** - Wait for CC

Diagnosis Table	189.0	Malignant neoplasm, kidney, except pelvis
Relational Table	V10.52	History of malignant neoplasm, kidney

---

V0086 Exclusive check (if match, error) - N016 - **Turned Off** - Wait for CC

Diagnosis Table	190.0	Malignant neoplasm, eyeball, except conjunctiva, cornea, retina, and choroid
	190.1	Malignant neoplasm, orbit
	190.2	Malignant neoplasm, lacrimal gland
	190.3	Malignant neoplasm, conjunctiva
	190.4	Malignant neoplasm, cornea
	190.5	Malignant neoplasm, retina
	190.6	Malignant neoplasm, choroid
	190.7	Malignant neoplasm, lacrimal duct
	190.8	Malignant neoplasm, other specified sites of eye
	190.9	Malignant neoplasm, part unspecified
Relational Table	V10.84	History of malignant neoplasm, eye

V0086 **CANCER RECURRENCE versus HISTORY OF CANCER AT THE SAME SITE** – CONTINUED (see guideline on page 27)

V0086 Exclusive check (if match, error) - N017 - **Turned Off** - Wait for CC

Diagnosis Table	191.0	Malignant neoplasm, cerebrum, except lobes and ventricles
	191.1	Malignant neoplasm, frontal lobe
	191.2	Malignant neoplasm, temporal lobe
	191.3	Malignant neoplasm, parietal lobe
	191.4	Malignant neoplasm, occipital lobe
	191.5	Malignant neoplasm, ventricles
	191.6	Malignant neoplasm, cerebellum, NOS
	191.7	Malignant neoplasm, brain stem
	191.8	Malignant neoplasm, other parts of brain
	191.9	Malignant neoplasm, brain, unspecified
Relational Table	V10.85	History of malignant neoplasm, brain

V0086 Exclusive check (if match, error) - N018

Diagnosis Table	193	Malignant neoplasm, thyroid gland
Relational Table	V10.87	History of malignant neoplasm, thyroid

---

V0087 UNCOMPLICATED DIABETES versus COMPLICATED DIABETES

Guideline: Uncomplicated diabetes (250.0x) cannot be coded together with diabetes with complications or manifestations. Likewise, uncomplicated secondary diabetes (249.0x) cannot be coded together with secondary diabetes with complications or manifestations. The fourth digit identifies the presence of an associated complication. Coding diabetes as both complicated and uncomplicated is contradictory and distorts statistics.

V0087 Exclusive Check (if match, error) - X001

Diagnosis Table	250.0x	Diabetes mellitus without mention of complication
Relational Table	250.1x	Diabetes with ketoacidosis
	250.2x	Diabetes with hyperosmolar (nonketotic) coma
	250.3x	Diabetes with other coma
	250.4x	Diabetes with renal manifestations
	250.5x	Diabetes with ophthalmic manifestations
	250.6x	Diabetes with neurological manifestations
	250.7x	Diabetes with peripheral circulatory disorders
	250.8x	Diabetes with other specified manifestations
	250.9x	Diabetes with unspecified complications

V0087 Exclusive Check (if match, error) – X127

Diagnosis Table	249.0x	Secondary Diabetes mellitus without mention of complication
Relational Table	249.1x	Secondary Diabetes with ketoacidosis
	249.2x	Secondary Diabetes with hyperosmolar (nonketotic) coma
	249.3x	Secondary Diabetes with other coma
	249.4x	Secondary Diabetes with renal manifestations
	249.5x	Secondary Diabetes with ophthalmic manifestations
	249.6x	Secondary Diabetes with neurological manifestations
	249.7x	Secondary Diabetes with peripheral circulatory disorders
	249.8x	Secondary Diabetes with other specified manifestations
	249.9x	Secondary Diabetes with unspecified complications

V0088 SICKLE-CELL ANEMIA WITH SICKLE-CELL TRAIT SHOULD BE COMBINED

Guideline: The difference between the sickle-cell anemia and sickle-cell trait is the development of symptoms of sickle-cell anemia.

Sickle-cell anemia is due to the transmission of a defective gene, which results in the formation of an abnormal hemoglobin molecule.

When this defective gene is transmitted from only one parent, the condition is called "sickle-cell trait," and often no symptoms of sickle-cell anemia develop.

When the diagnostic statement includes both sickle-cell trait and sickle-cell anemia, only the anemia should be coded. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved. Read the "Excludes" note under code 282.5.

V0088 Exclusive Check (if match, error) - X002

Diagnosis Table	282.60	Sickle-cell anemia, unspecified
	282.61	Hb-S disease without mention of crisis
	282.62	Hb-S disease with mention of crisis
	282.63	Sickle-cell/Hb-C disease without crisis
	282.64	Sickle-cell/Hb-C disease with crisis
	282.68	Other sickle-cell disease without crisis
	282.69	Other sickle-cell anemia
Relational Table	282.5	Sickle-cell trait

V0089 HYPERTENSION versus OTHER HYPERTENSIVE DISEASES

Guideline: Categories 401-404 classify hypertensive disease of unknown cause according to a hierarchy of the disease from its vascular origin (401) to the end-organ involvement (heart, kidney, or heart and kidney combined).

Only the combination code is assigned when that code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0089 Exclusive Check (if match, error) - S001

Diagnosis Table	401.0	Malignant hypertension
	401.1	Benign hypertension
	401.9	Essential hypertension, unspecified
Relational Table	402.0	Malignant hypertensive heart disease
	402.1	Benign hypertensive heart disease
	402.9	Hypertensive heart disease, unspecified
	403.0	Malignant hypertensive kidney disease
	403.1	Benign hypertensive kidney disease
	403.9	Hypertensive kidney disease, unspecified
	404.0	Malignant hypertensive heart and kidney disease
	404.1	Benign hypertensive heart and kidney disease
	404.9	Hypertensive heart and kidney disease, unspecified

V0090 HYPERTENSIVE HEART DISEASE and HEART DISEASE

Guideline: Certain heart conditions are assigned to a code from category 402 when a causal relationship is stated (due to hypertension) or implied (hypertensive). Use only the code from category 402.

Only the combination code is assigned when that code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. See "Includes" note under category 402 which states "*any condition classifiable to 429.0-429.3, 429.8, 429.9*". Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0090 Exclusive check (if match, error) - S003

Diagnosis Table	429.0	Myocarditis, unspecified
	429.1	Myocardial degeneration
	429.2	Cardiovascular disease, unspecified
	429.3	Cardiomegaly
	429.89	Other ill-defined heart diseases
	429.9	Heart disease, unspecified
Relational Table	402.00	Malignant hypertensive heart disease without heart failure
	402.01	Malignant hypertensive heart disease with heart failure
	402.10	Benign hypertensive heart disease without heart failure
	402.11	Benign hypertensive heart disease with heart failure
	402.90	Hypertensive heart disease without heart failure, unspecified
	402.91	Hypertensive heart disease with heart failure, unspecified

---

VW091 HYPERTENSION and KIDNEY DISEASE

Guideline: *ICD-9-CM* assumes a cause-and-effect relationship between hypertension and renal disease when both are listed in the diagnostic statement; the relationship need not be stated. A fifth-digit subclassification is provided for category 403 to indicate whether renal failure is present. Examples: Hypertension (401.9) and renal failure (585) are to be assumed as related and should be coded as 403.91 regardless of whether it stated "due to," "with," or listed separately.

Only the combination code is assigned when that code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Unless specified by ICD-9-CM codebook, multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. See "Includes" note under category 403 which includes "*any condition classifiable to 585, 586, or 587 with any condition classifiable to 401*".

Exception: This guideline can be overridden if the physician specifically states that the hypertension is not due to the renal disease.

VW091 Exclusive Check (if match, error) - S006

Diagnosis Table	585	Chronic kidney disease
	586	Kidney failure, unspecified
	587	Renal sclerosis, unspecified
Relational Table	401.0	Malignant hypertension
	401.1	Benign hypertension
	401.9	Essential hypertension, unspecified

VW091 Exclusive Check (if match, error) - S008

Diagnosis Table	586	Renal failure, unspecified
Relational Table	403.01	Malignant hypertensive kidney disease, with chronic kidney disease
	403.11	Benign hypertensive kidney disease, with chronic kidney disease
	403.91	Unspecified hypertensive kidney disease, with chronic kidney disease

---

VW091 **HYPERTENSION and KIDNEY DISEASE** - CONTINUED
(see guideline on page 37)

VW091 Exclusive Check (if match, error) - S010

Diagnosis Table	587	Renal sclerosis, unspecified
Relational Table	403.00	Malignant hypertensive kidney disease, without chronic disease
	403.01	Malignant hypertensive kidney disease, with chronic kidney disease
	403.10	Benign hypertensive kidney disease, without chronic kidney disease
	403.11	Benign hypertensive kidney disease, with chronic kidney disease
	403.90	Unspecified hypertensive kidney disease, without chronic kidney disease
	403.91	Unspecified hypertensive kidney disease, with chronic kidney disease

---

V0092 HYPERTENSIVE HEART and KIDNEY DISEASE

Guideline: When a heart condition ordinarily coded to category 402 and a renal condition coded to category 403 both exist, a combination code from category 404 is assigned. Fifth digits are provided to indicate whether congestive heart failure, renal failure or both are present.

Only the combination code is assigned when that code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Unless specified by ICD-9-CM codebook, multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. See "Includes" note under category 404 which includes "*any condition classifiable to 402 with any condition classifiable to 403*".

V0092 Exclusive Check (if match, error) - S009

Diagnosis Table	402.00	Malignant hypertensive heart disease without heart failure
	402.01	Malignant hypertensive heart disease with heart failure
	402.10	Benign hypertensive heart disease without heart failure
	402.11	Benign hypertensive heart disease with heart failure
	402.90	Hypertensive heart disease without heart failure, unspecified
	402.91	Hypertensive heart disease with heart failure, unspecified
Relational Table	403.00	Malignant hypertensive kidney disease without mention of chronic renal disease
	403.01	Malignant hypertensive kidney disease with chronic renal disease
	403.10	Benign hypertensive kidney disease without mention of chronic renal disease
	403.11	Benign hypertensive kidney disease with chronic renal disease
	403.90	Hypertensive kidney disease without mention of chronic renal disease, unspecified
	403.91	Hypertensive kidney disease with chronic renal disease, unspecified.

V0093 ULCERS with HEMORRHAGE AND PERFORATION, WITHOUT OBSTRUCTION

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hemorrhage and perforation or when the Alphabetic Index so directs.

For acute ulcers, check the other combination codes that describe all of the elements in the diagnostic statement: 531.20, 532.20.

For chronic ulcers, check the other combination codes that describe all of the elements in the diagnostic statement: 531.60, 532.60.

V0093 Exclusive Check (if match, error) - R001

Diagnosis Table	531.00	Acute gastric ulcer with hemorrhage, without obstruction
Relational Table	531.10	Acute gastric ulcer with perforation, without obstruction

HINT: Code 531.20 (acute gastric ulcer with hemorrhage and perforation - without obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0093 Exclusive Check (if match, error) - R005

Diagnosis Table	532.00	Acute duodenal ulcer with hemorrhage, without obstruction
Relational Table	532.10	Acute duodenal ulcer with perforation, without obstruction

HINT: Code 532.20 (acute duodenal ulcer with hemorrhage and perforation - without obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0093 Exclusive Check (if match, error) - R003

Diagnosis Table	531.40	Chronic gastric ulcer with hemorrhage, without obstruction
Relational Table	531.50	Chronic gastric ulcer with perforation, without obstruction

HINT: Code 531.60 (chronic gastric ulcer with hemorrhage and perforation - without obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0093 **ULCERS with HEMORRHAGE AND PERFORATION, WITHOUT OBSTRUCTION -** CONTINUED (see guideline on page 40)

V0093 Exclusive Check (if match, error) - R007

Diagnosis Table	532.40	Chronic duodenal ulcer with hemorrhage, without obstruction
Relational Table	532.50	Chronic duodenal ulcer with perforation, without obstruction

HINT: Code 532.60 (chronic duodenal ulcer with hemorrhage and perforation – without obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0094 ULCERS with HEMORRHAGE, PERFORATION, OBSTRUCTION

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hemorrhage and perforation or when the Alphabetic Index so directs.

For acute ulcers, check the other combination codes that describe all of the elements in the diagnostic statement: 531.21, 532.21.

For chronic ulcers, check the other combination codes that describe all of the elements in the diagnostic statement: 531.61, 532.61.

V0094 Exclusive Check (if match, error) - R002

Diagnosis Table	531.01	Acute gastric ulcer with hemorrhage, with obstruction
Relational Table	531.11	Acute gastric ulcer with perforation, with obstruction

HINT: Code 531.21 (acute gastric ulcer with hemorrhage and perforation - with obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0094 Exclusive Check (if match, error) - R006

Diagnosis Table	532.01	Acute duodenal ulcer with hemorrhage, with obstruction
Relational Table	532.11	Acute duodenal ulcer with perforation, with obstruction

HINT: Code 532.21 (acute duodenal ulcer with hemorrhage and perforation - with obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0094 Exclusive Check (if match, error) - R004

Diagnosis Table	531.41	Chronic gastric ulcer with hemorrhage, with obstruction
Relational Table	531.51	Chronic gastric ulcer with perforation, with obstruction

HINT: Code 531.61 (chronic gastric ulcer with hemorrhage and perforation - with obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0094 **ULCERS with HEMORRHAGE, PERFORATION, OBSTRUCTION**
- CONTINUED (see guideline on page 42)

V0094 Exclusive Check (if match, error) - R008

Diagnosis Table	532.41	Chronic duodenal ulcer with hemorrhage, with obstruction
Relational Table	532.51	Chronic duodenal ulcer with perforation, with obstruction

HINT: Code 532.61 (chronic duodenal ulcer with hemorrhage and perforation -with obstruction) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0095 GASTRITIS/DUODENITIS, WITH and WITHOUT HEMORRHAGE WHICH IS IT?

Guideline: If the hemorrhage is involved, follow the coding instructions for the word "note" under the index term "Gastritis." The word "note" provides information regarding fifth digits that must be used to indicate the relationship between the main term and an associated condition or etiology. In the index, these notes are enclosed in boxes and printed in italic type.

Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hemorrhage or when the Alphabetic Index so directs.

V0095 Exclusive Check (if match, error) - X006

Diagnosis Table	535.00	Acute gastritis without hemorrhage
Relational Table	535.01	Acute gastritis with hemorrhage

V0095 Exclusive Check (if match, error) - X007

Diagnosis Table	535.10	Atrophic gastritis without hemorrhage
Relational Table	535.11	Atrophic gastritis with hemorrhage

V0095 Exclusive Check (if match, error) - X008

Diagnosis Table	535.20	Gastric mucosal hypertrophy without hemorrhage
Relational Table	535.21	Gastric mucosal hypertrophy with hemorrhage

---

V0095 Exclusive Check (if match, error) - X009

Diagnosis Table	535.30	Alcoholic gastritis without hemorrhage
Relational Table	535.31	Alcoholic gastritis with hemorrhage

V0095 Exclusive Check (if match, error) - X010

Diagnosis Table	535.40	Other specified gastritis without hemorrhage
Relational Table	535.41	Other specified gastritis with hemorrhage

---

V0095 Exclusive Check (if match, error) - X011

Diagnosis Table	535.60	Duodenitis without hemorrhage
Relational Table	535.61	Duodenitis with hemorrhage

V0096 DIVERTICULOSIS and DIVERTICULITIS

Guideline: The diagnosis of diverticulum or diverticulosis preceded by qualifying terms of "acute,", "perforated," or "ruptured" designates diverticulitis and not diverticulosis.

Diverticula, diverticulosis, and diverticulum described as acute, perforated or ruptured should be
coded as diverticulitis, such as 562.11 or 562.13 for colon and 562.01 or 562.03 for small intestine.

Diverticulitis is a complication of diverticulosis. A diagnosis of diverticulitis assumes the presence of diverticula; only the code for diverticulitis is assigned, even though both conditions may be mentioned in the diagnostic statement. In the Tabular Section, read the coding instructions under 562.00 - 562.13.

V0096 Exclusive check (if match, error) - X018

Diagnosis Table	562.00	Diverticulosis of small intestine [without mention of hemorrhage]
	562.02	Diverticulosis of small intestine with hemorrhage
Relational Table	562.01	Diverticulitis of small intestine [without mention of hemorrhage]
	562.03	Diverticulitis of small intestine with hemorrhage

V0096 Exclusive check (if match, error) - X020

Diagnosis Table	562.10	Diverticulosis of colon [without mention of hemorrhage]
	562.12	Diverticulosis of colon with hemorrhage
Relational Table	562.11	Diverticulitis of colon [without mention of hemorrhage]
	562.13	Diverticulitis of colon with hemorrhage

V0097 DIVERTICULOSIS and DIVERTICULITIS, WITH and WITHOUT HEMORRHAGE – WHICH IS IT?

Guideline: A diagnosis of diverticulitis assumes the presence of diverticula; only the code for diverticulitis is assigned, even though both conditions may be mentioned in the diagnostic statement. If hemorrhage is involved, follow the alphabetization rules for the appropriate subterm and code.

In the alphabetization rules, subterms preceded by "with" and "without" immediately follow the main term or appropriate subterm entry; subterms beginning with other connecting words such as "in," "during," "due to," "following," "secondary," or "status" appear in alphabetic order. Words such as "with," "in,' and "due to," are used to indicate the relationship between the main term and an associated condition or etiology. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hemorrhage or when the Alphabetic Index so directs.

For small intestine, check the other combination codes that describe all of the elements in the diagnostic statement: 562.03.

For colon, check the other combination codes that describe all of the elements in the diagnostic statement: 562.13.

V0097 Exclusive check (if match, error) - R017

Diagnosis Table	562.01	Diverticulitis of small intestine [without mention of hemorrhage]
Relational Table	562.02	Diverticulosis of small intestine with hemorrhage

HINT: Code 562.03 is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0097 Exclusive check (if match, error) - R019

Diagnosis Table	562.11	Diverticulitis of colon [without mention of hemorrhage]
Relational Table	562.12	Diverticulosis of colon with hemorrhage

HINT: Code 562.13 is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0098 TUBERCULOSIS PLEURISY with PLEURISY

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" notes under category 511 and code 012.0.

V0098 Exclusive check (if match, error) - R021

Diagnosis Table	012.00	Tuberculous pleurisy [unspecified]
	012.01	Tuberculous pleurisy [bacteriological or histological examination not done]
	012.02	Tuberculous pleurisy [bacteriological or histological examination unknown at present]
	012.03	Tuberculous pleurisy [tubercle bacilli found in sputum by microscopy]
	012.04	Tuberculous pleurisy [tubercle bacilli non found in sputum by microscopy, but found by bacterial culture]
	012.05	Tuberculous pleurisy [tubercle bacilli not found by bacteriological examination, but tuberculosis confirmed histologically]
	012.06	Tuberculous pleurisy [tubercle bacilli not found by bacteriological or histological examination but tuberculosis confirmed by other methods (inoculation of animals)]
Relational Table	511.0	Pleurisy without mention of effusion or current tuberculosis
	511.1	Pleurisy with effusion, with mention of a bacterial cause other than tuberculosis
	511.8x	Pleurisy - other specified forms of effusion, except tuberculous
	511.9	Unspecified pleural effusion

HINT: Read the "Excludes" note under category 511 and code 012.0.

V0099 COPD with OTHER RESPIRATORY CONDITIONS

Guideline: The term Chronic Obstructive Pulmonary Disease (COPD) is a generic term that represents any form of unspecified chronic obstructive airway disease. COPD is not a separate disease entity when associated with other chronic obstructive lung disease. For example, code 491.21 (obstructive chronic bronchitis with acute exacerbation) should be used only for those combinations of diseases that are included in the tabular notes for the code and COPD.

A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under category 496.

V0099 Exclusive check (if match, error) - R023

Diagnosis Table	496	Chronic airway obstruction
Relational Table	491.0	Simple chronic bronchitis
	491.1	Mucopurulent chronic bronchitis
	491.20	Obstructive chronic bronchitis
	491.21	Obstructive chronic bronchitis, with acute exacerbation
	491.22	Obstructive chronic bronchitis, with acute bronchitis
	491.8	Other chronic bronchitis
	491.9	Unspecified chronic bronchitis
	492.0	Emphysematous bleb
	492.8	Other emphysema
	493.xx	Asthma
	494	Bronchiectasis
	495.x	Allergic alveolitis

HINT: Read the "Excludes" note under category 496.

V0100 APPENDICITIS WITH PERITONITIS and PERITONITIS?

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under category 567.

V0100 Exclusive check (if match, error) - R025

Diagnosis Table	540.0	Acute appendicitis with generalized peritonitis
	540.1	Acute appendicitis with peritoneal abscess
Relational Table	567.1	Pneumococcal peritonitis
	567.2	Other suppurative peritonitis
	567.8	Other specified peritonitis
	567.9	Unspecified peritonitis

HINT: Read the "Excludes" note under category 567.

V0101 LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)

Guideline: Lymphoma is a systemic disease and is never considered to be "metastatic." Codes from category 196, secondary and unspecified malignant neoplasm of lymph nodes, are never applied to lymphomas. *Coding Clinic for ICD-9-CM* (May-June 1985 page 4) states, "Malignant neoplasms classifiable to categories 200-208 [lymphomas] stated as secondary or metastatic site(s) remain within the 200-208 categories and are not coded to categories 196.0-196.9 [secondary malignant neoplasm of lymph nodes]."

V0101 Exclusive check (if match, error) - N019

Diagnosis Table	196.0	Secondary & unspecified malignant neoplasm, lymph nodes of head, face, and neck
Relational Table	200.01	Reticulosarcoma, lymph nodes of head, face, and neck
	200.11	Lymphosarcoma, lymph nodes of head, face, and neck
	200.21	Burkitt's tumor or lymphoma, lymph nodes of head, face, and neck
	200.31	Marginal zone lymphoma, lymph nodes of head, face, and neck
	200.41	Mantle cell lymphoma, lymph nodes of head, face, and neck
	200.51	Primary central nervous system lymphoma, lymph nodes of head, face, and neck
	200.61	Anaplastic large cell lymphoma, lymph nodes of head, face, and neck
	200.71	Large cell lymphoma, lymph nodes of head, face and neck
	200.81	Other named variants, lymph nodes of head, face, and neck
	201.01	Hodgkin's Paragranuloma, lymph nodes of head, face, and neck
	201.11	Hodgkin's Granuloma, lymph nodes of head, face, and neck
	201.21	Hodgkin's Sarcoma, lymph nodes of head, face, and neck
	201.41	Hodgkin's Disease, Lymphocytic-histiocytic predominance, lymph nodes of head, face, and neck
	201.51	Hodgkin's Disease, Nodular Sclerosis, lymph nodes of head, face, and neck
	201.61	Hodgkin's Disease, Mixed cellularity, lymph nodes of head, face, and neck
	201.71	Hodgkin's Disease, Lymphocytic depletion, lymph nodes of head, face, and neck
	201.91	Hodgkin's Disease, unspecified, lymph nodes of head, face, and neck
	202.01	Nodular Lymphoma, lymph nodes of head, face, and neck
	202.21	Mycosis Fungoides, lymph nodes of head, face, and neck
	202.31	Sezary's Disease, lymph nodes of head, face, and neck
	202.41	Leukemic Reticuloendotheliosis, lymph nodes of head, face, and neck
	202.51	Letterer-Siwe Disease, lymph nodes of head, face, and neck
	202.61	Malignant mast cell tumors, lymph nodes of head, face, and neck
	202.81	Other lymphomas, lymph nodes of head, face, and neck
	202.91	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, lymph nodes of head, face, and neck

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** – CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N020

Diagnosis Table	196.1	Secondary & unspecified malignant neoplasm, intrathoracic lymph nodes
Relational Table	200.02	Reticulosarcoma, intrathoracic lymph nodes
	200.12	Lymphosarcoma, intrathoracic lymph nodes
	200.22	Burkitt's tumor or lymphoma, intrathoracic lymph nodes
	200.32	Marginal zone lymphoma, intrathoracic lymph nodes
	200.42	Mantle cell lymphoma, intrathoracic lymph nodes
	200.52	Primary central nervous system lymphoma, intrathoracic lymph nodes
	200.62	Anaplastic large cell lymphoma, intrathoracic lymph nodes
	200.72	Large cell lymphoma, intrathoracic lymph nodes
	200.82	Other named variants, intrathoracic lymph nodes
	201.02	Hodgkin's Paragranuloma, intrathoracic lymph nodes
	201.12	Hodgkin's Granuloma, intrathoracic lymph nodes
	201.22	Hodgkin's Sarcoma, intrathoracic lymph nodes
	201.42	Hodgkin's Disease, Lymphocytic-histiocytic predominance, intrathoracic lymph nodes
	201.52	Hodgkin's Disease, Nodular Sclerosis, intrathoracic lymph nodes
	201.62	Hodgkin's Disease, Mixed cellularity, intrathoracic lymph nodes
	201.72	Hodgkin's Disease, Lymphocytic depletion, intrathoracic lymph nodes
	201.92	Hodgkin's Disease, unspecified, intrathoracic lymph nodes
	202.02	Nodular Lymphoma, intrathoracic lymph nodes
	202.22	Mycosis Fungoides, intrathoracic lymph nodes
	202.32	Sezary's Disease, intrathoracic lymph nodes
	202.42	Leukemic Reticuloendotheliosis, intrathoracic lymph nodes
	202.52	Letterer-Siwe Disease, intrathoracic lymph nodes
	202.62	Malignant mast cell tumors, intrathoracic lymph nodes
	202.82	Other lymphomas, intrathoracic lymph nodes
	202.92	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, intrathoracic lymph nodes

---

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** – CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N021

Diagnosis Table	196.2	Secondary & unspecified malignant neoplasm, intra-abdominal lymph nodes
Relational Table	200.03	Reticulosarcoma, intra-abdominal lymph nodes
	201.13	Hodgkin's Granuloma, intra-abdominal lymph nodes
	201.23	Hodgkin's Sarcoma, intra-abdominal lymph nodes
	200.33	Marginal zone lymphoma, intra-abdominal lymph nodes
	200.43	Mantle cell lymphoma, intra-abdominal lymph nodes
	200.53	Primary central nervous system lymphoma, intra-abdominal lymph nodes
	200.63	Anaplastic large cell lymphoma, intra-abdominal lymph nodes
	200.73	Large cell lymphoma, intra-abdominal lymph nodes
	201.43	Hodgkin's Disease, Lymphocytic-histiocytic predominance, intra-abdominal lymph nodes
	201.53	Hodgkin's Disease, Nodular Sclerosis, intra-abdominal lymph nodes
	201.63	Hodgkin's Disease, Mixed cellularity, intra-abdominal lymph nodes
	201.73	Hodgkin's Disease, Lymphocytic depletion, intra-abdominal lymph nodes
	201.93	Hodgkin's Disease, unspecified, intra-abdominal lymph nodes
	202.03	Nodular Lymphoma, intra-abdominal lymph nodes
	202.23	Mycosis Fungoides, intra-abdominal lymph nodes
	202.33	Sezary's Disease, intra-abdominal lymph nodes
	202.43	Leukemic Reticuloendotheliosis, intra-abdominal lymph nodes
	202.53	Letterer-Siwe Disease, intra-abdominal lymph nodes
	202.63	Malignant mast cell tumors, intra-abdominal lymph nodes
	202.83	Other lymphomas, intra-abdominal lymph nodes
	202.93	Other & unspecified malignant neoplasms (abdominal)

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** – CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N022

Diagnosis Table	196.3	Secondary & unspecified malignant neoplasm, lymph nodes of axilla and upper limb
Relational Table	200.04	Reticulosarcoma, lymph nodes of axilla and upper limb
	200.14	Lymphosarcoma, lymph nodes of axilla and upper limb
	200.34	Marginal zone lymphoma, lymph nodes of axilla and upper limb
	200.44	Mantle cell lymphoma, lymph nodes of axilla and upper limb
	200.54	Primary central nervous system lymphoma, lymph nodes of axilla and upper limb
	200.64	Anaplastic large cell lymphoma, lymph nodes of axilla and upper limb
	200.74	Large cell lymphoma, lymph nodes of axilla and upper limb
	200.24	Burkitt's tumor or lymphoma, lymph nodes of axilla and upper limb
	200.84	Other named variants, lymph nodes of axilla and upper limb
	201.04	Hodgkin's Paragranuloma, lymph nodes of axilla and upper limb
	201.14	Hodgkin's Granuloma, lymph nodes of axilla and upper limb
	201.24	Hodgkin's Sarcoma, lymph nodes of axilla and upper limb
	201.44	Hodgkin's Disease, Lymphocytic-histiocytic predominance, lymph nodes of axilla and upper limb
	201.54	Hodgkin's Disease, Nodular Sclerosis, lymph nodes of axilla and upper limb
	201.64	Hodgkin's Disease, Mixed cellularity, lymph nodes of axilla and upper limb
	201.74	Hodgkin's Disease, Lymphocytic depletion, lymph nodes of axilla and upper limb
	201.94	Hodgkin's Disease, unspecified, lymph nodes of
	202.04	Nodular Lymphoma, lymph nodes of axilla and upper limb
	202.24	Mycosis Fungoides, lymph nodes of axilla and upper limb
	202.34	Sezary's Disease, lymph nodes of axilla and upper limb
	202.44	Leukemic Reticuloendotheliosis, lymph nodes of axilla and upper limb
	202.54	Letterer-Siwe Disease, lymph nodes of axilla and upper limb
	202.64	Malignant mast cell tumors, lymph nodes of axilla and upper limb
	202.84	Other lymphomas, lymph nodes of axilla and upper limb
	202.94	Other & unspecified malignant neoplasms of lymphoid and histiocytic tissue, lymph nodes of axilla and upper limb

---

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** – CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N023

Diagnosis Table	196.5	Secondary & unspecified malignant neoplasm, lymph nodes of inguinal region and lower limb
Relational Table	200.05	Reticulosarcoma, lymph nodes of inguinal region and lower limb
	200.15	Lymphosarcoma, lymph nodes of inguinal region and lower limb
	200.25	Burkitt's tumor or lymphoma, lymph nodes of inguinal region and lower limb
	200.35	Marginal zone lymphoma, lymph nodes of inguinal region and lower limb
	200.45	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb
	200.55	Primary central nervous system lymphoma, lymph nodes of inguinal region and lower limb
	200.65	Anaplastic large cell lymphoma, lymph nodes of inguinal region and lower limb
	200.75	Large cell lymphoma, lymph nodes of inguinal region and lower limb
	200.85	Other named variants, lymph nodes of inguinal region and lower limb
	201.05	Hodgkin's Paragranuloma, lymph nodes of inguinal region and lower limb
	201.15	Hodgkin's Granuloma, lymph nodes of inguinal region and lower limb
	201.25	Hodgkin's Sarcoma, lymph nodes of inguinal region and lower limb
	201.45	Hodgkin's Disease, Lymphocytic-histiocytic predominance, lymph nodes of inguinal region and lower limb
	201.55	Hodgkin's Disease, Nodular Sclerosis, lymph nodes of inguinal region and lower limb
	201.65	Hodgkin's Disease, Mixed cellularity, lymph nodes of inguinal region and lower limb
	201.75	Hodgkin's Disease, Lymphocytic depletion, lymph nodes of inguinal region and lower limb
	201.95	Hodgkin's Disease, unspecified, lymph nodes of inguinal region and lower limb
	202.05	Nodular Lymphoma, lymph nodes of inguinal region and lower limb
	202.25	Mycosis Fungoides, lymph nodes of inguinal region and lower limb
	202.35	Sezary's Disease, lymph nodes of inguinal region and lower limb
	202.45	Leukemic Reticuloendotheliosis, lymph nodes of inguinal region and lower limb
	202.55	Letterer-Siwe Disease, lymph nodes of inguinal region and lower limb
	202.65	Malignant mast cell tumors, lymph nodes of inguinal region and lower limb
	202.85	Other lymphomas, lymph nodes of inguinal region and lower limb
	202.95	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, lymph nodes of inguinal region and lower limb

---

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** - CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N024

Diagnosis Table	196.6	Secondary & unspecified malignant neoplasm, intrapelvic lymph nodes
Relational Table	200.06	Reticulosarcoma, intrapelvic lymph nodes
	200.16	Lymphosarcoma, intrapelvic lymph nodes
	200.26	Burkitt's tumor or lymphoma, intrapelvic lymph nodes
	200.36	Marginal zone lymphoma, intrapelvic lymph nodes
	200.46	Mantle cell lymphoma, intrapelvic lymph nodes
	200.56	Primary central nervous system lymphoma, intrapelvic lymph nodes
	200.66	Anaplastic large cell lymphoma, intrapelvic lymph nodes
	200.76	Large cell lymphoma intrapelvic lymph nodes
	200.86	Other named variants, intrapelvic lymph nodes
	201.06	Hodgkin's Paragranuloma, intrapelvic lymph nodes
	201.16	Hodgkin's Granuloma, intrapelvic lymph nodes
	201.26	Hodgkin's Sarcoma, intrapelvic lymph nodes
	201.46	Hodgkin's Disease, Lymphocytic-histiocytic predominance, intrapelvic lymph nodes
	201.56	Hodgkin's Disease, Nodular Sclerosis, intrapelvic lymph nodes
	201.66	Hodgkin's Disease, Mixed cellularity, intrapelvic lymph nodes
	201.76	Hodgkin's Disease, Lymphocytic depletion, intrapelvic lymph nodes
	201.96	Hodgkin's Disease, unspecified, intrapelvic lymph nodes
	202.06	Nodular Lymphoma, intrapelvic lymph nodes
	202.26	Mycosis Fungoides, intrapelvic lymph nodes
	202.36	Sezary's Disease, intrapelvic lymph nodes
	202.46	Leukemic Reticuloendotheliosis, intrapelvic lymph nodes
	202.56	Letterer-Siwe Disease, intrapelvic lymph nodes
	202.66	Malignant mast cell tumors, intrapelvic lymph nodes
	202.86	Other lymphomas, intrapelvic lymph nodes
	202.96	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, intrapelvic lymph nodes

---

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S) -** CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N025

Diagnosis Table	196.8	Secondary & unspecified malignant neoplasm, lymph nodes of multiple sites
Relational Table	200.08	Reticulosarcoma, lymph nodes of multiple sites
	200.18	Lymphosarcoma, lymph nodes of multiple sites
	200.28	Burkitt's tumor or lymphoma, lymph nodes of multiple sites
	200.38	Marginal zone lymphoma, lymph nodes of multiple sites
	200.48	Mantle cell lymphoma, lymph nodes of multiple sites
	200.58	Primary central nervous system lymphoma, lymph nodes of Multiple sites
	200.68	Anaplastic large cell lymphoma, lymph nodes of multiple sites
	200.78	Large cell lymphoma, lymph nodes of multiple sites
	200.88	Other named variants, lymph nodes of multiple sites
	201.08	Hodgkin's Paragranuloma, lymph nodes of multiple sites
	201.18	Hodgkin's Granuloma, lymph nodes of multiple sites
	201.28	Hodgkin's Sarcoma, lymph nodes of multiple sites
	201.48	Hodgkin's Disease, Lymphocytic-histiocytic predominance, lymph nodes of multiple sites
	201.58	Hodgkin's Disease, Nodular Sclerosis, lymph nodes of multiple sites
	201.68	Hodgkin's Disease, Mixed cellularity, lymph nodes of multiple sites
	201.78	Hodgkin's Disease, Lymphocytic depletion, lymph nodes of multiple sites
	201.98	Hodgkin's Disease, unspecified, lymph nodes of multiple sites
	202.08	Nodular Lymphoma, lymph nodes of multiple sites
	202.28	Mycosis Fungoides, lymph nodes of multiple sites
	202.38	Sezary's Disease, lymph nodes of multiple sites
	202.48	Leukemic Reticuloendotheliosis, lymph nodes of multiple sites
	202.58	Letterer-Siwe Disease, lymph nodes of multiple site
	202.68	Malignant mast cell tumors, lymph nodes of multiple sites
	202.88	Other lymphomas, lymph nodes of multiple sites
	202.98	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, lymph nodes of multiple sites

---

V0101 **LYMPHOMA versus METASTATIC CANCER OF LYMPH NODE(S)** – CONTINUED
(see guideline on page 50)

V0101 Exclusive check (if match, error) - N026

Diagnosis Table	196.9	Secondary & unspecified malignant neoplasm, lymph nodes, unspecified site
Relational Table	200.00	Reticulosarcoma, lymph nodes, unspecified site
	200.10	Lymphosarcoma, lymph nodes, unspecified site
	200.20	Burkitt's tumor or lymphoma, lymph nodes, unspecified site
	200.30	Marginal zone lymphoma, lymph nodes, unspecified site
	200.40	Mantle cell lymphoma, lymph nodes, unspecified site
	200.50	Primary central nervous system lymphoma, lymph nodes, unspecified site
	200.60	Anaplastic large cell lymphoma, lymph nodes, unspecified site
	200.70	Large cell lymphoma, lymph nodes, unspecified site
	200.80	Other named variants, lymph nodes, unspecified site
	201.00	Hodgkin's Paragranuloma, lymph nodes, unspecified site
	201.10	Hodgkin's Granuloma, lymph nodes, unspecified site
	201.20	Hodgkin's Sarcoma, lymph nodes, unspecified site
	201.40	Hodgkin's Disease, Lymphocytic-histiocytic predominance, lymph nodes, unspecified site
	201.50	Hodgkin's Disease, Nodular Sclerosis, lymph nodes, unspecified site
	201.60	Hodgkin's Disease, Mixed cellularity, lymph nodes, unspecified site
	201.70	Hodgkin's Disease, Lymphocytic depletion, lymph nodes, unspecified site
	201.90	Hodgkin's Disease, unspecified, lymph nodes,
	202.00	Nodular Lymphoma, lymph nodes, unspecified site
	202.20	Mycosis Fungoides, lymph nodes, unspecified site
	202.30	Sezary's Disease, lymph nodes, unspecified site
	202.40	Leukemic Reticuloendotheliosis, lymph nodes, unspecified site
	202.50	Letterer-Siwe Disease, lymph nodes, unspecified site
	202.60	Malignant mast cell tumors, lymph nodes, unspecified site
	202.80	Other lymphomas, lymph nodes, unspecified site
	202.90	Other & Unspecified malignant neoplasms of lymphoid and histiocytic tissue, lymph nodes, unspecified site

---

V0102 PERITONEAL ADHESIONS, WITH and WITHOUT OBSTRUCTION

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under codes 568.0 and 560.81.

V0102 Exclusive check (if match, error) - R029

Diagnosis Table	568.0	Peritoneal adhesions
Relational Table	537.3	Other obstruction of duodenum
	560.81	Intestinal or peritoneal adhesions with obstruction

HINT: Read the "Excludes" note under codes 568.0 and 560.81.

V0103 ACUTE CHOLECYSTITIS, WITH and WITHOUT STONES

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under code 575.0 and 575.1.

V0103 Exclusive check (if match, error) - R032

Diagnosis Table	575.0	Acute cholecystitis
	575.10	Cholecystitis, unspecified
	575.12	Acute and chronic cholecystitis
Relational Table	574.0x	Calculus of gallbladder with acute cholecystitis [with or without obstruction]
	574.2x	Calculus of gallbladder without mention of cholecystitis [with or without obstruction]
	574.3x	Calculus of bile duct with acute cholecystitis [with or without obstruction]
	574.5x	Calculus of bile duct without mention of cholecystitis [with or without obstruction]
	574.6x	Calculus of gallbladder and bile duct with acute cholecystitis [with or without obstruction]
	574.8x	Calculus of gallbladder and bile duct with acute and chronic cholecystitis [with or without obstruction]
	574.9x	Calculus of gallbladder and bile duct without cholecystitis [with or without obstruction]

HINT: Read the "Excludes" note under code 575.0 and 575.1.

V0104 CHRONIC CHOLECYSTITIS, WITH and WITHOUT STONES

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under code 575.1.

V0104 Exclusive check (if match, error) - R034

Diagnosis Table	575.1	Other cholecystitis *(before 10/1/96)*
	575.10	Cholecystitis, unspecified
	575.11	Other cholecystitis
	575.12	Acute and chronic cholecystitis
Relational Table	574.1x	Calculus of gallbladder with other cholecystitis [with or without obstruction]
	574.2x	Calculus of gallbladder without mention of cholecystitis [with or without obstruction]
	574.4x	Calculus of bile duct with other cholecystitis [with or without obstruction]
	574.5x	Calculus of bile duct without mention of cholecystitis [with or without obstruction]
	574.7x	Calculus of gallbladder and bile duct with other cholecystitis [with or without obstruction]
	574.8x	Calculus of gallbladder and bile duct with acute and chronic cholecystitis [with or without obstruction]
	574.9x	Calculus of gallbladder and bile duct without cholecystitis [with or without obstruction]

HINT: Read the "Excludes" note under code 575.1.

V0105 OBSTRUCTIVE GALLSTONE with OBSTRUCTIVE GALLBLADDER – COMBINATION CODE

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under code 575.2.

V0105 Exclusive check (if match, error) - R036

Diagnosis Table	575.2	Obstruction of gallbladder
Relational Table	574.01	Calculus of gallbladder with acute cholecystitis [with obstruction]
	574.11	Calculus of gallbladder with other cholecystitis [with obstruction]
	574.21	Calculus of gallbladder without mention of cholecystitis [with obstruction]
	574.61	Calculus of gallbladder and bile duct with acute cholecystitis [with obstruction]
	574.71	Calculus of gallbladder and bile duct with other cholecystitis [with obstruction]
	574.81	Calculus of gallbladder and bile duct with acute and chronic cholecystitis [with obstruction]
	574.91	Calculus of gallbladder and bile duct without cholecystitis [with obstruction]

HINT: Read the "Excludes" note under code 575.2.

V0106 OBSTRUCTIVE BILE STONE with OBSTRUCTIVE BILE DUCT – COMBINATION CODE

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under code 576.2.

V0106 Exclusive check (if match, error) - R038

Diagnosis Table	576.2	Obstruction of bile duct
Relational Table	574.31	Calculus of bile duct with acute cholecystitis [with obstruction]
	574.41	Calculus of bile duct with other cholecystitis [with obstruction]
	574.51	Calculus of bile duct without mention of cholecystitis [with obstruction]
	574.61	Calculus of gallbladder and bile duct with acute cholecystitis [with obstruction]
	574.71	Calculus of gallbladder and bile duct with other cholecystitis [with obstruction]
	574.81	Calculus of gallbladder and bile duct with acute and chronic cholecystitis [with obstruction]
	574.91	Calculus of gallbladder and bile duct without cholecystitis [with obstruction]

HINT: Read the "Excludes" note under code 576.2.

V0107 VAGINAL PROLAPSE, WITH and WITHOUT UTERINE PROLAPSE

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the titles of the codes and the "Excludes" note under code 618.0.

V0107 Exclusive check (if match, error) - R039

Diagnosis Table	618.0x	Prolapse of vaginal walls without mention of uterine prolapse
Relational Table	618.1	Uterine prolapse without mention of vaginal wall prolapse
	618.2	Uterovaginal prolapse, incomplete
	618.3	Uterovaginal prolapse, complete
	618.4	Uterovaginal prolapse, unspecified

HINT: Read the titles of the codes and the "Excludes" note under code 618.0.

V0108 UTERINE PROLAPSE, WITH and WITHOUT VAGINAL PROLAPSE

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the titles of the codes and the "Excludes" note under code 618.1.

V0108 Exclusive check (if match, error) - R041

Diagnosis Table	618.1	Uterine prolapse without mention of vaginal wall prolapse
Relational Table	618.0x	Prolapse of vaginal walls without mention of uterine prolapse
	618.2	Uterovaginal prolapse, incomplete
	618.3	Uterovaginal prolapse, complete
	618.4	Uterovaginal prolapse, unspecified

VW109 CERVICAL SPINAL CONDITION with CERVICAL SPINAL DISEASE

Guideline: Symptoms and signs associated with (due to) spondylosis and allied disorders or intervertebral disc disorders of the cervical spine are included in the 721-722 code series. Read the Excludes note under category 723. Both conditions do not need to be coded.

A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under category 723.

***Exception**: This guideline can be overridden if the physician states that the cervical spinal condition is NOT due to the cervical spinal disease. Separate codes for cervical spinal condition and cervical spinal disease would then be acceptable.*

VW109 Exclusive check (if match, error) - R044

Diagnosis Table	723.0	Spinal stenosis in cervical region
	723.1	Cervicalgia
	723.2	Cervicocranial syndrome
	723.3	Cervicobrachial syndrome (diffuse)
	723.4	Brachial neuritis or radiculitis, NOS
	723.5	Torticollis, unspecified
	723.6	Panniculitis specified as affecting neck
	723.7	Ossification of posterior longitudinal ligament in cervical region
Relational Table	721.0	Cervical spondylosis without myelopathy
	721.1	Cervical spondylosis with myelopathy
	722.0	Displacement of cervical intervertebral disc without myelopathy
	722.4	Degeneration of cervical intervertebral disc
	722.71	Intervertebral disc disorder with myelopathy, cervical region
	722.81	Postlaminectomy syndrome, cervical region
	722.91	Other and unspecified disc disorder, cervical region

VW110 THORACIC SPINAL CONDITION with THORACIC SPINAL DISEASE

Guideline: Symptoms and signs associated with (due to) spondylosis and allied disorders or intervertebral disc disorders of the thoracic spine are included in the 721-722 code series. Read the Excludes note under category 724. Both conditions do not need to be coded.

A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under category 724.

***Exception**: This guideline can be overridden if the physician states that the thoracic spinal condition is NOT due to the thoracic spinal disease. Separate codes for thoracic spinal condition and thoracic spinal disease would then be acceptable.*

VW110 Exclusive check (if match, error) - R046

Diagnosis Table	724.01	Spinal stenosis, thoracic region
	724.1	Pain in thoracic spine
	724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified
	724.5	Backache, unspecified
Relational Table	721.2	Thoracic spondylosis without myelopathy
	721.41	Thoracic spondylosis with myelopathy
	722.11	Thoracic intervertebral disc without myelopathy
	722.31	Schmorl's nodes, thoracic region
	722.51	Degeneration of thoracic or thoracolumbar intervertebral disc
	722.72	Intervertebral disc disorder with myelopathy, thoracic region
	722.82	Postlaminectomy syndrome, thoracic region
	722.92	Other and unspecified disc disorder, thoracic region

VW111 LUMBAR SPINAL CONDITION with LUMBAR SPINAL DISEASE

Guideline: Symptoms and signs associated with (due to) spondylosis and allied disorders or intervertebral disc disorders of the lumbar spine are included in the 721-722 code series. Read the Excludes note under category 724. Both conditions do not need to be coded.

A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under category 724.

***Exception**: This guideline can be overridden if the physician states that the lumbar spinal condition is NOT due to the lumbar spinal disease. Separate codes for lumbar spinal condition and lumbar spinal disease would then be acceptable.*

VW111 Exclusive check (if match, error) - R048

Diagnosis Table	724.02	Spinal stenosis, lumbar region
	724.2	Lumbago
	724.3	Sciatica
	724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified
	724.5	Backache, unspecified
	724.6	Disorders of sacrum
	724.70	Unspecified disorder of coccyx
	724.71	Hypermobility of coccyx
	724.79	Other disorders of coccyx
Relational Table	721.3	Lumbosacral spondylosis without myelopathy
	721.42	Lumbar spondylosis with myelopathy
	722.10	Lumbar intervertebral disc without myelopathy
	722.32	Schmorl's nodes, lumbar region
	722.52	Degeneration of lumbar or lumbosacral intervertebral disc
	722.73	Intervertebral disc disorder with myelopathy, lumbar region
	722.83	Postlaminectomy syndrome, lumbar region
	722.93	Other and unspecified disc disorder, lumbar region

V0112 ILLOGICAL COMBINATIONS OF FIFTH DIGITS FOR OBSTETRICAL DIAGNOSES

Guideline: Multiple coding is commonly used with codes from this chapter because a patient often has more than one condition that affects the obstetrical experience. It is important that the coder recognize that certain combinations of fifth digits are illogical for the **same** episode of care:

- 0 cannot be used with any other fifth digit.
- 1 and 2 can be used for the same episode but not with any other fifth digit.
- 3 and 4 cannot be used together or with any other fifth digit.

V0112 Exclusive Check (if match, error) - O001

Diagnosis Table	640.0x – 649.7x with 5th digit "**0**"	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit "**0**"	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit "**0**"	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit "**0**"	Complications of the puerperium
	678.0x - 679.1x with 5th digit "**0**"	Other fetal conditions; and Complications of in utero procedures
Relational Table	640.0x – 649.7x with 5th digit **"1", "2", "3", or "4"**	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit **"1", "2", "3", or "4"**	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit **"1", "2", "3", or "4"**	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit **"1", "2", "3", or "4"**	Complications of the puerperium
	678.0x - 679.1x with 5th digit **"1", "2", "3", or "4"**	Other fetal conditions; Complications of in utero procedures

---

V0112 ILLOGICAL COMBINATIONS OF FIFTH DIGITS FOR OBSTETRICAL DIAGNOSES - CONTINUED (see guideline on page 68)

V0112 Exclusive Check (if match, error) - O002

Diagnosis Table	640.0x – 649.7x with 5th digit "**1**"	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit "**1**"	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit "**1**"	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit "**1**"	Complications of the puerperium
	678.0x - 679.1x with 5th digit "**1**"	Other fetal conditions; and Complications of in utero procedures
Relational Table	640.0x – 649.7x with 5th digit **"3" or "4"**	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit **"3" or "4"**	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit **"3" or "4"**	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit **"3" or "4"**	Complications of the puerperium
	678.0x - 679.1x with 5th digit **"3" or "4"**	Other fetal conditions; Complications of in utero procedures

---

V0112 Exclusive Check (if match, error) - O003

Diagnosis Table	640.0x – 649.6x with 5th digit "**2**"	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit "**2**"	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit "**2**"	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit "**2**"	Complications of the puerperium
	679.0x - 679.1x with 5th digit "**2**"	Complications of in utero procedures
Relational Table	640.0x -649.7x with 5th digit **"3" or "4"**	Complications relating to pregnancy

V0112 ILLOGICAL COMBINATIONS OF FIFTH DIGITS FOR OBSTETRICAL DIAGNOSES - CONTINUED (see guideline on page 68)

V0112 Exclusive Check (if match, error) - O003 - Continued

Relational Table	651.0x - 659.9x with 5th digit **"3" or "4"**	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit **"3" or "4"**	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit **"3" or "4"**	Complications of the puerperium
	678.0x - 679.1x with 5th digit **"3" or "4"**	Other fetal conditions; Complications of in utero procedures

---

V0112 Exclusive Check (if match, error) - O004

Diagnosis Table	640.0x – 649.7x with 5th digit **"3"**	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit **"3"**	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit **"3"**	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit **"3"**	Complications of the puerperium
	678.0x - 679.1x with 5th digit **"3"**	Other fetal conditions; and Complications of in utero procedures
Relational Table	640.0x – 649.6x with 5th digit **"4"**	Complications relating to pregnancy
	651.0x - 659.9x with 5th digit **"4"**	Other indications for care in pregnancy, care and delivery
	660.0x - 669.9x with 5th digit **"4"**	Complications occurring in the course of labor and delivery
	670.0x - 676.9x with 5th digit **"4"**	Complications of the puerperium
	679.0x - 679.1x with 5th digit **"4"**	Complications of in utero procedures

---

V0113 SUPERVISION OF PREGNANCY (V22) with OTHER OBSTETRICAL CODES FROM CHAPTER 11 IN THE ICD-9-CM CODE BOOK

Guideline: Codes from V22 series are never used in combination with a code from Chapter 11 of the ICD-9-CM codebook. Category V22, Normal pregnancy, would never be used as a principal diagnosis for an inpatient admission, but it would be appropriate for coding the reason for encounter in a physician's office or in an outpatient clinic. It can also be used for coding an admitting diagnosis when it is required to be reported.

V0113 Exclusive check (if match, error) - W001

Diagnosis Table	V22.0	Supervision of normal first pregnancy
	V22.1	Supervision of other normal pregnancy
	V22.2	Pregnant state, incidental
Relational Table	630-679	Complications of Pregnancy, Childbirth, and the Puerperium

---

V0115 POSTPARTUM CARE AND EXAMINATION (V24) with OTHER OBSTETRICAL CODES FROM CHAPTER 11 IN THE ICD-9-CM CODEBOOK

Guideline: Codes from V24 series are never used in combination with a code from Chapter 11 of the ICD-9-CM codebook. Category V24 is used primarily for outpatient follow-up visits. When a patient is admitted for routine postpartum care immediately following a delivery outside the hospital, V24.0 is assigned as the principal diagnosis. If there were any postpartum complications, the appropriate code from chapter 11 of ICD-9-CM with fifth digit 2 or 4 would be assigned, not V24.0.

V0115 Exclusive check (if match, error) - W003

Diagnosis Table	V24.0	Postpartum care immediately after delivery
	V24.1	Lactating mother
	V24.2	Routine postpartum follow-up *(for outpatient encounters of postdelivery visits)*
Relational Table	630-679	Complications of Pregnancy, Childbirth, and the Puerperium

---

V0116 STERILIZATION (V25.2) INVALID AS PRINCIPAL DIAGNOSIS with OBSTETRICAL DELIVERY DIAGNOSIS CODES

Guideline: When a sterilization procedure is performed for contraceptive purposes during the same admission as that for delivery, code V25.2, Sterilization, is assigned as a secondary code, with a code from ICD-9-CM chapter 11 assigned as the principal diagnosis. When sterilization is the incidental result of obstetrical surgery, the V code is not assigned.

V0116 Exclusive check (if match, error) - W004

Diagnosis Table Principal Diagnosis	V25.2	Sterilization
Relational Table	650, 640-679 with fifth digits "**1**" or "**2**"	Delivery only

VW117 ILLOGICAL OUTCOME OF DELIVERY (V27) FOR OBSTETRICAL DELIVERY DIAGNOSIS CODES

Guideline: A code from category V27 may be used as an additional code to provide such information as whether a live birth resulted or whether multiple births occurred. To locate the code assignment for outcome of delivery, the coder should refer to the main term "Outcome of delivery" in the ICD-9-CM alphabetic index of diseases. It may be necessary to refer to the newborn's medical record for this information. The coder should not assume that the outcome of delivery is single or live; for example: an outcome of single liveborn infant does not logically relate to the twin pregnancy or pregnancy with intrauterine death. The only outcome of delivery code that can be used with code 650 is V27.0, Single outcome. Any other outcome for code 650 represents a complication.

HINT: For twin pregnancies, codes V27.2-V27.4 would be more appropriate.

HINT: For multiple, triplet, or quadruplet pregnancies, codes V27.5-V27.7 would be more appropriate.

HINT: For intrauterine death pregnancies, codes V27.1, V27.4, and V27.7 would be more appropriate.

VW117 Exclusive check (if match, error) - W005

Diagnosis Table	650	Delivery in a completely normal case
Relational Table	V27.1	Single stillborn
	V27.2	Twins, both liveborn
	V27.3	Twins, one liveborn and one stillborn
	V27.4	Twins, both stillborn
	V27.5	Other multiple birth, all liveborn
	V27.6	Other multiple birth, some liveborn
	V27.7	Other multiple birth, all stillborn

HINT: Code V27.0 would be more appropriate.

VW117 Exclusive check (if match, error) - W006

Diagnosis Table	651.01	Twin pregnancy
Relational Table	V27.0	Single liveborn
	V27.1	Single stillborn
	V27.5	Other multiple birth, all liveborn
	V27.6	Other multiple birth, some liveborn
	V27.7	Other multiple birth, all stillborn

HINT: Codes V27.2-V27.4 would be more appropriate.

VW117 ILLOGICAL OUTCOME OF DELIVERY (V27) FOR OBSTERICAL DELIVERY DIAGNOSIS CODES - CONTINUED (see guideline on page 74)

VW117 Exclusive check (if match, error) - W007

Diagnosis Table	651.11	Triplet pregnancy
	651.21	Quadruplet pregnancy
Relational Table	V27.0	Single liveborn
	V27.1	Single stillborn
	V27.2	Twins, both liveborn
	V27.3	Twins, one liveborn and one stillborn
	V27.4	Twins, both stillborn

HINT: Codes V27.5-V27.7 would be more appropriate.

VW117 Exclusive check (if match, error) - W008

Diagnosis Table	651.81	Other specified multiple gestation
	651.91	Unspecified multiple gestation
Relational Table	V27.0	Single liveborn
	V27.1	Single stillborn

HINT: Codes V27.5-V27.7 would be more appropriate.

VW117 Exclusive check (if match, error) - W009

Diagnosis Table	656.41	Intrauterine death
Relational Table	V27.0	Single liveborn
	V27.2	Twins, both liveborn
	V27.5	Other multiple birth, all liveborn

HINT: Codes V27.1, V27.4, and V27.7 would be more appropriate.

V0118 POSTPARTUM CARE (V24) with OUTCOME OF DELIVERY (V27)

Guideline: The coder should not assign a code from category V27 when the mother delivered outside the hospital and was admitted subsequently.

V0118 Exclusive check (if match, error) - W010

Diagnosis Table	V24.0	Postpartum care immediately after delivery
	V24.1	Lactating mother
	V24.2	Routine postpartum follow-up
Relational Table	V27.0	Single liveborn
	V27.1	Single stillborn
	V27.2	Twins, both liveborn
	V27.3	Twins, one liveborn and one stillborn
	V27.4	Twins, both stillborn
	V27.5	Other multiple birth, all liveborn
	V27.6	Other multiple birth, some liveborn
	V27.7	Other multiple birth, all stillborn
	V27.9	Unspecified outcome of delivery

V0119 PREGNANCY CODES with NEWBORN CODES

Guideline: Births in the hospital or immediately prior to admission are classified to categories V30-V39. In coding of the **newborn's** medical record for the hospital episode during which a birth occurs, an appropriate code from categories V30-V39 is assigned and sequenced first, never as a secondary code.

Category V29, Observation and evaluation of newborns and infants for suspected conditions not found, is for use only for health newborns and infants for which no condition after study is found to be present.

V0119 Exclusive check (if match, error) - W011

Diagnosis Table	630-679	Complications of Pregnancy, Childbirth, and the Puerperium
Relational Table	V29.x	Observation and evaluation of newborns and infants for suspected conditions not found
	V30-V39	Liveborn infants according to type of birth

V0120 NORMAL PREGNANCY/ DELIVERY (650) with COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM

Guideline: Code 650 is assigned only when labor and delivery as well as the antepartum and postpartum periods are entirely normal. Code 650 applies to the entire obstetrical experience, not just the delivery itself. Code 650 cannot be used with any other code from ICD-9-CM chapter 11 because other codes in categories 640-676 indicate that the obstetrical experience was complicated in some way.

V0120 Exclusive check (if match, error) - O006

Diagnosis Table Principal Diagnosis	650	Delivery in a completely normal case
Relational Table	630-633	Ectopic and molar pregnancy
	634-639	Other pregnancy with abortive outcome
	640-649	Complications mainly related to pregnancy
	651-659	Other indications for care in pregnancy, labor, and delivery
	660-669	Complications occurring mainly in the course of labor and delivery
	670-677	Complications of the puerperium
	678	Other fetal conditions
	679	Complications of in utero procedures

V0121 COMPLICATIONS (639) ASSOCIATED with ABORTIONS (634-638)

Guideline: Codes from 634-638 series with an appropriate fourth digit are assigned when a complication occurs during the admission for the abortion, and codes from category 639 are assigned when the patient is readmitted for a complication occurring when treatment for the abortion itself was completed previously. A code from the 634-638 series cannot be assigned with a code from category 639.

V0121 Exclusive check - if match, error - O008

Diagnosis Table	634-638	Other pregnancy with abortive outcome
Relational Table	639	Complications following abortion and ectopic and molar pregnancies

---

V0122 COMPLICATIONS (639) INVALID AS PRINCIPAL DIAGNOSIS FOR MOLAR AND ECTOPIC PREGNANCIES (630-633)

Guideline: When the complication occurs during an admission to treat the ectopic or molar pregnancy, a code from the 630-633 series is sequenced first, followed by a code from category 639.

When the complication occurs after the initial episode of treatment and discharge, only the code from category 639 is assigned.

V0122 Exclusive check (if match, error) - O010

Diagnosis Table Principal Diagnosis	639	Complications following abortion and ectopic and molar pregnancies
Relational Table	630-633	Ectopic and molar pregnancy

V0124 OUTCOME OF DELIVERY (V27) with NON-DELIVERY OBSTETRICAL DIAGNOSIS CODES

Guideline: Category V27 is intended for the coding of the outcome of delivery on the mother's record. Category V27 does not logically relate to obstetrical codes 640-648 or 651-676 with fifth digits "3 or 4". Obstetrical fifth digits 3 and 4 are used only when delivery does not occur during the current episode.

V0124 Exclusive Check (if match, error) - W013

Diagnosis Table	V27.0	Single liveborn
Other Diagnosis	V27.1	Single stillborn
	V27.2	Twins, both liveborn
	V27.3	Twins, one liveborn and one stillborn
	V27.4	Twins, both stillborn
	V27.5	Other multiple birth, all liveborn
	V27.6	Other multiple birth, some liveborn
	V27.7	Other multiple birth, all stillborn
	V27.9	Unspecified outcome of delivery
Relational Table	640-649 with 5th digits "**3**, **4**"	Complications mainly related to pregnancy
	651-659 with 5th digits "**3**, **4**,"	Other indications for care in pregnancy, labor, and delivery
	660-669 with 5th digits "**3**, **4**"	Complications occurring mainly in the course of labor and delivery
	670-676 with 5th digits "**3**, **4**"	Complications of the puerperium
	678 – 679 with 5th digit "**3, 4**"	Other fetal conditions; Complications of in utero procedures

---

VW125 BIRTH INJURIES versus TRAUMATIC INJURIES

Guideline: Injuries due to birth injuries are classified to Chapter 15 of ICD-9-CM (perinatal conditions). If the injuries actually occurred in the birth process, ICD-9-CM refers coders to "Birth" section in the alphabetic index for proper coding of birth injuries. If congenital dislocation is documented, ICD-9-CM refers coders to "Dislocation, congenital" in the alphabetic index.

Exception: If a traumatic injury occurred after birth (i.e. fall) during hospitalization, please override this edit.

VW125 Exclusive check (if match, error) - W014

Diagnosis Table	V30.0x	Single liveborn, born in hospital
Principal Diagnosis	V31.0x	Twin, mate liveborn, born in hospital
	V32.0x	Twin, mate stillborn, born in hospital
	V33.0x	Twin, unspecified, born in hospital
	V34.0x	Other multiple liveborn, mates all liveborn, born in hospital
	V35.0x	Other multiple liveborn, mates all stillborn, born in hospital
	V36.0x	Other multiple liveborn, mates live- and stillborn, born in hospital
	V37.0x	Other multiple liveborn, unspecified, born in hospital
	V39.0x	Liveborn, unspecified, born in hospital
Relational Table	800.xx	Fracture, vault of skull
	801.xx	Fracture, base of skull
	802.xx	Fracture, face bones
	803.xx	Other and unqualified skull fractures
	804.xx	Multiple fractures involving skull or face with other bones
	805.xx	Fracture, vertebral column/no spinal cord injury
	806.xx	Fracture, vertebral column with spinal cord injury
	807.xx	Fracture, rib(s), sternum, larynx, and trachea
	808.xx	Fracture, pelvis
	809.x	Fracture, bones of trunk, ill-defined
	810.xx	Fracture, clavicle
	811.xx	Fracture, scapula
	812.xx	Fracture, humerus
	813.xx	Fracture, radius and ulna
	814.xx	Fracture, carpal bone
	815.xx	Fracture, metacarpal bone
	816.xx	Fracture, one or more phalanges of hand
	817.x	Multiple fractures, hand bones
	818.x	Fractures, upper limb, ill-defined
	819.x	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum
	820.xx	Fracture, neck of femur
	821.xx	Fracture, other and unspecified parts of femur
	822.x	Fracture, patella
	823.xx	Fracture, tibia and fibula

VW125 **BIRTH INJURIES versus TRAUMATIC INJURIES** - CONTINUED
(see guideline on page 82)

VW125 Exclusive check (if match, error) - W014 - Continued

Relational Table	824.x	Fracture, ankle
	825.xx	Fracture, one or more tarsal and metatarsal bones
	826.x	Fracture, one or more phalanges of foot
	827.x	Other, multiple, and ill-defined fractures of lower limb
	828.x	Multiple fractures, both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
	829.x	Fracture, unspecified bones
	830.x	Dislocation, jaw
	831.xx	Dislocation, shoulder
	832.xx	Dislocation, elbow
	833.xx	Dislocation, wrist
	834.xx	Dislocation, finger
	835.xx	Dislocation, hip
	836.xx	Dislocation, knee
	837.x	Dislocation, ankle
	838.xx	Dislocation, foot
	839.xx	Other, multiple, and ill-defined dislocations
	850.xx	Concussion
	851.xx	Cerebral laceration and contusion
	852.xx	Subarachnoid, subdural, and extradural hemorrhage, following injury
	853.xx	Other and unspecified intracranial hemorrhage, following injury
	854.xx	Intracranial injury of other and unspecified nature
	860.xx	Traumatic pneumothorax and hemothorax
	861.xx	Injury to heart and lung
	862.xx	Injury to other and unspecified intrathoracic organs
	863.xx	Injury to gastrointestinal tract
	864.xx	Injury to liver
	865.xx	Injury to spleen
	866.xx	Injury to kidney
	867.x	Injury to pelvic organs
	868.xx	Injury to other intra-abdominal organs
	869.x	Internal injury to unspecified or ill-defined organs
	870.x	Open wound, ocular adnexa
	871.x	Open wound, eyeball
	872.xx	Open wound, ear
	873.xx	Other open wound, head
	874.xx	Open wound, neck
	875.x	Open wound, chest wall
	876.x	Open wound, back
	877.x	Open wound, buttock
	878.x	Open wound, genital organs (external), including traumatic amputation

VW125 **BIRTH INJURIES versus TRAUMATIC INJURIES**
- CONTINUED (see guideline on page 82)

VW125 Exclusive check (if match, error) - W014 - Continued

Relational Table	879.x	Open wound, other and unspecified sites, except limbs
	880.xx	Open wound, shoulder and upper arm
	881.xx	Open wound, elbow, forearm, and wrist
	882.x	Open wound, hand except finger(s) alone
	883.x	Open wound, finger(s)
	884.x	Open wound, multiple and unspecified sites of upper limb
	885.x	Traumatic amputation, thumb
	886.x	Traumatic amputation, other finger
	887.x	Traumatic amputation, arm and hand
	890.x	Open wound, hip and thigh
	891.x	Open wound, knee, leg (except thigh), and ankle
	892.x	Open wound, foot except toe(s) alone
	893.x	Open wound, toe(s)
	894.x	Open wound, multiple and unspecified sites of lower limb
	895.x	Traumatic amputation, toe(s)
	896.x	Traumatic amputation, foot
	897.x	Traumatic amputation, leg
	900.xx	Injury, blood vessels, head and neck
	901.xx	Injury, blood vessels, thorax
	902.xx	Injury, blood vessels, abdomen and pelvis
	903.xx	Injury, blood vessels, upper extremity
	904.xx	Injury, blood vessels, lower extremity and unspecified sites
	905.x	Late effects, musculoskeletal and connective tissue injuries
	906.x	Late effects, skin and subcutaneous tissue injuries
	907.x	Late effects, nervous system injuries
	908.x	Late effects, other and unspecified injuries
	909.x	Late effects, other and unspecified external causes
	910.x	Superficial injury, face, neck, and scalp except eye
	911.x	Superficial injury, trunk
	912.x	Superficial injury, shoulder and upper arm
	913.x	Superficial injury, elbow, forearm, and wrist
	914.x	Superficial injury, hand(s) except finger(s) alone
	915.x	Superficial injury, finger(s)
	916.x	Superficial injury, hip, thigh, leg, and ankle
	917.x	Superficial injury, foot and toe(s)
	918.x	Superficial injury, eye and adnexa
	919.x	Superficial injury, other, multiple, and unspecified sites
	920	Contusion, face, scalp, and neck except eye(s)
	921.x	Contusion, eye and adnexa
	922.x	Contusion, trunk
	923.x	Contusion, upper limb

VW125 **BIRTH INJURIES versus TRAUMATIC INJURIES**
- CONTINUED (see guideline on page 82)

VW125 Exclusive check (if match, error) - W014 - Continued

Relational Table	924.xx	Contusion, lower limb and other/unspecified sites
	925.x	Crushing injury, face, scalp and neck
	926.xx	Crushing injury, trunk
	927.xx	Crushing injury, upper limb
	928.xx	Crushing injury, lower limb
	929.x	Crushing injury, multiple and unspecified sites

V0126 NEWBORN with PSYCHIATRIC MENTAL DISORDERS

Guideline: When a live birth occurs, an appropriate code from categories V30-V39 is assigned and sequenced first. Newborns with problems do not warrant a diagnosis of a mental disorder. Psychiatric conditions need to be worked up thoroughly after birth before a diagnosis of mental disorder is made. It is not logical to report some mental disorders for live births.

Examples of diagnoses should be classified to the Chapters 14 or 15 of the ICD-9-CM Codebook:

Respiratory depression of newborn should have a diagnosis code 770.8, instead of diagnosis code 311 (depression).

Drug withdrawal syndrome in newborn should have a diagnosis code 779.5, instead of diagnosis code 292.0 (drug withdrawal syndrome).

V0126 Exclusive Check (if match, error) - W015

Diagnosis Table Principal Diagnosis	V30-V39	Liveborn infants according to type of birth (except 4th digit "2")
Relational Table	290 - 316	Mental Disorders

VW128 THIRD DEGREE BURN OVER 18% OF BODY WITH ILLOGICAL CODES FROM CATEGORY 948

Guideline: Category 948 is based on the classic "rules of nines" in estimating body surface involved: head and neck are assigned 9%, each arm 9%, each leg 18%, the anterior trunk 18%, the posterior trunk 18%, and genitalia 1%. Physicians may change these percentage assignments for burns where necessary to accommodate infants and children who have proportionately larger heads than adults and patients who have large buttocks, thighs, or abdomen.

In category 948, the 4th digit indicates the percentage of body surface involved in all types of burns, and the 5th digit indicates the percentage of total body surface involved in 3rd degree burn only. When using category 948 as an additional code, the 5th digit should correspond to the percentage of body surface involved in 3rd degree. For some sites indicating more than 10% with 3rd degree (see the codes listed below in the diagnosis table), it is illogical to have code 948.x with 5th digit "0" (third degree less than 10%).

Exception: If the affected burn site is coded to the highest degree and the extent of the 3rd degree burn is actually less than 10% in the same site, override the edit.

VW128 Exclusive check (if match, error) - X025

Diagnosis Table	942.30	Burn (3rd degree, NOS) - trunk, unspecified site (18%)
	942.32	Burn (3rd degree, NOS) - chest wall (18%)
	942.33	Burn (3rd degree, NOS) - abdominal wall (18%)
	942.34	Burn (3rd degree, NOS) - back (18%)
	942.39	Burn (3rd degree, NOS) - other/multiple sites of trunk (18%)
	942.40	Burn (Deep 3rd degree) - trunk, unspecified site (18%)
	942.42	Burn (Deep 3rd degree) - chest wall (18%)
	942.43	Burn (Deep 3rd degree) - abdominal wall (18%)
	942.44	Burn (Deep 3rd degree) - back (18%)
	942.49	Burn (Deep 3rd degree) - other/multiple sites of trunk (18%)
	942.50	Burn (Deep 3rd degree/Loss) - trunk, unspecified site (18%)
	942.52	Burn (Deep 3rd degree/Loss) - chest wall (18%)
	942.53	Burn (Deep 3rd degree/Loss) - abdominal wall (18%)
	942.54	Burn (Deep 3rd degree/Loss) - back (18%)
	942.59	Burn (Deep 3rd degree/Loss) - other/multiple sites of trunk (18%)
	945.30	Burn (3rd degree, NOS) - lower limb, unspecified site (18%)
	945.34	Burn (3rd degree, NOS) - lower leg (18%)
	945.36	Burn (3rd degree, NOS) - thigh (18%)
	945.39	Burn (3rd degree, NOS) - multiple sites of lower limb (18%)
	945.40	Burn (Deep 3rd degree) - lower limb, unspecified site (18%)
	945.44	Burn (Deep 3rd degree) - lower leg (18%)
	945.46	Burn (Deep 3rd degree) - thigh (18%)
	945.49	Burn (Deep 3rd degree) - multiple sites of lower limb (18%)
	945.50	Burn (Deep 3rd degree/Loss) - lower limb, unspecified site (18%)
	945.54	Burn (Deep 3rd degree/Loss) - lower leg (18%)
	945.56	Burn (Deep 3rd degree/Loss) - thigh (18%)
	945.59	Burn (Deep 3rd degree/Loss) - multiple sites of lower limb (18%)

VW128 **THIRD DEGREE BURN OVER 18% OF BODY WITH ILLOGICAL CODES FROM CATEGORY 948** - CONTINUED (see guideline on page 87)

VW128 Exclusive check (if match, error) - X025 - Continued

Relational Table	948.00	Burn - less than 10% of body surface with less than 10% with 3rd degree
	948.10	Burn - 10-19% of body surface with less than 10% with 3rd degree
	948.20	Burn - 20-29% of body surface with less than 10% with 3rd degree
	948.30	Burn - 30-39% of body surface with less than 10% with 3rd degree
	948.40	Burn - 40-49% of body surface with less than 10% with 3rd degree
	948.50	Burn - 50-59% of body surface with less than 10% with 3rd degree
	948.60	Burn - 60-69% of body surface with less than 10% with 3rd degree
	948.70	Burn - 70-79% of body surface with less than 10% with 3rd degree
	948.80	Burn - 80-89% of body surface with less than 10% with 3rd degree
	948.90	Burn - 90% or more of body surface with less than 10% with 3rd degree

---

V0129 EXTENT OF BURN (CATEGORY 948) INVALID AS PRINCIPAL DIAGNOSIS WHEN OTHER DIAGNOSIS CODES FOR BURNS (940-947) ARE PRESENT

Guideline: Category 948 can be assigned as a solo burn code when the sites involved are not specified or as a secondary code to indicate the amount of body surface involved in the burn for categories 940-947.

V0129 Exclusive check (if match, error) - X023

Diagnosis Table	948	All extent of burns
Relational Table	940-947	All burns

V0130 MENTAL OBSERVATION with MENTAL DIAGNOSIS

Guideline: DSM-III-R and DSM-IV instruct coders to use V71.09 or 799.9 to indicate that no diagnosis on Axis I or Axis II is available at discharge. Because the DSM-III-R coding guidelines are different from the ICD-9-CM coding guidelines, modifications are required to establish uniformity.

The Psychiatric Health Record Practitioners (PHRP) of the California Health Information Association recognizes the potential problems and states in *PHRP Coding Guidelines*, "Diagnoses must be properly sequenced for submission to Medicare, insurance companies, OSHPD and other agencies. If absolutely necessary, these codes [V71.09 and 799.90] can be used for in-house hospital tracking purposes but do not report to data processor, OSHPD, surveys, etc. This may require re-sequencing diagnoses, if there are diagnoses on Axes I and II." Codes V71.09 and 799.9 fill OSHPD'S database with useless information and should not be reported. **OSHPD would like to reinforce this guideline by requesting that psychiatric facilities should not use these codes (V71.09 and 799.9) when reporting to OSHPD.**

V0130	Exclusive Check (if match, error) - Y001	
Diagnosis Table	799.9	Other unknown and unspecified cause
	V71.09	Observation for other suspected mental condition
Relational Table	290.0 - 319	Mental Disorders

V0131 GANGRENOUS INGUINAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify one or both gangrenous inguinal hernias diagnosed as recurrent. Two unilateral inguinal hernias with one hernia being recurrent should be combined into one combination code using the fifth digit "3" (550.03).

V0131 Exclusive Check (if match, error) - R049

Diagnosis Table	550.00	Inguinal hernia, with gangrene, unilateral or unspecified (not specified as recurrent)
Relational Table	550.01	Inguinal hernia, with gangrene, unilateral or unspecified, recurrent

---

V0132 OBSTRUCTIVE INGUINAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify one or both obstructive inguinal hernias diagnosed as recurrent. Two unilateral inguinal hernias with one hernia being recurrent should be combined into one combination code using the fifth digit "3" (550.13).

V0132 Exclusive Check (if match, error) - R051

Diagnosis Table	550.10	Inguinal hernia, with obstruction, unilateral or unspecified (not specified as recurrent)
Relational Table	550.11	Inguinal hernia, with obstruction, unilateral or unspecified, recurrent

---

V0133 INGUINAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify bilateral inguinal hernias with one or both hernias diagnosed as recurrent. Two unilateral inguinal hernias should be combined into one combination code using the fifth digit "3" (550.93).

V0133 Exclusive Check (if match, error) - R053

Diagnosis Table	550.90	Inguinal hernia, unilateral or unspecified (not specified as recurrent)
Relational Table	550.91	Inguinal hernia, unilateral or unspecified, recurrent

---

V0134 GANGRENOUS FEMORAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify one or both gangrenous femoral hernias diagnosed as recurrent. Two unilateral femoral hernias with one hernia being recurrent should be combined into one combination code using the fifth digit "3" (551.03).

V0134 Exclusive Check (if match, error) - R055

Diagnosis Table	551.00	Femoral hernia, with gangrene, unilateral or unspecified (not specified as recurrent)
Relational Table	551.01	Femoral hernia, with gangrene, unilateral or unspecified, recurrent

---

V0135 OBSTRUCTIVE FEMORAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify with one or both obstructive femoral hernias diagnosed as recurrent. Two unilateral femoral hernias with one hernia being recurrent should be combined into one combination code using the fifth digit "3" (552.03).

V0135 Exclusive Check (if match, error) - R057

Diagnosis Table	552.00	Femoral hernia, with obstruction, unilateral or unspecified (not specified as recurrent)
Relational Table	552.01	Femoral hernia, with obstruction, unilateral or unspecified, recurrent

---

V0136 FEMORAL HERNIA, WITH and WITHOUT RECURRENCE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "3" is used to identify bilateral femoral hernias with one or both hernias diagnosed as recurrent. Two unilateral femoral hernias should be combined into one combination code using the fifth digit "3" (553.03).

V0136 Exclusive Check (if match, error) - R059

Diagnosis Table	553.00	Femoral hernia, unilateral or unspecified (not specified as recurrent)
Relational Table	553.01	Femoral hernia, unilateral or unspecified, recurrent

---

V0137 INGUINAL HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. The fifth digit "2" or "3" is used to identify bilateral inguinal hernias with one or both hernias diagnosed with gangrene and obstruction. Two unilateral inguinal hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous inguinal hernia code (550.0x) and the fifth digit "2" or "3".

V0137 Exclusive Check (if match, error) - R061

Diagnosis Table	550.00	Inguinal hernia, with gangrene, unilateral or unspecified, (not specified as recurrent)
	550.01	Inguinal hernia, with gangrene, unilateral or unspecified, recurrent
	550.02	Inguinal hernia, with gangrene, bilateral, (not specified as recurrent)
	550.03	Inguinal hernia, with gangrene, bilateral, recurrent
Relational Table	550.10	Inguinal hernia, with obstruction, unilateral or unspecified, (not specified as recurrent)
	550.11	Inguinal hernia, with obstruction, unilateral or unspecified, recurrent
	550.12	Inguinal hernia, with obstruction, bilateral (not specified as recurrent)
	550.13	Inguinal hernia, with obstruction, bilateral, recurrent

---

V0138 INGUINAL HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "2" or "3" is used to identify bilateral inguinal hernias with one or both hernias diagnosed with gangrene. Two unilateral inguinal hernias with one hernia being gangrene should be combined into one combination code using the gangrenous inguinal hernia code (550.0x) and the fifth digit "2" or "3".

V0138 Exclusive Check (if match, error) - R063

Diagnosis Table	550.00	Inguinal hernia, with gangrene, unilateral or unspecified, (not specified as recurrent)
	550.01	Inguinal hernia, with gangrene, unilateral or unspecified, recurrent
	550.02	Inguinal hernia, with gangrene, bilateral, (not specified as recurrent)
	550.03	Inguinal hernia, with gangrene, bilateral, recurrent
Relational Table	550.90	Inguinal hernia, unilateral or unspecified, (not specified as recurrent)
	550.91	Inguinal hernia, unilateral or unspecified, recurrent
	550.92	Inguinal hernia, bilateral, (not specified as recurrent)
	550.93	Inguinal hernia, bilateral, recurrent

V0139 INGUINAL HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "2" or "3" is used to identify bilateral inguinal hernias with one or both hernias diagnosed with obstruction. Two unilateral inguinal hernias with one hernia being obstructive should be combined into one combination code using the obstructive hernia code (550.1x) and the fifth digit "2" or "3".

V0139 Exclusive Check (if match, error) - R065

Diagnosis Table	550.10	Inguinal hernia, with obstruction, unilateral or unspecified, (not specified as recurrent)
	550.11	Inguinal hernia, with obstruction, unilateral or unspecified, recurrent
	550.12	Inguinal hernia, with obstruction, bilateral (not specified as recurrent)
	550.13	Inguinal hernia, with obstruction, bilateral, recurrent
Relational Table	550.90	Inguinal hernia, unilateral or unspecified, (not specified as recurrent)
	550.91	Inguinal hernia, unilateral or unspecified, recurrent
	550.92	Inguinal hernia, bilateral, (not specified as recurrent)
	550.93	Inguinal hernia, bilateral, recurrent

V0140 FEMORAL HERNIA, WITH GANGRENE and OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. The fifth digit "2" or "3" is used to identify bilateral femoral hernias with one or both hernias diagnosed with gangrene and obstruction. Two unilateral femoral hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous femoral hernia code (551.0x) and the fifth digit "2" or "3".

V0140 Exclusive Check (if match, error) - R067

Diagnosis Table	551.00	Femoral hernia, with gangrene, unilateral or unspecified, (not specified as recurrent)
	551.01	Femoral hernia, with gangrene, unilateral or unspecified, recurrent
	551.02	Femoral hernia, with gangrene, bilateral, (not specified as recurrent)
	551.03	Femoral hernia, with gangrene, bilateral, recurrent
Relational Table	552.00	Femoral hernia, with obstruction, unilateral or unspecified, (not specified as recurrent)
	552.01	Femoral hernia, with obstruction, unilateral or unspecified, recurrent
	552.02	Femoral hernia, with obstruction, bilateral (not specified as recurrent)
	552.03	Femoral hernia, with obstruction, bilateral, recurrent

V0141 FEMORAL HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "2" or "3" is used to identify bilateral femoral hernias with one or both hernias diagnosed with gangrene. Two unilateral femoral hernias with one hernia being gangrene should be combined into one combination code using the gangrenous femoral hernia (551.0x) and the fifth digit "2" or "3".

V0141 Exclusive Check (if match, error) - R069

Diagnosis Table	551.00	Femoral hernia, with gangrene, unilateral or unspecified, (not specified as recurrent)
	551.01	Femoral hernia, with gangrene, unilateral or unspecified, recurrent
	551.02	Femoral hernia, with gangrene, bilateral, (not specified as recurrent)
	551.03	Femoral hernia, with gangrene, bilateral, recurrent
Relational Table	553.00	Femoral hernia, unilateral or unspecified, (not specified as recurrent)
	553.01	Femoral hernia, unilateral or unspecified, recurrent
	553.02	Femoral hernia, bilateral, (not specified as recurrent)
	553.03	Femoral hernia, bilateral, recurrent

V0142 FEMORAL HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for femoral hernia to indicate whether the hernia is unilateral or bilateral and whether it is recurrent.

The fifth digit "2" or "3" is used to identify bilateral femoral hernias with one or both hernias diagnosed with obstruction. Two unilateral femoral hernias with one hernia being obstructive should be combined into one combination code using the obstructive femoral hernia (552.0x) and the fifth digit "2" or "3".

V0142 Exclusive Check (if match, error) - R071

Diagnosis Table	552.00	Femoral hernia, with obstruction, unilateral or unspecified, (not specified as recurrent)
	552.01	Femoral hernia, with obstruction, unilateral or unspecified, recurrent
	552.02	Femoral hernia, with obstruction, bilateral (not specified as recurrent)
	552.03	Femoral hernia, with obstruction, bilateral, recurrent
Relational Table	553.00	Femoral hernia, unilateral or unspecified, (not specified as recurrent)
	553.01	Femoral hernia, unilateral or unspecified, recurrent
	553.02	Femoral hernia, bilateral, (not specified as recurrent)
	553.03	Femoral hernia, bilateral, recurrent

V0143 UMBILICAL HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. Two unilateral umbilical hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous umbilical hernia (551.1).

V0143 Exclusive Check (if match, error) - R073

Diagnosis Table	551.1	Umbilical hernia with gangrene
Relational Table	552.1	Umbilical hernia with obstruction

V0144 UMBILICAL HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral umbilical hernias with one hernia being gangrenous should be combined into one combination code using the gangrenous umbilical hernia (551.1).

V0144 Exclusive Check (if match, error) - R075

Diagnosis Table	551.1	Umbilical hernia with gangrene
Relational Table	553.1	Umbilical hernia

V0145 UMBILICAL HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral umbilical hernias with one hernia being obstructive should be combined into one combination code using the obstructive umbilical hernia (552.1).

V0145 Exclusive Check (if match, error) - R077

Diagnosis Table	552.1	Umbilical hernia with obstruction
Relational Table	553.1	Umbilical hernia

V0146 VENTRAL HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. Two unilateral ventral hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous ventral hernia (551.20).

V0146 Exclusive Check (if match, error) - R079

Diagnosis Table	551.20	Ventral hernia, unspecified, with gangrene
Relational Table	552.20	Ventral hernia, unspecified, with obstruction

---

V0147 VENTRAL HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral ventral hernias with one hernia being gangrenous should be combined into one combination code using the gangrenous ventral hernia (551.20).

V0147 Exclusive Check (if match, error) - R081

Diagnosis Table	551.20	Ventral hernia, unspecified, with gangrene
Relational Table	553.20	Ventral hernia, unspecified

V0148 VENTRAL HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral ventral hernias with one hernia being obstructive should be combined into one combination code using the obstructive ventral hernia (552.20).

V0148 Exclusive Check (if match, error) - R083

Diagnosis Table	552.20	Ventral hernia, unspecified, with obstruction
Relational Table	553.20	Ventral hernia, unspecified

V0149 DIAPHRAGMATIC HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. Two unilateral diaphragmatic hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous diaphragmatic hernia (551.3).

V0149 Exclusive Check (if match, error) - R085

Diagnosis Table	551.3	Diaphragmatic hernia with gangrene
Relational Table	552.3	Diaphragmatic hernia with obstruction

V0150 DIAPHRAGMATIC HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral diaphragmatic hernias with one hernia being gangrenous should be combined into one combination code using the gangrenous diaphragmatic hernia (551.3).

V0150 Exclusive Check (if match, error) - R087

Diagnosis Table	551.3	Diaphragmatic hernia with gangrene
Relational Table	553.3	Diaphragmatic hernia

V0151 DIAPHRAGMATIC HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral diaphragmatic hernias with one hernia being obstructive should be combined into one combination code using the obstructive diaphragmatic hernia (552.3).

V0151 Exclusive Check (if match, error) - R089

Diagnosis Table	552.3	Diaphragmatic hernia with obstruction
Relational Table	553.3	Diaphragmatic hernia

V0152 INCISIONAL HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. Two unilateral incisional hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous incisional hernia (551.21).

V0152 Exclusive Check (if match, error) - R091

Diagnosis Table	551.21	Incisional hernia with gangrene
Relational Table	552.21	Incisional hernia with obstruction

V0153 INCISIONAL HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral incisional hernias with one hernia being gangrenous should be combined into one combination code using the gangrenous incisional hernia (551.21).

V0153 Exclusive Check (if match, error) - R093

Diagnosis Table	551.21	Incisional hernia with gangrene
Relational Table	553.21	Incisional hernia

V0154 INCISIONAL HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral incisional hernias with one hernia being obstructive should be combined into one combination code using the obstructive incisional hernia (552.21).

V0154 Exclusive Check (if match, error) - R095

Diagnosis Table	552.21	Incisional hernia with obstruction
Relational Table	553.21	Incisional hernia

V0155 EPIGASTRIC HERNIA, with GANGRENE AND OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

The ICD-9-CM Index indicates that gangrene includes obstruction for hernia conditions. Two unilateral epigastric hernias with one hernia being gangrenous and one hernia being obstructive should be combined into one combination code using the gangrenous epigastric hernia (551.29).

V0155 Exclusive Check (if match, error) - R097

Diagnosis Table	551.29	Epigastric hernia with gangrene
Relational Table	552.29	Epigastric hernia with obstruction

V0156 EPIGASTRIC HERNIA, WITH and WITHOUT GANGRENE

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral epigastric hernias with one hernia being gangrenous should be combined into one combination code using the gangrenous epigastric hernia (551.29).

V0156 Exclusive Check (if match, error) - R099

Diagnosis Table	551.29	Epigastric hernia with gangrene
Relational Table	553.29	Epigastric hernia

V0157 EPIGASTRIC HERNIA, WITH and WITHOUT OBSTRUCTION

Guideline: Hernias are classified by type and site, with combination codes used to indicate the presence of gangrene or obstruction. Fifth digits are used with codes for inguinal and femoral hernias to indicate whether the hernia is unilateral or bilateral and whether it is recurrent. With other hernias of the abdominal cavity, the 4th digit axis provides this type of detail.

Two unilateral epigastric hernias with one hernia being obstructive should be combined into one combination code using the obstructive epigastric hernia (552.29).

V0157 Exclusive Check (if match, error) - R101

Diagnosis Table	552.29	Epigastric hernia with obstruction
Relational Table	553.29	Epigastric hernia

VW158 MISSED ABORTION or DELIVERY - WHICH IS IT?

Guideline: When a complication of pregnancy has resulted in abortion, a code from categories 640-648 and 651-657 may be used as an additional code. Fifth-digit 0 is assigned with codes from these categories when used with an abortion code because the other fifth digits do not apply.

The term "missed abortion" refers to early fetal death prior to the completion of 22 weeks of gestation, with the fetus retained for a period of time. It is illogical to have a missed abortion and a current pregnancy with delivery (5th digits 1 or 2) appear together on the same record.

If the patient with a diagnosis of multiple gestation suffers early fetal loss (abortion) with one or more remaining fetuses, category 651 (multiple gestation) indicates that this occurred.

VW158 Exclusive Check (if match, error) - O012

Diagnosis Table	632	Missed abortion
Relational Table	640-649 with 5th digits **1 or 2**	Complications mainly related to pregnancy
	652-659 with 5th digits **1 or 2**	Other indications for care in pregnancy, labor, and delivery (Category 651 was excluded)
	660-669 with 5th digits **1 or 2**	Complications occurring mainly in the course of labor and delivery (*except 662.3x*)
	670-676 with 5th digits **1 or 2**	Complications of the puerperium
	678-679 with 5th digits **1 or 2**	Other fetal conditions; Complications of in utero procedures

---

V0159 ELDERLY PRIMIGRAVIDA OR ELDERLY MULTIGRAVIDA – WHICH IS IT?

Guideline: One type of the "Excludes" notes indicates that two conditions that appear similar actually have different codes for advanced maternal age based on etiology (number of pregnancies). The "Excludes" note under code 659.6 (elderly multigravida excludes elderly primigravida (code 659.5). The correct interpretation in such cases is that one or the other should be used, but not both.

V0159 Exclusive Check (if match, error) - O014

Diagnosis Table	659.50	Elderly primigravida, unspecified episode of care
	659.51	Elderly primigravida, delivered with or without mention of antepartum condition
	659.53	Elderly primigravida, antepartum or complication
Relational Table	659.60	Elderly multigravida, unspecified episode of care
	659.61	Elderly multigravida, delivered with or without mention of antepartum condition
	659.63	Elderly multigravida, antepartum or complication

V0160 PERINATAL CONDITIONS ON MOTHER'S RECORD

Guideline: Although many of the category titles in chapter 15 of ICD-9-CM codebook contain words that appear to refer to a maternal condition, all codes in chapter 15 pertain to the infant and are never assigned to the mother's medical record.

V0160 Exclusive Check (if match, error) - O016

Diagnosis Table	640-679	Complications of pregnancy, childbirth, and the puerperium
Relational Table	760-779	Certain conditions originating in the perinatal period *excludes: 760.76 Diethylstilbestrol (DES) influencing fetus* *760.79 Other noxious influences affecting fetus via placenta or breast milk*

V0161 CONCUSSION versus SPECIFIED HEAD INJURY

Guideline: The diagnosis of concussion, category 850, refers to cerebral bruising leading to transient unconsciousness or no loss of consciousness. Patients with head injuries are often dazed for a short period after the head injury impact and it may be difficult to determine if traumatic unconsciousness occurred for one or more minutes. It should be noted that ICD-9-CM provides for the diagnosis of concussion to be classified without known loss of consciousness (code 850.0) based on clinical features of mental confusion or disorientation.

Codes from categories 850 are not assigned when the closed or open head injury is further described as a cerebral contusion or laceration, intracranial hemorrhage, skull fracture, or other specified condition classifiable to codes in the 800-801, 803-804, or 851-854 series. In these series, the use of fifth digits incorporates the presence of a concussion.

V0161 Exclusive check (if match, error) - R009

Diagnosis Table	850.xx	Concussion
Relational Table	800.xx	Fracture of vault of skull
	801.xx	Fracture of base of skull
	803.xx	Other and unqualified skull fractures
	804.xx	Multiple fractures involving skull or face with other bones
	851.xx	Cerebral laceration and contusion
	852.xx	Subarachnoid, Subdural, and Extradural hemorrhage, following injury
	853.xx	Other and unspecified intracranial hemorrhage following injury
	854.xx	Intracranial injury of other and unspecified nature

V0162 HEAD INJURY versus SPECIFIED HEAD INJURY

Guideline: Brain or intracranial injury not otherwise specified is assigned to category 854.

However, codes from categories 854 are not assigned when the closed or open brain or intracranial injury is further described as a cerebral contusion or laceration, intracranial hemorrhage, skull fracture, or other specified condition classifiable to codes in the 800-801, 803-804, or 851-853 series. Read the excludes note under category 854.

V0162 Exclusive check (if match, error) - R010

Diagnosis Table	854.xx	Intracranial injury of other and unspecified nature
Relational Table	800.xx	Fracture of vault of skull
	801.xx	Fracture of base of skull
	803.xx	Other and unqualified skull fractures
	804.xx	Multiple fractures involving skull or face with other bones
	851.xx	Cerebral laceration and contusion
	852.xx	Subarachnoid, Subdural, and Extradural hemorrhage, following injury
	853.xx	Other and unspecified intracranial hemorrhage following injury

---

V0164 CVA versus SPECIFIED CEREBRAL OCCLUSION

Guideline: When the diagnosis is given as "cerebrovascular accident," "CVA," or "stroke" without any further qualification, it is important for the coder to review the medical record to discover the cause of the stroke or "cerebrovascular stroke" or to consult with the physician and classify it accordingly.

Codes from categories 430-435 should be assigned when the specific type of stroke has been documented. Therefore, code 436, ill-defined cerebrovascular disease, should only be used when no further information is available. Read the "Excludes" note under code 436. The use of code 436 with a code from categories 430-435 or 438 is redundant and incorrect because the more specific code always takes precedence.

V0164 Exclusive Check (if match, error) - Y003

Diagnosis Table	436	Acute, but ill-defined cerebrovascular disease
Relational Table	430	Subarachnoid hemorrhage
	431	Intracerebral hemorrhage
	432	Other and unspecified intracranial hemorrhage
	433	Occlusion and stenosis of precerebral arteries
	434	Occlusion of cerebral arteries
	435	Transient cerebral ischemia

V0168 TYPE I and TYPE II DIABETES

Guideline: Diabetes mellitus has two special features and special implications for patient care. The important factor in determining which fifth digit to use is whether the patient is a type I or type II.

Patients with type I (juvenile type or insulin-dependent) diabetes require insulin to maintain normal blood glucose levels. There are occasions during symptom-free intervals where insulin therapy is not required but this does not indicate that the type of diabetes has changed - it is still Type I (insulin-dependent diabetes).

Patients with type II (adult-onset type or non-insulin dependent) diabetes generally do not require insulin. There are occasions to control symptoms where insulin therapy is required but this does not indicate that the type of diabetes has changed - it is still Type II (non-insulin dependent diabetes).

It is incorrect to change the physician's designation of non-insulin dependent (Type II diabetes mellitus) to insulin dependent (Type I diabetes mellitus), without the attending physician's concurrence. The administration of insulin has no affect on code assignment. The age of the patient at the time of disease onset has no affect on code assignment. Only the type of diabetes (I or II) affects code assignment. The distinguishing factor between Type I and Type II is the presence or absence of natural insulin. Type I patients require insulin to sustain life because the body does not produce insulin. Type II patients, whose bodies are able to produce sufficient amounts of insulin, may receive insulin therapy (to correct symptomatic or persistent hyperglycemia), to assist the body in utilizing the insulin that is present in the body. Type II patients are not dependent on insulin to sustain life.

Coding diabetes as both Type I and Type II is contradictory and distorts statistics.

V0168 Exclusive check (if match, error) - X003

Diagnosis Table	250.x0	Type II Diabetes mellitus [Non-insulin dependent]
	250.x2	Type II Diabetes mellitus [Non-insulin dependent]
Relational Table	250.x1	Type I Diabetes mellitus [Insulin dependent]
	250.x3	Type I Diabetes mellitus [Insulin dependent]

V0169 CONTROLLED versus UNCONTROLLED DIABETES

Guideline: Uncontrolled diabetes or uncontrolled secondary diabetes is a nonspecific term indicating that the patient's blood sugar level is not kept within acceptable levels by his or her current treatment regimen. The fifth digits indicating uncontrolled levels should only be used when the physician diagnoses uncontrolled diabetes or uncontrolled diabetes.

Coding diabetes or secondary diabetes as both controlled and uncontrolled is contradictory and distorts statistics.

V0169 Exclusive check (if match, error) - X004

Diagnosis Table	250.x0	Type II Diabetes mellitus, not stated as uncontrolled
	250.x1	Type I Diabetes mellitus, not stated as uncontrolled
Relational Table	250.x2	Type II Diabetes mellitus, uncontrolled
	250.x3	Type I Diabetes mellitus, uncontrolled

V0169 Exclusive check (if match, error) – X128

Diagnosis Table	249.x0	Secondary Diabetes mellitus, not stated as uncontrolled
Relational Table	249.x1	Secondary Diabetes mellitus, uncontrolled

---

V0170 HYPOGLYCEMIA and HYPOGLYCEMIC DIABETES

Guideline: Category 251, Other disorders of pancreatic internal secretion, should **not** be used for patients with diabetes mellitus. Therefore, hypoglycemia in a patient with diabetes mellitus should be coded to category 250, not 251.

Read the "Excludes" notes under codes 251.0, 251.1, and 251.2.

A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0170 Exclusive check (if match, error) - X005

Diagnosis Table	251.1	Other specified hypoglycemia
	251.2	Hypoglycemia, unspecified
Relational Table	250.8x	Hypoglycemia in diabetes mellitus
	251.0	Hypoglycemic coma

V0170 Exclusive check (if match, error) - X015

Diagnosis Table	251.0	Hypoglycemic coma
Relational Table	250.3x	Diabetes with other coma

V0171 BACTEREMIA versus SEPTICEMIA

Guideline: Categories 790-796 are specified by ICD-9-CM for the reporting of nonspecific abnormal findings of diagnostic tests when no related diagnosis is established. Codes from the 790-796 series are never assigned on the basis of an abnormal laboratory finding alone, nor are they assigned when the associated diagnosis has been recorded.

Bacteremia is defined as the presence of bacteria in the blood. Septicemia is defined as systemic disease associated with the presence and persistence of pathogenic microorganisms or their toxins in the blood. The two terms are not synonymous. Bacteremia denotes a laboratory finding; septicemia denotes acute illness.

Read the Excludes note under code 790.7 and category 038.

V0171	Exclusive Check (if match, error) - X012	
Diagnosis Table	790.7	Bacteremia
Relational Table	038	Septicemia

V0172 POSITIVE TB TEST versus TUBERCULOSIS

Guideline: Categories 790-796 are specified by ICD-9-CM for the reporting of nonspecific abnormal findings of diagnostic tests when no related diagnosis is established. Codes from the 790-796 series are never assigned on the basis of an abnormal laboratory finding alone, nor are they assigned when the associated diagnosis has been recorded.

Care should be taken to differentiate between a diagnosis of tuberculosis (010) and a positive tuberculin skin test (795.5) without a diagnosis of active tuberculosis.

V0172 Exclusive Check (if match, error) - X013

Diagnosis Table	795.5	Nonspecific reaction to tuberculin skin test without active tuberculosis
Relational Table	010.xx	Primary tuberculous infection
	017.0x	Tuberculosis of skin and subcutaneous cellular tissue

---

V0173 CHRONIC HEPATITIS versus VIRAL HEPATITIS

Guideline: Non-viral and unspecified hepatitis is classified in category 571, Chronic liver disease and cirrhosis, in the Digestive system chapter. All viral hepatitis is classified in category 070, Viral hepatitis, in the Infectious and Parasitic Disease chapter.

The viral hepatitis codes do not distinguish between the acute and chronic forms of the disease. Acute and chronic stages of viral hepatitis are classified to category 070. In the alphabetic index, there are two supplementary words (acute) and (chronic) next to the term "Hepatitis" which may be present or absent in the statement of a disease without affecting the code number.

V0173 Exclusive Check (if match, error) - X014

Diagnosis Table	571.40	Chronic hepatitis, unspecified
	571.41	Chronic persistent hepatitis
	571.42	Autoimmune hepatitis
	571.49	Other chronic hepatitis
Relational Table	070.xx	Viral hepatitis

VW174 ATHEROSCLEROSIS OF EXTREMITY HIERARCHY

Guideline: Additional fifth digits have been created to identify additional manifestations of the disease for subcategory 440.2, Atherosclerosis of arteries of the extremities. These codes are listed in order of increasing priority. The structure of the combination codes is hierarchal. If the patient presents with ulceration and gangrene, only one combination code (440.24) is sufficient to identify both conditions.

Exception: This edit can be overridden if the codes are not related to the same extremity.

VW174 Exclusive Check (if match, error) - R011

Diagnosis Table	440.20	Atherosclerosis of the extremities, unspecified
Relational Table	440.21	Atherosclerosis of the extremities with intermittent claudication
	440.22	Atherosclerosis of the extremities with rest pain
	440.23	Atherosclerosis of the extremities with ulceration
	440.24	Atherosclerosis of the extremities with gangrene

VW174 Exclusive Check (if match, error) - R012

Diagnosis Table	440.21	Atherosclerosis of the extremities with intermittent claudication
Relational Table	440.22	Atherosclerosis of the extremities with rest pain
	440.23	Atherosclerosis of the extremities with ulceration
	440.24	Atherosclerosis of the extremities with gangrene

VW174 Exclusive Check (if match, error) - R013

Diagnosis Table	440.22	Atherosclerosis of the extremities with rest pain
Relational Table	440.23	Atherosclerosis of the extremities with ulceration
	440.24	Atherosclerosis of the extremities with gangrene

VW174 Exclusive Check (if match, error) - R014

Diagnosis Table	440.23	Atherosclerosis of the extremities with ulceration
Relational Table	440.24	Atherosclerosis of the extremities with gangrene

---

VW176 GANGRENE and ATHEROSCLEROSIS - EXTREMITY

Guideline: Additional fifth digits have been created to identify additional manifestations of the disease for subcategory 440.2, Atherosclerosis of arteries of the extremities. These codes are listed in order of increasing priority. The structure of the combination codes is hierarchal. Only one combination code is sufficient to identify both conditions. Therefore, the assignment of 785.4, Gangrene, with code 440.24 is incorrect.

Exception: This edit can be overridden if the codes are not related to the same extremity.

VW176	Exclusive Check (if match, error) - R016	
Diagnosis Table	785.4	Gangrene
Relational Table	440.24	Atherosclerosis of the extremities with gangrene

V0177 UNSPECIFIED versus SPECIFIED DIABETES COMPLICATION

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category.

Code 250.9x, diabetes with unspecified complication, is never to be assigned with any other code from 250.1x-250.8x. Code 249.9x, secondary diabetes with unspecified complication, is never to be assigned with any other code from 249.1x-249.8x. It is illogical for diabetes to have both an unspecified complication and a specified complication appearing together on the same record.

V0177 Exclusive Check (if match, error) - X017

Diagnosis Table	250.9x	Diabetes with unspecified complication
Relational Table	250.1x	Diabetes with ketoacidosis
	250.2x	Diabetes with hyperosmolarity
	250.3x	Diabetes with other coma
	250.4x	Diabetes with renal manifestations
	250.5x	Diabetes with ophthalmic manifestations
	250.6x	Diabetes with neurological manifestations
	250.7x	Diabetes with peripheral circulatory disorders
	250.8x	Diabetes with other specified manifestations

V0177 Exclusive Check (if match, error) – X129

Diagnosis Table	249.9x	Secondary Diabetes with unspecified complication
Relational Table	249.1x	Secondary Diabetes with ketoacidosis
	249.2x	Secondary Diabetes with hyperosmolarity
	249.3x	Secondary Diabetes with other coma
	249.4x	Secondary Diabetes with renal manifestations
	249.5x	Secondary Diabetes with ophthalmic manifestations
	249.6x	Secondary Diabetes with neurological manifestations
	249.7x	Secondary Diabetes with peripheral circulatory disorders
	249.8x	Secondary Diabetes with other specified manifestations

---

V0178 EPILEPSY, WITH and WITHOUT INTRACTABILITY

Guideline: It is illogical for epilepsy with and without intractability to appear on the same record.

V0178 Exclusive Check (if match, error) - X019

Diagnosis Table	345.00	Generalized nonconvulsive epilepsy with no intractable epilepsy
	345.10	Generalized convulsive epilepsy with no intractable epilepsy
	345.40	Partial epilepsy, with impairment of consciousness with no intractable epilepsy
	345.50	Partial epilepsy, without impairment of consciousness, with no intractable epilepsy
	345.60	Infantile spasms, with no intractable epilepsy
	345.70	Epilepsia partialis continua with no intractable epilepsy
	345.80	Other forms of epilepsy with no intractable epilepsy
	345.90	Epilepsy, unspecified, with no intractable epilepsy
Relational Table	345.01	Generalized nonconvulsive epilepsy with intractable epilepsy
	345.11	Generalized convulsive epilepsy with intractable epilepsy
	345.41	Partial epilepsy, with impairment of consciousness with intractable epilepsy
	345.51	Partial epilepsy, without impairment of consciousness, with intractable epilepsy
	345.61	Infantile spasms, with intractable epilepsy
	345.71	Epilepsia partialis continua with intractable epilepsy
	345.81	Other forms of epilepsy with intractable epilepsy
	345.91	Epilepsy, unspecified, with intractable epilepsy

V0179 UNSPECIFIED versus SPECIFIED EPILEPSY

Guideline: A code for an unspecified condition is never assigned with a code for a specified condition from the same category. It is illogical for epilepsy to be both specified and unspecified on the same record.

V0179 Exclusive Check (if match, error) - X021

Diagnosis Table	345.9x	Epilepsy, unspecified
Relational Table	345.0x	Generalized nonconvulsive epilepsy
	345.1x	Generalized convulsive epilepsy
	345.2	Petite mal status
	345.3	Grand mal status
	345.4x	Partial epilepsy, with impairment of consciousness
	345.5x	Partial epilepsy, without impairment of consciousness
	345.6x	Infantile spasms
	345.7x	Epilepsia partialis continua
	345.8x	Other forms of epilepsy

VW180 PATHOLOGICAL versus TRAUMATIC FRACTURE

Guideline: Codes from 800-829 for traumatic fractures should never be used with a code from category 733.1, pathological fracture of the same bone. Check the record for any history of recent significant trauma or for any indication of the presence of concurrent bone disease that might point to pathological fracture.

If the physician determines that the fracture is due to trauma, then only a code from 800-829, Fractures (traumatic), would be assigned.

If the physician determines that the fracture is pathological, then a code from 733.lx, Pathological fracture, would be assigned.

Exception: This edit can be overridden if the pathological and traumatic codes are not related to the same site.

E codes may be used to identify the nature of trauma if the pathological fracture follows minor trauma.

VW180 Exclusive Check (if match, error) - X022

Diagnosis Table	733.11	Pathological fracture, humerus
Relational Table	812.xx	Fracture of humerus

VW180 Exclusive Check (if match, error) - X026

Diagnosis Table	733.12	Pathological fracture, distal radius and ulna
Relational Table	813.42	Other fractures, distal end of radius
	813.44	Fracture, radius with ulna, lower end
	813.45	Fracture (torus), radius
	813.52	Other fractures, distal end of radius, open
	813.54	Fracture, radius with ulna, lower end, open
	814.00	Fracture, carpal bone, unspecified (wrist)
	814.10	Fracture, carpal bone, unspecified (wrist), open

VW180 Exclusive Check (if match, error) - X027

Diagnosis Table	733.13	Pathological fracture, vertebrae
Relational Table	805.xx	Fracture, vertebral column, without mention of spinal cord injury
	806.xx	Fracture, vertebral column, with mention of spinal cord injury

---

VW180 **PATHOLOGICAL versus TRAUMATIC FRACTURE** - CONTINUED
(see guideline on page 135)

VW180 Exclusive Check (if match, error) - X028

Diagnosis Table	733.14	Pathological fracture, neck of femur
Relational Table	820.xx	Fracture, neck of femur

VW180 Exclusive Check (if match, error) - X029

Diagnosis Table	733.15	Pathological fracture, other specified part of femur
Relational Table	821.xx	Fracture, other and unspecified parts of femur

---

VW180 Exclusive Check (if match, error) - X030

Diagnosis Table	733.16	Pathological fracture, tibia or fibula
Relational Table	823.xx	Fracture, tibia and fibula Fracture, ankle (lower ends of tibia and fibula)

V0181 INCONSISTENT BIRTH WEIGHTS

Guideline: It is illogical to have different birth weights on the same record. The fifth digit for the prematurity is based on the birth weight, not on the current weight of the infant.

V0181 Exclusive Check (if match, error) - X031

Diagnosis Table	764.x0	unspecified weight
	765.x0	unspecified weight
Relational Table	764.x1	less than 500 grams
	765.x1	less than 500 grams
	764.x2	500-749 grams
	765.x2	500-749 grams
	764.x3	750-999 grams
	765.x3	750-999 grams
	764.x4	1,000-1,249 grams
	765.x4	1,000-1,249 grams
	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 **INCONSISTENT BIRTH WEIGHTS** - CONTINUED
(see guideline on page 137)

V0181 Exclusive Check (if match, error) - X032

Diagnosis Table	764.x1	less than 500 grams
	765.x1	less than 500 grams
Relational Table	764.x2	500-749 grams
	765.x2	500-749 grams
	764.x3	750-999 grams
	765.x3	750-999 grams
	764.x4	1,000-1,249 grams
	765.x4	1,000-1,249 grams
	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 Exclusive Check (if match, error) - X033

Diagnosis Table	764.x2	500-749 grams
	765.x2	500-749 grams
Relational Table	764.x3	750-999 grams
	765.x3	750-999 grams
	764.x4	1,000-1,249 grams
	765.x4	1,000-1,249 grams
	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 **INCONSISTENT BIRTH WEIGHTS** - CONTINUED
(see guideline on page 137)

V0181 Exclusive Check (if match, error) - X034

Diagnosis Table	764.x3	750-999 grams
	765.x3	750-999 grams
Relational Table	764.x4	1,000-1,249 grams
	765.x4	1,000-1,249 grams
	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 Exclusive Check (if match, error) - X035 - Continued

Diagnosis Table	764.x4	1,000-1,249 grams
	765.x4	1,000-1,249 grams
Relational Table	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 **INCONSISTENT BIRTH WEIGHTS** - CONTINUED
(see guideline on page 137)

V0181 Exclusive Check (if match, error) - X036

Diagnosis Table	764.x5	1,250-1,499 grams
	765.x5	1,250-1,499 grams
Relational Table	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 Exclusive Check (if match, error) - X037

Diagnosis Table	764.x6	1,500-1,749 grams
	765.x6	1,500-1,749 grams
Relational Table	764.x7	1,750-1,999 grams
	765.x7	1,750-1,999 grams
	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 Exclusive Check (if match, error) - X038

Diagnosis Table	764.x7	1,750-1,999 grams
	764.x7	1,750-1,999 grams
Relational Table	764.x8	2,000-2,499 grams
	765.x8	2,000-2,499 grams
	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0181 Exclusive Check (if match, error) - X039

Diagnosis Table	764.x8	2,000-2,499 grams
	764.x8	2,000-2,499 grams
Relational Table	764.x9	2,500 grams and over
	765.x9	2,500 grams and over

V0182 UNSPECIFIED versus SPECIFIED JAUNDICE

Guideline: The "Inclusion" notes under codes 773.0-773.2 include jaundice due to hemolytic disease that can affect the fetus OR the newborn. Codes 774.2 and 774.6 would not be needed to identify jaundice. Therefore, it is incorrect to use a non-specified code with a specified code for the same condition.

V0182 Exclusive Check (if match, error) - Y004

Diagnosis Table	773.0	Hemolytic disease due to Rh isoimmunization
	733.1	Hemolytic disease due to ABO isoimmunization
	773.2	Hemolytic disease due to other and unspecified isoimmunization
Relational Table	774.2	Neonatal jaundice associated with preterm delivery
	774.6	Unspecified fetal and neonatal jaundice

V0183 OPEN AND CLOSED FRACTURE OF SAME SITE

Guideline: It is illogical to have a closed and open fracture of the same bone. An open fracture indicates that the skin has been punctured by the bone; a closed fracture has not penetrated the skin. The list of terms used for open and closed fractures is found in the note at the beginning of the fracture section in the tabular list.

If a diagnostic statement contains terms that relate to both open and closed fractures, the fracture should be classified as open. The code for the open fracture always takes precedence.

V0183 Exclusive Check (if match, error) - X040

Diagnosis Table	806.01	C1-C4 cervical fracture, with complete lesion of cord, CLOSED
Relational Table	806.11	C1-C4 cervical fracture, with complete lesion of cord, OPEN

V0183 Exclusive Check (if match, error) - X041

Diagnosis Table	806.02	C1-C4 cervical fracture, with anterior cord syndrome, CLOSED
Relational Table	806.12	C1-C4 cervical fracture, with anterior cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X042

Diagnosis Table	806.03	C1-C4 cervical fracture with central cord syndrome, CLOSED
Relational Table	806.13	C1-C4 cervical fracture with central cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X043

Diagnosis Table	806.04	C1-C4 cervical fracture with specified spinal cord injury, CLOSED
Relational Table	806.14	C1-C4 cervical fracture with specified spinal cord injury, OPEN

V0183 Exclusive Check (if match, error) - X044

Diagnosis Table	806.05	C5-C7 cervical fracture, CLOSED
Relational Table	806.15	C5-C7 cervical fracture, OPEN

V0183 **OPEN and CLOSED FRACTURE OF SAME SITE** - CONTINUED
(see guideline on page 142)

V0183 Exclusive Check (if match, error) - X045

Diagnosis Table	806.06	C5-C7 cervical fracture with complete lesion of cord, CLOSED
Relational Table	806.16	C5-C7 cervical fracture with complete lesion of cord, OPEN

V0183 Exclusive Check (if match, error) - X046

Diagnosis Table	806.07	C5-C7 cervical fracture with anterior cord syndrome, CLOSED
Relational Table	806.17	C5-C7 cervical fracture with anterior cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X047

Diagnosis Table	806.08	C5-C7 cervical fracture with central cord syndrome, CLOSED
Relational Table	806.18	C5-C7 cervical fracture with central cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X048

Diagnosis Table	806.09	C5-C7 cervical fracture with specified spinal cord injury, CLOSED
Relational Table	806.19	C5-C7 cervical fracture with specified spinal cord injury, OPEN

V0183 Exclusive Check (if match, error) - X049

Diagnosis Table	806.21	T1-T6 thoracic fracture with complete lesion of cord, CLOSED
Relational Table	806.31	T1-T6 thoracic fracture with complete lesion of cord, OPEN

V0183 Exclusive Check (if match, error) - X050

Diagnosis Table	806.22	T1-T6 thoracic fracture with anterior cord syndrome, CLOSED
Relational Table	806.32	T1-T6 thoracic fracture with anterior cord syndrome, OPEN

V0183 **OPEN and CLOSED FRACTURE OF SAME SITE** - CONTINUED
(see guideline on page 142)

V0183 Exclusive Check (if match, error) - X051

Diagnosis Table	806.23	T1-T6 thoracic fracture with central cord syndrome, CLOSED
Relational Table	806.33	T1-T6 thoracic fracture with central cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X052

Diagnosis Table	806.24	T1-T6 thoracic fracture with specified cord injury, CLOSED
Relational Table	806.34	T1-T6 thoracic fracture with specified cord injury, OPEN

V0183 Exclusive Check (if match, error) - X053

Diagnosis Table	806.25	T7-T12 thoracic fracture, CLOSED
Relational Table	806.35	T7-T12 thoracic fracture, OPEN

V0183 Exclusive Check (if match, error) - X054

Diagnosis Table	806.26	T7-T12 thoracic fracture with complete lesion of cord, CLOSED
Relational Table	806.36	T7-T12 thoracic fracture with complete lesion of cord, OPEN

V0183 Exclusive Check (if match, error) - X055

Diagnosis Table	806.27	T7-T12 thoracic fracture with anterior cord syndrome, CLOSED
Relational Table	806.37	T7-T12 thoracic fracture with anterior cord syndrome, OPEN

V0183 Exclusive Check (if match, error) - X056

Diagnosis Table	806.28	T7-T12 thoracic fracture with central cord syndrome, CLOSED
Relational Table	806.38	T7-T12 thoracic fracture with central cord syndrome, OPEN

V0183 **OPEN and CLOSED FRACTURE OF SAME SITE** - CONTINUED
(see guideline on page 142)

V0183 Exclusive Check (if match, error) - X057

Diagnosis Table	806.29	T7-T12 thoracic fracture with specified spinal cord injury, CLOSED
Relational Table	806.39	T7-T12 thoracic fracture with specified spinal cord injury, OPEN

V0183 Exclusive Check (if match, error) - X058

Diagnosis Table	806.61	Sacrum and coccyx fracture, with complete cauda equina lesion, CLOSED
Relational Table	806.71	Sacrum and coccyx fracture, with complete cauda equina lesion, OPEN

V0183 Exclusive Check (if match, error) - X059

Diagnosis Table	806.62	Sacrum and coccyx fracture, with other cauda equina injury, CLOSED
Relational Table	806.72	Sacrum and coccyx fracture, with other cauda equina injury, OPEN

V0183 Exclusive Check (if match, error) - X060

Diagnosis Table	806.69	Sacrum and coccyx fracture, with other spinal cord injury, CLOSED
Relational Table	806.79	Sacrum and coccyx fracture, with other spinal cord injury, OPEN

V0183 Exclusive Check (if match, error) - X061

Diagnosis Table	806.4	Lumbar fracture, CLOSED
Relational Table	806.5	Lumbar fracture, OPEN

V0183 Exclusive Check (if match, error) - X062

Diagnosis Table	806.8	Unspecified vertebral fracture, CLOSED
Relational Table	806.9	Unspecified vertebral fracture, OPEN

V0183 **OPEN and CLOSED FRACTURE OF SAME SITE** - CONTINUED
(see guideline on page 142)

V0183 Exclusive Check (if match, error) - X063

Diagnosis Table	807.2	Sternum fracture, CLOSED
Relational Table	807.3	Sternum fracture, OPEN

V0184 UNSPECIFIED versus SPECIFIED SPINAL CORD INJURY

Guideline: A code for an unspecified condition is never assigned with a code for a specified condition from the same category. When a spinal cord injury is mentioned, it takes precedence. It is illogical for the fracture to have both a specified and unspecified spinal cord injury for the same vertebra on the same record.

V0184 Exclusive Check (if match, error) - X064

Diagnosis Table	806.00	Closed cervical C1-C4 fracture, unspecified
Relational Table	806.0x	Closed cervical C1-C4 fracture, with specified injury (*fifth digits 1-4*)

V0184 Exclusive Check (if match, error) - X070

Diagnosis Table	806.05	Closed cervical C5-C7 fracture, unspecified
Relational Table	806.0x	Closed cervical C5-C7 fracture, with specified injury (*fifth digits 6-9*)

V0184 Exclusive Check (if match, error) - X065

Diagnosis Table	806.10	Open cervical C1-C4 fracture, unspecified
Relational Table	806.1x	Open cervical C1-C4 fracture, with specified injury (*fifth digits 1-4*)

V0184 Exclusive Check (if match, error) - X071

Diagnosis Table	806.15	Open cervical C5-C7 fracture, unspecified
Relational Table	806.1x	Open cervical C5-C7 fracture, with specified injury (*fifth digits 6-9*)

V0184 Exclusive Check (if match, error) - X066

Diagnosis Table	806.20	Closed thoracic T1-T6 fracture, unspecified
Relational Table	806.2x	Closed thoracic T1-T6 fracture, with specified injury (*fifth digits 1-4*)

V0184 **UNSPECIFIED versus SPECIFIED SPINAL CORD INJURY** - CONTINUED
(see guideline on page 147)

V0184 Exclusive Check (if match, error) - X072

Diagnosis Table	806.25	Closed thoracic T7-T12 fracture, unspecified
Relational Table	806.2x	Closed thoracic T7-T12 fracture, with specified injury (*fifth digits 6-9*)

V0184 Exclusive Check (if match, error) - X067

Diagnosis Table	806.30	Open thoracic T1-T6 fracture, unspecified
Relational Table	806.3x	Closed thoracic T1-T6 fracture, with specified injury (*fifth digits 1-4*)

V0184 Exclusive Check (if match, error) - X073

Diagnosis Table	806.35	Open thoracic T1-T6 fracture, unspecified
Relational Table	806.3x	Closed thoracic T7-T12 fracture, with specified injury (*fifth digits 6-9*)

V0184 Exclusive Check (if match, error) - X068

Diagnosis Table	806.60	Closed sacral and coccyx fracture, unspecified
Relational Table	806.6x	Closed sacral and coccyx fracture, with specified injury (*fifth digits 1-9*)

V0184 Exclusive Check (if match, error) - X069

Diagnosis Table	806.70	Open sacral and coccyx fracture, unspecified
Relational Table	806.7x	Open sacral and coccyx fracture, with specified injury (*fifth digits 1-9*)

V0185 ATTENTION versus STATUS ... RELATED TO STOMA

Guideline: When there is an attention to the stoma, code V55 indicates the need for care such as closure, passage of sounds or bougies, reforming, removal or replacement of catheter, and toilet or cleansing. Code V44 indicates status only, without need for care. It is illogical for a stoma of the same site to have both absence and presence of stomal care during the current episode of care.

V0185 Exclusive check (if match, error) - W012

Diagnosis Table	V55.0	Attention to tracheostomy
Relational Table	V44.0	Tracheostomy status

V0185 Exclusive check (if match, error) - W016

Diagnosis Table	V55.1	Attention to gastrostomy
Relational Table	V44.1	Gastrostomy status

V0185 Exclusive check (if match, error) - W017

Diagnosis Table	V55.2	Attention to ileostomy
Relational Table	V44.2	Ileostomy status

V0185 Exclusive check (if match, error) - W018

Diagnosis Table	V55.3	Attention to colostomy
Relational Table	V44.3	Colostomy status

V0185 Exclusive check (if match, error) - W019

Diagnosis Table	V55.5	Attention to cystostomy
Relational Table	V44.5x	Cystostomy status

V0185 Exclusive check (if match, error) - W020

Diagnosis Table	V55.7	Attention to artificial vagina
Relational Table	V44.7	Artificial vagina status

VW186 ATHEROSCLEROSIS with GAS GANGRENE ?

Guideline: Code 440.24, Atherosclerosis of the extremities with gangrene, can only be used with ischemic gangrene. Read the inclusion note under code 440.24. Therefore, code 004.0, gas gangrene, cannot be used correctly with code 440.24 but it can be used correctly with code 440.29, Other atherosclerosis of native arteries of extremities.

Exception: This edit can be overridden if the codes are not related to the same extremity.

VW186 Exclusive check (if match, error) - X082

Diagnosis Table	040.0	Gas gangrene
Relational Table	440.24	Atherosclerosis of the native arteries of the extremities with gangrene

---

VW187 ANGINA versus CORONARY OCCLUSION

Guideline: Code 411.1, Intermediate coronary syndrome, includes conditions described as unstable angina, crescendo angina, preinfarction angina, and impending myocardial infarction. Code 411.1 is assigned when the patient is admitted and treated for unstable angina WITHOUT documentation of infarction, occlusion, or thrombosis. Therefore, code 411.1 is not assigned with code 411.81 that describes a coronary occlusion without myocardial infarction.

VW187 Exclusive check (if match, error) - Y005

Diagnosis Table	411.1	Intermediate coronary syndrome
Relational Table	411.81	Coronary occlusion without myocardial infarction

---

VW188 ANGINA and/or CORONARY OCCLUSION versus MYOCARDIAL INFARCTION

Guideline: Code 411, Other acute and subacute forms of ischemic heart disease, is assigned when the patient's condition does not progress to acute myocardial infarction. Therefore, a code from 411 *(except 411.0, postmyocardial infarction)* is not assigned with a code 410.xx, Acute myocardial infarction, when the infarction has occurred.

VW188 Exclusive check (if match, error) - Y006

Diagnosis Table 0	411.1	Intermediate coronary syndrome
	411.81	Coronary occlusion without myocardial infarction
	411.89	Other acute and subacute forms of ischemic heart disease
Relational Table	410.x0	Acute myocardial infarction, unspecified episode of care
	410.x1	Acute myocardial infarction, initial episode of care

V0189 RHEUMATIC HEART DISEASE and HEART FAILURE

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as congestive heart failure and rheumatic heart disease or when the Alphabetic Index so directs.

Code 398.91, Rheumatic heart failure (congestive) is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0189 Exclusive check (if match, error) - R018

Diagnosis Table	398.90	Rheumatic heart disease, unspecified
	398.99	Other rheumatic heart disease
Relational Table	428.0	Congestive heart failure, unspecified
	428.1	Left heart failure
	428.2x	Systolic heart failure
	428.3x	Diastolic heart failure
	428.4x	Combined systolic and diastolic heart failure
	428.9	Heart failure, unspecified

V0190 RHEUMATIC HEART FAILURE with CONGESTIVE HEART FAILURE

Guideline: During the current episode of care, it is illogical for the heart failure to be both rheumatic and nonrheumatic. Read the "Excludes" notes under category 428.

V0190 Exclusive check (if match, error) - R020

Diagnosis Table	398.91	Rheumatic heart failure (congestive)
Relational Table	428.0	Congestive heart failure

V0191 PRECEREBRAL ARTERY, WITH AND WITHOUT INFARCTION

Guideline: The rule for governing the ICD-9-CM requires that fifth digits modify the fourth digit to which they are applied. They must follow a logical hierarchical structure. The fifth digit "0" means without mention of cerebral infarction and fifth digit "1" means with cerebral infarction. These fifth digits indicate the presence or absence of an infarct during the current episode of care. During the current episode of care, it is illogical for the precerebral artery to have both fifth digits (with and without infarction).

V0191 Exclusive check (if match, error) - X086

Diagnosis Table	433.00	Basilar artery without mention of cerebral infarction
Relational Table	433.01	Basilar artery with cerebral infarction

---

V0191 Exclusive check (if match, error) - X083

Diagnosis Table	433.10	Carotid artery without mention of cerebral infarction
Relational Table	433.11	Carotid artery with cerebral infarction

---

V0191 Exclusive check (if match, error) - X084

Diagnosis Table	433.20	Vertebral artery without mention of cerebral infarction
Relational Table	433.21	Vertebral artery with cerebral infarction

---

V0191 Exclusive check (if match, error) - X085

Diagnosis Table	433.30	Multiple and bilateral arteries without mention of cerebral infarction
Relational Table	433.31	Multiple and bilateral arteries with cerebral infarction

---

V0191 Exclusive check (if match, error) - X074

Diagnosis Table	433.80	Other specified precerebral artery without mention of cerebral infarction
Relational Table	433.81	Other specified precerebral artery with cerebral infarction

---

V0191 Exclusive check (if match, error) - X075

Diagnosis Table	433.90	Unspecified precerebral artery without mention of cerebral infarction
Relational Table	433.91	Unspecified precerebral artery with cerebral infarction

---

V0192 CEREBRAL THROMBOSIS OR EMBOLISM, WITH and WITHOUT INFARCTION

Guideline: The rule for governing the ICD-9-CM requires that fifth digits modify the fourth digit to which they are applied. They must follow a logical hierarchical structure. The fifth digit "0" means without mention of cerebral infarction and fifth digit "1" means with cerebral infarction. These fifth digits indicate the presence or absence of an infarct during the current episode of care. During the current episode of care, it is illogical for the cerebral artery to have both fifth digits (with and without infarction).

V0192 Exclusive check (if match, error) - X076

Diagnosis Table	434.00	Cerebral thrombosis without mention of cerebral infarction
Relational Table	434.01	Cerebral thrombosis with cerebral infarction

---

V0192 Exclusive check (if match, error) - X077

Diagnosis Table	434.10	Cerebral embolism without mention of cerebral infarction
Relational Table	434.11	Cerebral embolism with cerebral infarction

---

V0192 Exclusive check (if match, error) - X078

Diagnosis Table	434.90	Cerebral artery occlusion without mention of cerebral infarction
Relational Table	434.91	Cerebral artery occlusion with cerebral infarction

---

V0193 BASILAR SYNDROME versus OCCLUSION

Guideline: During the current episode of care, it is illogical for the basilar artery to have both syndrome and occlusion. If the basilar artery syndrome is due to stenosis or occlusion of basilar artery, it should be classified to code 433.0x. Read the "Excludes" notes under category 435.

V0193 Exclusive check (if match, error) - X079

Diagnosis Table	435.0	Basilar artery syndrome
Relational Table	433.00	Basilar artery occlusion and/or stenosis without mention of cerebral infarction
	433.01	Basilar artery occlusion and/or stenosis with cerebral infarction

---

V0194 VERTEBRAL SYNDROME versus OCCLUSION

Guideline: During the current episode of care, it is illogical for the vertebral artery to have both syndrome and occlusion. If the vertebral artery syndrome is due to stenosis or occlusion of vertebral artery, it should be classified to code 433.0x. Read the "Excludes" notes under category 435.

V0194 Exclusive check (if match, error) - X080

Diagnosis Table	435.1	Vertebral artery syndrome
Relational Table	433.20	Vertebral artery occlusion and/or stenosis without mention of cerebral infarction
	433.21	Vertebral artery occlusion and/or stenosis with cerebral infarction

---

V0195 VERTEBROBASILAR ARTERY SYNDROME: COMBINATION CODE = 435.3

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as basilar artery syndrome and vertebral artery syndrome or when the Alphabetic Index so directs.

Code 435.3, Vertebrobasilar artery syndrome, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges 10-1-95.

V0195 Exclusive check (if match, error) - X081

Diagnosis Table	435.0	Basilar artery syndrome
Relational Table	435.1	Vertebral artery syndrome

V0196 PROLONGED PT/PTT versus COAGULATION DISORDER

Guideline: Code 790.92, Abnormal coagulation profile, identifies abnormal laboratory findings of prolonged bleeding time WITHOUT the presence of hemorrhage or a coagulation disorder. Therefore, it is illogical for code 790.92, abnormal coagulation profile, to be assigned with the presence of hemorrhage or a coagulation disorders from category 286, Coagulation defects.

V0196 Exclusive check (if match, error) - Y007

Diagnosis Table	790.92	Abnormal coagulation profile
Relational Table	286.x	Coagulation defects

V0197 PERICARDITIS, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for pericarditis to be both rheumatic and nonrheumatic. Read the "Excludes" notes under categories 393 and 423.

V0197 Exclusive check (if match, error) - X087

Diagnosis Table	393.	Chronic rheumatic pericarditis
Relational Table	423.0	Hemopericardium
	423.1	Adhesive pericarditis
	423.2	Constrictive pericarditis
	423.3	Cardiac tamponade
	423.8	Other specified diseases of pericardium
	423.9	Unspecified disease of pericardium

V0198 MITRAL VALVE, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for mitral valve to be both rheumatic and nonrheumatic. Read the "Excludes" notes under category 394 and code 424.0 that direct the coder to category 396.

Category 396, Diseases of mitral and aortic valves, has an "Includes" note that states "involvement of both mitral and aortic valves, whether specified as rheumatic or not."

V0198 Exclusive check (if match, error) - X088

Diagnosis Table	394.0	Mitral stenosis
	394.1	Rheumatic mitral insufficiency
	394.2	Mitral stenosis with insufficiency
Relational Table	424.0	Mitral valve disorders

V0198 Exclusive check (if match, error) - X093

Diagnosis Table	396.0	Mitral valve stenosis and aortic valve stenosis
	396.1	Mitral valve stenosis and aortic valve insufficiency
	396.2	Mitral valve insufficiency and aortic valve stenosis
	396.3	Mitral valve insufficiency and aortic valve insufficiency
	396.8	Multiple involvement of mitral and aortic valves
	396.9	Mitral and aortic valve diseases, unspecified
Relational Table	424.0	Mitral valve disorders

V0199 AORTIC VALVE, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for aortic valve to be both rheumatic and nonrheumatic. Read the "Excludes" notes under category 395 and code 424.1 that direct the coder to category 396.

Category 396, Diseases of mitral and aortic valves, has an "Includes" note that states "involvement of both mitral and aortic valves, whether specified as rheumatic or not."

V0199 Exclusive check (if match, error) - X089

Diagnosis Table	395.0	Rheumatic aortic stenosis
	395.1	Rheumatic aortic insufficiency
	395.2	Rheumatic aortic stenosis with insufficiency
	395.9	Other and unspecified rheumatic aortic diseases
Relational Table	424.1	Aortic valve disorders

V0199 Exclusive check (if match, error) - X094

Diagnosis Table	396.0	Mitral valve stenosis and aortic valve stenosis
	396.1	Mitral valve stenosis and aortic valve insufficiency
	396.2	Mitral valve insufficiency and aortic valve stenosis
	396.3	Mitral valve insufficiency and aortic valve insufficiency
	396.8	Multiple involvement of mitral and aortic valves
	396.9	Mitral and aortic valve diseases, unspecified
Relational Table	424.1	Aortic valve disorders

V0200 TRICUSPID VALVE, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for tricuspid valve to be both rheumatic and nonrheumatic. Read the "Excludes" notes under code 424.2.

Code 424.2 has an "Excludes" note that states "rheumatic or of unspecified cause" which should be coded to 397.0 (diseases of tricuspid valve).

V0200 Exclusive check (if match, error) - X090

Diagnosis Table	397.0	Diseases of tricuspid valve
Relational Table	424.2	Tricuspid valve disorders, specified as nonrheumatic

---

V0201 PULMONARY VALVE, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for pulmonary valve to be both rheumatic and nonrheumatic. Read the "Excludes" notes under codes 397.1 and 424.3.

V0201 Exclusive check (if match, error) - X091

Diagnosis Table	397.1	Rheumatic diseases of pulmonary valve
Relational Table	424.3	Pulmonary valve disorders

V0202 ENDOCARDIUM, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for endocardium to be both rheumatic and nonrheumatic. Read the "Excludes" notes under code 397.9.

V0202 Exclusive check (if match, error) - X092

Diagnosis Table	397.9	Rheumatic diseases of endocardium, valve unspecified
Relational Table	424.90	Endocarditis, valve unspecified, unspecified cause
	424.91	Endocarditis in diseases classified elsewhere
	424.99	Other endocarditis, valve unspecified

V0203 MYOCARDITIS, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for myocarditis to be both rheumatic and nonrheumatic. Read the "Excludes" notes under codes 398.0 and 429.0.

V0203 Exclusive check (if match, error) - X095

Diagnosis Table	398.0	Rheumatic myocarditis
Relational Table	429.0	Myocarditis, unspecified

V0204 HEART DISEASE, RHEUMATIC or NOT ?

Guideline: During the current episode of care, it is illogical for the heart disease to be both rheumatic and nonrheumatic. Read the "Excludes" notes under code 398.90.

V0204 Exclusive check (if match, error) - X096

Diagnosis Table	398.90	Rheumatic heart disease, unspecified
Relational Table	429.89	Other ill-defined heart diseases
	429.9	Heart disease, unspecified

V0205 MITRAL AND AORTIC STENOSIS = COMBINATION CODE

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral and aortic stenoses or when the Alphabetic Index so directs.

Code 396.0, Mitral valve stenosis and aortic valve stenosis, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0205 Exclusive check (if match, error) - R022

Diagnosis Table	394.0	Mitral stenosis
Relational Table	395.0	Rheumatic aortic stenosis

HINT: Combination code is 396.0 (Mitral valve stenosis and aortic valve stenosis).

V0206 MITRAL AND AORTIC INSUFFICIENCY = COMBINATION CODE

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral and aortic insufficiencies or when the Alphabetic Index so directs.

Code 396.3, Mitral valve insufficiency and aortic valve insufficiency, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0206 Exclusive check (if match, error) - R027

Diagnosis Table	394.1	Rheumatic mitral insufficiency
Relational Table	395.1	Rheumatic aortic insufficiency

HINT: The combination code is 396.3 (Mitral valve insufficiency and aortic valve insufficiency).

V0207 MITRAL AND AORTIC VALVES WITH STENOSIS AND INSUFFICIENCY

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral and aortic stenoses and insufficiencies or when the Alphabetic Index so directs.

Code 396.8, Multiple involvement of mitral and aortic valves, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0207 Exclusive check (if match, error) - R028

Diagnosis Table	394.2	Mitral stenosis with insufficiency
Relational Table	395.2	Rheumatic aortic stenosis with insufficiency

HINT: The combination code is 396.8 (multiple involvement of mitral and aortic valves).

V0208 MITRAL STENOSIS AND AORTIC INSUFFICIENCY

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral stenosis and aortic insufficiency or when the Alphabetic Index so directs.

Code 396.1, Mitral valve stenosis and aortic valve insufficiency, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0208 Exclusive check (if match, error) - R024

Diagnosis Table	394.0	Mitral stenosis
Relational Table	395.1	Rheumatic aortic insufficiency

HINT: The combination code is 396.1 mitral valve stenosis and aortic valve insufficiency.

V0209 MITRAL INSUFFICIENCY AND AORTIC STENOSIS

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral insufficiency and aortic stenosis or when the Alphabetic Index so directs.

Code 396.2, Mitral valve insufficiency and aortic valve stenosis, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0209 Exclusive check (if match, error) - R026

Diagnosis Table	394.1	Rheumatic mitral insufficiency
Relational Table	395.0	Rheumatic aortic stenosis

HINT: The combination code is 396.2 (mitral valve insufficiency and aortic valve stenosis).

V0210 MITRAL AND AORTIC VALVE DISEASE = COMBINATION CODE

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as mitral and aortic valve disease or when the Alphabetic Index so direct.

Code 396.9, Mitral and aortic valve diseases, unspecified, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0210 Exclusive check (if match, error) - R030

Diagnosis Table	394.9	Other and unspecified mitral valve diseases
Relational Table	395.9	Other and unspecified rheumatic aortic diseases

HINT: The combination code is 396.9 (mitral and aortic valve diseases, unspecified).

V0213 DIALYSIS: ATTENTION versus STATUS

Guideline: V codes indicating status are redundant when the code for encounter of dialysis itself indicates that the status exists.

The "Excludes" note under code V56.0 excludes the coding of dialysis status. The "Excludes" note under code V45.1 excludes the coding of admission for dialysis treatment or session.

V0213 Exclusive check (if match, error) - W021

Diagnosis Table	V56.0	Encounter for extracorporeal dialysis
Relational Table	V45.1	Renal dialysis status

V0214 CONTRACEPTIVES: ATTENTION versus STATUS

Guideline: V codes indicating status are redundant when the code itself for the management of the intrauterine contraceptive device indicates that the status exists.

The "Excludes" note under category V25.4 excludes the coding of presence of intrauterine contraceptive device as incidental finding. The "Excludes" note under code V45.5 excludes the coding of admission for contraceptive management.

V0214 Exclusive check (if match, error) - W022

Diagnosis Table	V25.1	Encounter for insertion of intrauterine contraceptive device
	V25.42	Encounter for contraceptive management of intrauterine contraceptive device
Relational Table	V45.51	Post intrauterine contraceptive device status
	V45.52	Post subdermal contraceptive implant status
	V45.59	Post other contraceptive device status

VW215 SURGICAL STATE versus REPLACEMENT STATUS: EYE

Guideline: V codes for the status codes are redundant, when the code for surgical states indicates that the status already exists.

The "Excludes" note under category V45.6 excludes the coding of artificial eye globe or lens status.

VW215 Exclusive check (if match, error) - W023

Diagnosis Table	V45.69	States following surgery of eye and adnexa
Relational Table	V43.0	Artificial eye globe status

V0216 PACEMAKER: ATTENTION versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of pacemaker indicates that the status already exists.

The "Excludes" note under category V53 excludes the coding of presence of device as an incidental finding. The "Excludes" note under category V45 excludes the coding of admission for postsurgical status.

V0216 Exclusive check (if match, error) - W024

Diagnosis Table	V53.31	Fitting/adjustment of cardiac pacemaker
Relational Table	V45.01	Post cardiac pacemaker status

V0217 DEFIBRILLATOR: ATTENTION versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of defibrillator indicates that the status already exists.

The "Excludes" note under category V53 excludes the coding of presence of device as incidental finding. The "Excludes" note under category V45 excludes the coding of admission for postsurgical status.

V0217 Exclusive check (if match, error) - W025

Diagnosis Table	V53.32	Fitting/adjustment of automatic implantable cardiac defibrillator
Relational Table	V45.02	Post automatic implantable cardiac defibrillator status

---

V0218 CARDIAC DEVICE: ATTENTION versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of device indicates that the status already exists.

The "Excludes" note under category V53 excludes the coding of presence of device as incidental finding. The "Excludes" note under category V45 excludes the coding of admission for postsurgical status.

V0218 Exclusive check (if match, error) - W026

Diagnosis Table	V53.39	Fitting/adjustment of other cardiac device
Relational Table	V45.09	Post other specified cardiac device status

---

V0219 GI DEVICE: ADJUSTMENT versus ATTENTION

Guideline: V codes indicating encounters for cleaning of device, fitting and adjustment of device, and components relating to device care are distinct from actual treatment of artificial openings.

The "Excludes" note under code V53.5 excludes the coding of care related to the artificial openings.

V0219 Exclusive check (if match, error) - W027

Diagnosis Table	V53.5	Fitting/adjustment of other intestinal appliance
Relational Table	V55.2	Attention to ileostomy
	V55.3	Attention to colostomy
	V55.4	Attention to other artificial opening of digestive tract

---

V0220 URINARY DEVICE: ADJUSTMENT versus ATTENTION

Guideline: V codes indicating encounters for cleaning of device, fitting and adjustment of device, and components relating to device care are distinct from actual treatment of artificial openings.

The "Excludes" note under code V53.6 excludes the coding of care related to the artificial openings.

V0220 Exclusive check (if match, error) - W028

Diagnosis Table	V53.6	Fitting/adjustment of urinary devices
Relational Table	V55.5	Attention to cystostomy
	V55.6	Attention to other artificial opening of urinary tract

---

VW221 ORTHOPEDIC DEVICE: ADJUSTMENT versus ATTENTION

Guideline: V codes indicating encounters for cleaning of device, fitting and adjustment of device, and components relating to device care are distinct from actual treatment of orthopedic aftercare.

The "Excludes" note under code V53.7 excludes the coding of orthopedic aftercare. The "Excludes" note under category V54 excludes the coding of care related to device.

VW221 Exclusive check (if match, error) - W029

Diagnosis Table	V53.7	Fitting/adjustment of orthopedic devices
Relational Table	V54.xx	Other orthopedic aftercare

VW222 ARM: ADJUSTMENT versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of device indicates that the status already exists.

The excludes note under category V52 excludes the coding of status artificial arm. The "Excludes" note under category V43 excludes the coding of care related to artificial arm.

VW222 Exclusive check (if match, error) - W030

Diagnosis Table	V52.0	Fitting/adjustment of artificial arm
Relational Table	V43.7	Replacement status of limb

VW223 LEG: ADJUSTMENT versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of device indicates that the status already exists.

The "Excludes" note under category V52 excludes the coding of artificial leg status. The "Excludes" note under category V43 excludes the coding of care related to artificial leg.

VW223 Exclusive check (if match, error) - W031

Diagnosis Table	V52.1	Fitting/adjustment of artificial leg
Relational Table	V43.7	Replacement status of limb

VW224 EYE: ADJUSTMENT versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of device indicates that the status already exists.

The "Excludes" note under category V52 excludes the coding of artificial eye status. The "Excludes" note under category V43 excludes the coding of care related to artificial eye.

VW224 Exclusive check (if match, error) - W032

Diagnosis Table	V52.2	Fitting/adjustment of artificial eye
Relational Table	V43.0	Replacement status of eye globe

VW225 BREAST: ADJUSTMENT versus STATUS

Guideline: V codes for the status codes are redundant, when the code for the fitting/adjustment of device indicates that the status already exists.

The "Excludes" note under category V52 excludes the coding of breast prosthesis/implant status.

The "Excludes" note under category V43 excludes the coding of care related to breast prosthesis/implant.

V0225 Exclusive check (if match, error) - W033

Diagnosis Table	V52.4	Fitting/adjustment of breast prosthesis and implant
Relational Table	V43.82	Replacement status of breast

V0226 TRACHEOSTOMY: ATTENTION/STATUS versus COMPLICATION

Guideline: V codes indicating encounters for care of artificial openings should not be used when there is a complication of the artificial opening.

The "Excludes" note under category V44 also refers to category V55, which excludes the coding of care related to complications of the artificial openings.

The "Excludes" note under heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0226 Exclusive check (if match, error) - W034

Diagnosis Table	519.0x	Tracheostomy complication
Relational Table	V55.0	Attention to tracheostomy
	V44.0	Tracheostomy status

V0227 GASTROSTOMY: ATTENTION/STATUS versus COMPLICATION

Guideline: V codes indicating encounters for care of artificial openings should not be used when there is a complication or malfunction of the artificial opening.

The "Excludes" note under category V44 also refers to category V55, which excludes the coding of care related to complications of the artificial openings.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0227 Exclusive check (if match, error) - W035

Diagnosis Table	997.4	Digestive system complications
	536.4x	Gastrostomy complications
Relational Table	V55.1	Attention to gastrostomy
	V44.1	Gastrostomy status

V0228 ILEOSTOMY: ATTENTION/STATUS versus COMPLICATION

Guideline: V codes indicating encounters for care of artificial openings should not be used when there is a complication of the artificial opening.

The "Excludes" note under category V44 also refers to category V55, which excludes the coding of care related to complications of the artificial openings.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0228 Exclusive check (if match, error) - W036

Diagnosis Table	569.6x	Colostomy and enterostomy complication
Relational Table	V55.2	Attention to ileostomy
	V44.2	Ileostomy status

V0229 COLOSTOMY: ATTENTION/STATUS versus COMPLICATION

Guideline: V codes indicating encounters for care of artificial openings should not be used when there is a complication of the artificial opening.

The "Excludes" note under category V44 also refers to category V55, which excludes the coding of care related to complications of the artificial openings.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0229 Exclusive check (if match, error) - W037

Diagnosis Table	569.6x	Other colostomy and/or enterostomy complication
Relational Table	V55.3	Attention to colostomy
	V44.3	Colostomy status

V0230 CYSTOSTOMY: ATTENTION/STATUS versus COMPLICATION

Guideline: V codes indicating encounters for care of artificial openings should not be used when there is a complication of the artificial opening.

The "Excludes" note under category V44 also refers to category V55, which excludes the coding of care related to complications of the artificial openings.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0230 Exclusive check (if match, error) - W038

Diagnosis Table	997.5	Urinary complications
Relational Table	V55.5	Attention to cystostomy
	V44.5	Cystostomy status

VW231 BREAST: ATTENTION versus COMPLICATION

Guideline: V codes indicating encounters for fitting/adjustment of breast prosthesis/implant should not be used when there is a complication of the breast prosthesis/implant.

The "Excludes" note under category V52 excludes the coding of care related to the complications of the breast prosthesis/implant.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

VW231 Exclusive check (if match, error) - W039

Diagnosis Table	996.54	Complication due to breast prosthesis
Relational Table	V52.4	Fitting/adjustment of breast prosthesis and implant

---

V0232 PACEMAKER: ATTENTION versus COMPLICATION

Guideline: V codes indicating encounters for fitting/adjustment of pacemaker should not be used when there is a complication of the pacemaker.

The "Excludes" note under category V52 excludes the coding of care related to the complications of the pacemaker.

The "Excludes" note under the heading for complications of surgical and medical care (996-999) excludes the coding of postoperative conditions in which no complications are present (V44, V52, V55).

V0232 Exclusive check (if match, error) - W040

Diagnosis Table	996.01	Complication due to cardiac pacemaker
Relational Table	V53.31	Fitting/adjustment of cardiac pacemaker

---

V0233 574.6x COMBINATION CODE NEEDED FOR GALLSTONE AND BILE STONE WITH ACUTE CHOLECYSTITIS

Guideline: Code 574.6x, Calculus of gallbladder and bile duct with acute cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after 10-1-96.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as gallstones and bile duct stones or when the Alphabetic Index so directs.

V0233 Exclusive check (if match, error) - R033

Diagnosis Table	574.00	Calculus of gallbladder with acute cholecystitis without obstruction
	574.01	Calculus of gallbladder with acute cholecystitis with obstruction
Relational Table	574.30	Calculus of bile duct with acute cholecystitis without obstruction
	574.31	Calculus of bile duct with acute cholecystitis with obstruction

HINT: The combination code is 574.6x (Calculus of gallbladder and bile duct with acute cholecystitis with/without obstruction).

V0234 574.7x COMBINATION CODE NEEDED FOR GALLSTONE AND BILE STONE WITH OTHER CHOLECYSTITIS

Guideline: Code 574.7x, Calculus of gallbladder and bile duct with other cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after 10-1-96.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as gallstones and bile duct stones or when the Alphabetic Index so directs.

V0234 Exclusive check (if match, error) - R035

Diagnosis Table	574.10	Calculus of gallbladder with other cholecystitis without obstruction
	574.11	Calculus of gallbladder with other cholecystitis with obstruction
Relational Table	574.40	Calculus of bile duct with other cholecystitis without obstruction
	574.41	Calculus of bile duct with other cholecystitis with obstruction

HINT: The combination code is 574.7x (Calculus of gallbladder and bile duct with other cholecystitis with/without obstruction).

V0235 574.9x COMBINATION CODE NEEDED FOR GALLSTONE AND BILE STONE WITHOUT MENTION OF CHOLECYSTITIS

Guideline: Code 574.9x, Calculus of gallbladder and bile duct without cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after 10-1-96.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as gallstones and bile duct stones or when the Alphabetic Index so directs.

V0235 Exclusive check (if match, error) - R037

Diagnosis Table	574.20	Calculus of gallbladder without mention of cholecystitis without obstruction
	574.21	Calculus of gallbladder without mention of cholecystitis with obstruction
Relational Table	574.50	Calculus of bile duct without mention of cholecystitis without obstruction
	574.51	Calculus of bile duct without mention of cholecystitis with obstruction

HINT: The combination code is 574.9x (Calculus of gallbladder and bile duct without cholecystitis with/without obstruction).

V0236 574.8x COMBINATION CODE NEEDED FOR GALLSTONE AND BILE STONE WITH ACUTE AND CHRONIC CHOLECYSTITIS

Guideline: Code 574.8x, Calculus of gallbladder and bile duct with acute and chronic cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after 10-1-96.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as gallstones and bile duct stones or when the Alphabetic Index so directs.

V0236 Exclusive check (if match, error) - R040

Diagnosis Table	574.60	Calculus of gallbladder and bile duct with acute cholecystitis without obstruction
	574.61	Calculus of gallbladder and bile duct with acute cholecystitis with obstruction
Relational Table	574.70	Calculus of gallbladder and bile duct with other cholecystitis without obstruction
	574.71	Calculus of gallbladder and bile duct with other cholecystitis with obstruction

HINT: The combination code is 574.8x (Calculus of gallbladder and bile duct with acute and chronic cholecystitis with/without obstruction).

V0237 NEWBORN OUTCOME (V27) NEEDED FOR OBSTETRICAL DELIVERY RECORD

Guideline: An outcome of delivery code, V27, should be assigned as an additional code during the episode of care during which delivery occurred. The fourth digits indicate whether the outcome is liveborn or stillborn, and whether the outcome is single infant or multiple infants.

These codes should not be used when a delivery occurs prior to hospital admission, or on subsequent admissions, or on the newborn record.

V0237 Inclusive check (if no match, error) - M001

Diagnosis Table	640-679 *5th digits* ***.1*** *or* ***.2*** 650	Pregnancy, delivered, with or without mention of antepartum or postpartum condition Labor, delivery, antepartum and postpartum periods are entirely normal
Relational Table	V27.x	Outcome of Delivery

V0238 PREGNANCY, WITH and WITHOUT HYPERTENSION

Guideline: Hypertension associated with pregnancy, childbirth, or the puerperium is considered to be a complication unless the physician specifically indicates that it is not. This includes both pre-existing and transient hypertension of pregnancy or that arising during pregnancy. Often the symptoms of hypertension include edema and/or albuminuria or excessive weight gain that can aggravate hypertension.

If the edema or excessive weight gain in pregnancy is documented by the physician and the hypertension is mentioned, the "Excludes" note directs the coder to use the combination code 642.x instead. It is illogical for a patient to have both hypertension and no hypertension.

V0238 Exclusive check (if match, error) - O007

Diagnosis Table	642.xx	Hypertension complicating pregnancy, childbirth, or the puerperium
Relational Table	646.1x	Edema or excessive weight gain in pregnancy, without mention of hypertension

---

V0239 PREGNANCY AND KIDNEY DIAGNOSIS, WITH and WITHOUT HYPERTENSION

Guideline: Hypertension associated with pregnancy, childbirth, or the puerperium is considered to be a complication unless the physician specifically indicates that it is not. This includes both pre-existing and transient hypertension of pregnancy or that arising during pregnancy. Often the symptoms of hypertension include edema, albuminuria, renal disease, nephropathy, and/or uremia.

If the albuminuria or renal disease in pregnancy is documented by the physician and the hypertension is mentioned, the "Excludes" note directs the coder to use the combination code 642.x instead. It is illogical for a patient to have both hypertension and no hypertension.

V0239 Exclusive check (if match, error) - O009

Diagnosis Table	642.xx	Hypertension complicating pregnancy, childbirth, or the puerperium
Relational Table	646.2x	Unspecified kidney disease in pregnancy, without mention of hypertension

---

V0240 575.12 COMBINATION CODE NEEDED FOR ACUTE AND CHRONIC CHOLECYSTITIS

Guideline: Code 575.12, Acute and chronic cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after 10-1-96.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as gallstones and bile duct stones or when the Alphabetic Index so directs.

V0240 Exclusive check (if match, error) - R042

Diagnosis Table	575.0	Acute cholecystitis
Relational Table	575.11	Chronic cholecystitis

HINT: The combination code is 575.12 (Acute and chronic cholecystitis).

VW241 **UNSPECIFIED versus SPECIFIED INFECTIONS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for infections to be both unspecified and specified from the same category on the same record.

VW241 Exclusive Check (if match, error) - Y008

Diagnosis Table	001.9	Cholera, unspecified
Relational Table	001.0- 001.1	Cholera, specified

VW241 Exclusive Check (if match, error) - Y009

Diagnosis Table	002.9	Parathyroid fever, unspecified
Relational Table	002.1- 002.3	Parathyroid fever, specified

VW241 Exclusive Check (if match, error) - Y010

Diagnosis Table	003.20	Localized Salmonella infection, unspecified
Relational Table	003.21 - 003.29	Localized Salmonella infection, specified

---

VW241 Exclusive Check (if match, error) - Y011

Diagnosis Table	003.9	Salmonella infection, unspecified
Relational Table	003.0- 003.8	Salmonella infections, specified

---

VW241 Exclusive Check (if match, error) - Y012

Diagnosis Table	004.9	Shigellosis, unspecified
Relational Table	004.0- 004.8	Shigellosis infections, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y013

Diagnosis Table	005.9	Food poisoning, unspecified
Relational Table	005.0- 005.89	Food poisonings, specified

VW241 Exclusive Check (if match, error) - Y014

Diagnosis Table	006.9	Amebiasis, unspecified
Relational Table	006.0- 006.8	Amebic infections, specified

VW241 Exclusive Check (if match, error) - Y015

Diagnosis Table	007.9	Protozoal intestinal disease, unspecified
Relational Table	007.0- 007.8	Protozoal intestinal diseases, specified

---

VW241 Exclusive Check (if match, error) - Y016

Diagnosis Table	008.00	E. coli, unspecified
Relational Table	008.01- 008.09	E. coli infections, specified

---

VW241 Exclusive Check (if match, error) - Y018

Diagnosis Table	009.0- 009.3	Ill-defined intestinal infections
Relational Table	001.0- 008.8	Intestinal infectious diseases, specified

---

VW241 Exclusive Check (if match, error) - Y019

Diagnosis Table	010.9	Primary tuberculous infection, unspecified
Relational Table	010.0- 010.8	Primary tuberculous infections, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y020

Diagnosis Table	010.x0	Primary tuberculous infection, unspecified test
Relational Table	010.x1- 010.x6	Primary tuberculous infection, specified tests

---

VW241 Exclusive Check (if match, error) - Y021

Diagnosis Table	011.x0	Pulmonary tuberculous, unspecified test
Relational Table	011.x1- 011.x6	Pulmonary tuberculous, specified tests

---

VW241 Exclusive Check (if match, error) - Y022

Diagnosis Table	012.x0	Respiratory tuberculosis, unspecified test
Relational Table	012.x1- 012.x6	Respiratory tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y023

Diagnosis Table	013.x0	CNS and meningeal tuberculosis, unspecified test
Relational Table	013.x1- 013.x6	CNS and meningeal tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y024

Diagnosis Table	014.x0	Intestinal tuberculosis, unspecified test
Relational Table	014.x1- 014.x6	Intestinal tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y025

Diagnosis Table	015.x0	Bones and joints tuberculosis, unspecified test
Relational Table	015.x1- 015.x6	Bones and joints tuberculosis, specified tests

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y026

Diagnosis Table	016.x0	Genitourinary tuberculosis, unspecified test
Relational Table	016.x1- 016.x6	Genitourinary tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y027

Diagnosis Table	017.x0	Other organs with tuberculosis, unspecified test
Relational Table	017.x1- 017.x6	Other organs with tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y028

Diagnosis Table	018.x0	Miliary tuberculosis, unspecified test
Relational Table	018.x1- 018.x6	Miliary tuberculosis, specified tests

---

VW241 Exclusive Check (if match, error) - Y029

Diagnosis Table	011.9	Pulmonary tuberculosis, unspecified
Relational Table	011.0- 011.8	Pulmonary tuberculoses, specified

---

VW241 Exclusive Check (if match, error) - Y030

Diagnosis Table	013.9	CNS tuberculosis, unspecified
Relational Table	013.0- 013.8	CNS tuberculoses, specified

VW241 Exclusive Check (if match, error) - Y031

Diagnosis Table	015.9	Bones and joints tuberculosis, unspecified
Relational Table	015.0- 015.8	Bones and joints tuberculoses, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y017

Diagnosis Table	016.9	Genitourinary tuberculosis, unspecified
Relational Table	016.0-016.8	Genitourinary tuberculoses, specified

---

VW241 Exclusive Check (if match, error) - Y032

Diagnosis Table	018.9	Miliary tuberculosis, unspecified
Relational Table	018.0-018.8	Miliary tuberculoses, specified

VW241 Exclusive Check (if match, error) - Y033

Diagnosis Table	020.9	Plague, unspecified
Relational Table	020.0-020.8	Plagues, specified

VW241 Exclusive Check (if match, error) - Y034

Diagnosis Table	021.9	Tularemia, unspecified
Relational Table	021.0-021.8	Tularemia, specified

VW241 Exclusive Check (if match, error) - Y035

Diagnosis Table	022.9	Anthrax, unspecified
Relational Table	022.0-022.8	Anthrax, specified

VW241 Exclusive Check (if match, error) - Y036

Diagnosis Table	023.9	Brucellosis, unspecified
Relational Table	023.0-023.8	Brucellosis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y037

Diagnosis Table	026.9	Rat-bite fever, unspecified
Relational Table	026.0-026.8	Rat-bite fevers, specified

VW241 Exclusive Check (if match, error) - Y038

Diagnosis Table	027.9	Zoonotic bacterial disease, unspecified
Relational Table	027.0-027.8	Zoonotic bacterial disease, specified

---

VW241 Exclusive Check (if match, error) - Y039

Diagnosis Table	030.9	Leprosy, unspecified
Relational Table	030.0-030.8	Leprosy infections, specified

VW241 Exclusive Check (if match, error) - Y040

Diagnosis Table	031.9	Mycobacteria disease, unspecified
Relational Table	031.0-031.8	Mycobacteria diseases, specified

---

VW241 Exclusive Check (if match, error) - Y041

Diagnosis Table	032.9	Diptheria, unspecified
Relational Table	032.0-032.8	Diptheria infections, specified

VW241 Exclusive Check (if match, error) - Y042

Diagnosis Table	033.9	Whooping cough, unspecified organism
Relational Table	033.0-033.8	Whooping cough, specified organisms

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y043

Diagnosis Table	036.40	Meningococcal carditis, unspecified
Relational Table	036.41-036.43	Meningococcal carditis, specified

---

VW241 Exclusive Check (if match, error) - Y044

Diagnosis Table	036.9	Meningococcal infection, unspecified
Relational Table	036.0-036.89	Meningococcal infections, specified

---

VW241 Exclusive Check (if match, error) - Y045

Diagnosis Table	038.40	Gram-negative organism, unspecified
Relational Table	038.41-038.49	Gram-negative organisms, specified

---

VW241 Exclusive Check (if match, error) - Y046

Diagnosis Table	038.9	Septicemia, unspecified
Relational Table	038.0-038.8	Septicemias, specified

VW241 Exclusive Check (if match, error) - Y047

Diagnosis Table	039.9	Actinomycotic infections, unspecified site
Relational Table	039.0-039.8	Actinomycotic infections, specified sites

---

VW241 Exclusive Check (if match, error) - Y048

Diagnosis Table	041.00	Streptococcus, unspecified
Relational Table	041.01-041.09	Streptococcus infections, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y049

Diagnosis Table	041.10	Staphylococcus, unspecified
Relational Table	041.11-041.19	Staphylococcus infections, specified

---

VW241 Exclusive Check (if match, error) - Y050

Diagnosis Table	041.9	Bacterial infection, unspecified
Relational Table	041.00-041.89	Bacterial infections, specified

---

VW241 Exclusive Check (if match, error) - Y051

Diagnosis Table	045.x0	Acute poliomyelitis, unspecified viral type
Relational Table	045.x1-045.x3	Acute poliomyelitis, specified viral types

---

VW241 Exclusive Check (if match, error) - Y052

Diagnosis Table	045.9	Acute poliomyelitis, unspecified
Relational Table	045.0-045.2	Acute poliomyelitis, specified

VW241 Exclusive Check (if match, error) - Y053

Diagnosis Table	046.9	Slow virus infection of CNS, unspecified
Relational Table	046.0-046.8	Slow virus infections of CNS, specified

---

VW241 Exclusive Check (if match, error) - Y054

Diagnosis Table	047.9	Viral meningitis, unspecified
Relational Table	047.0-047.8	Viral meningitis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y055

Diagnosis Table	049.9	Non-arthropod-borne viral disease of CNS, unspecified
Relational Table	049.0-049.8	Non-arthropod-borne viral diseases of CNS, specified

---

VW241 Exclusive Check (if match, error) - Y056

Diagnosis Table	050.9	Smallpox, unspecified
Relational Table	050.0-050.2	Smallpox, specified

VW241 Exclusive Check (if match, error) - Y057

Diagnosis Table	051.9	Paravaccina, unspecified
Relational Table	051.0-051.2	Paravaccina, specified

VW241 Exclusive Check (if match, error) - Y058

Diagnosis Table	052.9	Varicella, without complication
Relational Table	052.0-052.8	Varicella, with complications

VW241 Exclusive Check (if match, error) - Y059

Diagnosis Table	052.8	Varicella, with unspecified complication
Relational Table	052.0-052.7	Varicella, with specified complications

---

VW241 Exclusive Check (if match, error) - Y060

Diagnosis Table	053.10	Herpes zoster with unspecified nervous system complication
Relational Table	053.11-053.19	Herpes zoster with specified nervous system complications

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y061

Diagnosis Table	053.8	Herpes zoster, with unspecified complication
Relational Table	053.0-053.79	Herpes zoster, with specified complications

---

VW241 Exclusive Check (if match, error) - Y062

Diagnosis Table	053.9	Herpes zoster, unspecified
Relational Table	053.0-053.8	Herpes zoster, specified

VW241 Exclusive Check (if match, error) - Y063

Diagnosis Table	054.10	Genital herpes, unspecified
Relational Table	054.11-054.19	Genital herpes, specified

VW241 Exclusive Check (if match, error) - Y064

Diagnosis Table	054.40	Herpes with unspecified opthalmic complication
Relational Table	054.41-054.49	Herpes with specified opthalmic complications

---

VW241 Exclusive Check (if match, error) - Y065

Diagnosis Table	054.8	Herpes with unspecified complication
Relational Table	054.0-054.79	Herpes with specified complications

---

VW241 Exclusive Check (if match, error) - Y066

Diagnosis Table	054.9	Herpes, unspecified
Relational Table	054.0-054.8	Herpes infections, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y067

Diagnosis Table	055.8	Measles with unspecified complication
Relational Table	055.0-055.79	Measles with specified complications

---

VW241 Exclusive Check (if match, error) - Y068

Diagnosis Table	055.9	Measles, without complication
Relational Table	055.0-055.8	Measles, with complications

VW241 Exclusive Check (if match, error) - Y069

Diagnosis Table	056.00	Rubella, without neurological complication
Relational Table	056.01-056.09	Rubella, with neurological complications

---

VW241 Exclusive Check (if match, error) - Y070

Diagnosis Table	056.8	Rubella, with unspecified complication
Relational Table	056.0-056.7	Rubella, with specified complication

---

VW241 Exclusive Check (if match, error) - Y071

Diagnosis Table	056.9	Rubella, without complication
Relational Table	056.0-056.8	Rubella, with complications

VW241 Exclusive Check (if match, error) - Y072

Diagnosis Table	057.9	Viral exanthem, unspecified
Relational Table	057.0-057.8	Viral exanthem, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) – Y447

Diagnosis Table	058.10	Roseola Infantum, unspecified
Relational Table	058.11- 058.12	Roseola Infantum, specified

VW241 Exclusive Check (if match, error) - Y073

Diagnosis Table	060.9	Yellow fever, unspecified
Relational Table	060.0- 060.1	Yellow fever, specified

VW241 Exclusive Check (if match, error) - Y074

Diagnosis Table	062.9	Mosquito-borne viral encephalitis, unspecified
Relational Table	062.0- 062.8	Mosquito-borne viral encephalitis, specified

---

VW241 Exclusive Check (if match, error) - Y075

Diagnosis Table	063.9	Tick-borne viral encephalitis, unspecified
Relational Table	063.0- 063.8	Tick-borne viral encephalitis, specified

---

VW241 Exclusive Check (if match, error) - Y076

Diagnosis Table	065.9	Arthropod-borne hemorrhagic fever, unspecified
Relational Table	065.0- 065.8	Arthropod-borne hemorrhagic fevers, specified

---

VW241 Exclusive Check (if match, error) - Y077

Diagnosis Table	066.9	Arthropod-borne viral disease, unspecified
Relational Table	066.0- 066.8	Arthropod-borne viral diseases, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) – Y251

Diagnosis Table	066.40	West Nile Fever, unspecified
Relational Table	066.41- 066.49	West Nile Fever, specified

VW241 Exclusive Check (if match, error) - Y078

Diagnosis Table	070.6- 070.9	Unspecified viral hepatitis
Relational Table	070.0- 070.5	Specified viral hepatitis

VW241 Exclusive Check (if match, error) - Y079

Diagnosis Table	072.8	Mumps with unspecified complication
Relational Table	072.0- 072.7	Mumps with specified complications

---

VW241 Exclusive Check (if match, error) - Y080

Diagnosis Table	072.9	Mumps without complication
Relational Table	072.0- 072.8	Mumps with complications

VW241 Exclusive Check (if match, error) - Y081

Diagnosis Table	073.8	Ornithosis, with unspecified complication
Relational Table	073.0- 073.7	Ornithosis, with specified complication

---

VW241 Exclusive Check (if match, error) - Y082

Diagnosis Table	073.9	Ornithosis, unspecified
Relational Table	073.0- 073.8	Ornithosis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y083

Diagnosis Table	074.20	Coxsackie carditis, unspecified
Relational Table	074.21-074.23	Coxsackie carditis, specified

VW241 Exclusive Check (if match, error) - Y084

Diagnosis Table	076.9	Trachoma, unspecified
Relational Table	076.0-076.1	Trachoma, specified

VW241 Exclusive Check (if match, error) - Y085

Diagnosis Table	077.99	Unspecified diseases, due to viruses
Relational Table	077.0-077.8	Specified diseases, due to viruses

---

VW241 Exclusive Check (if match, error) - Y086

Diagnosis Table	078.10	Viral warts, unspecified
Relational Table	078.11-078.19	Viral warts, specified

VW241 Exclusive Check (if match, error) - Y087

Diagnosis Table	079.50	Retrovirus, unspecified
Relational Table	079.51-079.59	Retroviruses, specified

VW241 Exclusive Check (if match, error) - Y088

Diagnosis Table	079.98	Unspecified chlamydial infection
Relational Table	079.88	Specified chlamydial infections

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y090

Diagnosis Table	079.99	Unspecified viral infection
Relational Table	079.0- 079.81 079.82 079.83 079.89	Specified viral infections

---

VW241 Exclusive Check (if match, error) - Y091

Diagnosis Table	081.9	Typhus, unspecified
Relational Table	081.0- 081.2	Typhus, specified

VW241 Exclusive Check (if match, error) - Y092

Diagnosis Table	082.9	Tick-borne rickettsiosis, unspecified
Relational Table	082.0- 082.8	Tick-borne rickettsiosis, specified

---

VW241 Exclusive Check (if match, error) - Y093

Diagnosis Table	083.9	Rickettsiosis, unspecified
Relational Table	083.0- 083.8	Rickettsiosis, specified

VW241 Exclusive Check (if match, error) - Y094

Diagnosis Table	084.6	Malaria, unspecified
Relational Table	084.0- 084.5	Malaria, specified

VW241 Exclusive Check (if match, error) - Y095

Diagnosis Table	085.9	Leishmaniasis, unspecified
Relational Table	085.0- 085.5	Leishmaniasis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y096

Diagnosis Table	086.9	Trypanosomiasis, unspecified
Relational Table	086.0-086.5	Trypanosomiasis, specified

VW241 Exclusive Check (if match, error) - Y097

Diagnosis Table	087.9	Relapsing fever, unspecified
Relational Table	087.0-087.1	Relapsing fevers, specified

VW241 Exclusive Check (if match, error) - Y098

Diagnosis Table	088.9	Arthropod-borne disease, unspecified
Relational Table	088.0-088.8	Arthropod-borne diseases, specified

---

VW241 Exclusive Check (if match, error) - Y099

Diagnosis Table	090.9	Congenital syphilis, unspecified
Relational Table	090.0-090.7	Congenital syphilis, specified

VW241 Exclusive Check (if match, error) - Y100

Diagnosis Table	091.50	Syphilitic uveitis, unspecified
Relational Table	091.51-091.52	Syphilitic uveitis, specified

VW241 Exclusive Check (if match, error) - Y101

Diagnosis Table	091.9	Secondary syphilis, unspecified
Relational Table	091.0-091.8	Syphilis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y102

Diagnosis Table	092.9	Early syphilis, latent, unspecified
Relational Table	092.0	Early syphilis, latent, specified

VW241 Exclusive Check (if match, error) - Y103

Diagnosis Table	093.20	Syphilitic valve, unspecified
Relational Table	093.21-093.24	Syphilitic valves, specified

VW241 Exclusive Check (if match, error) - Y104

Diagnosis Table	093.9	Cardiovascular syphilis, unspecified
Relational Table	093.0-093.89	Cardiovascular syphilis, specified

---

VW241 Exclusive Check (if match, error) - Y105

Diagnosis Table	094.9	Neurosyphilis, unspecified
Relational Table	094.0-094.8	Neurosyphilis, specified

VW241 Exclusive Check (if match, error) - Y106

Diagnosis Table	095.9	Late symptomatic syphilis, unspecified
Relational Table	095.0-095.8	Late symptomatic syphilis, specified

---

VW241 Exclusive Check (if match, error) - Y107

Diagnosis Table	098.10	Acute gonococcal infection of upper genitourinary tract unspecified site
Relational Table	098.11-098.19	Acute gonococcal infection of upper genitourinary tract specified sites

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y108

Diagnosis Table	098.30	Chronic gonococcal infection of upper genitourinary tract, unspecified site
Relational Table	098.31-098.39	Chronic gonococcal infection of upper genitourinary tract, specified sites

---

VW241 Exclusive Check (if match, error) - Y109

Diagnosis Table	099.50	Venereal diseases due to chlamydia trachomatis, unspecified site
Relational Table	099.51-099.59	Venereal diseases due to chlamydia trachomatis, specified sites

---

VW241 Exclusive Check (if match, error) - Y110

Diagnosis Table	099.9	Venereal disease, unspecified
Relational Table	099.0-099.8	Venereal disease, specified

VW241 Exclusive Check (if match, error) - Y111

Diagnosis Table	100.9	Leptospirosis, unspecified
Relational Table	100.0-100.8	Leptospirosis, specified

VW241 Exclusive Check (if match, error) - Y112

Diagnosis Table	102.9	Yaws, unspecified
Relational Table	102.0-102.8	Yaws, specified

VW241 Exclusive Check (if match, error) - Y113

Diagnosis Table	103.9	Pinta, unspecified
Relational Table	103.0-103.8	Pinta, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y114

Diagnosis Table	104.9	Spirochetal infection, unspecified
Relational Table	104.0-104.8	Spirochetal infections, specified

---

VW241 Exclusive Check (if match, error) - Y115

Diagnosis Table	110.9	Dermatophytosis, unspecified site
Relational Table	110.0-110.8	Dermatophytosis, specified sites

---

VW241 Exclusive Check (if match, error) - Y116

Diagnosis Table	111.9	Dermatomycosis, unspecified
Relational Table	111.0-111.8	Dermatomycosis, specified

VW241 Exclusive Check (if match, error) - Y117

Diagnosis Table	112.9	Candidiasis, unspecified site
Relational Table	112.0-112.8	Candidiasis, specified sites

VW241 Exclusive Check (if match, error) - Y118

Diagnosis Table	114.9	Coccidioidomycosis, unspecified
Relational Table	114.0-114.5	Coccidioidomycosis, specified

VW241 Exclusive Check (if match, error) - Y119

Diagnosis Table	115.00	Histoplasma capsulatum, without manifestation
Relational Table	115.01-115.09	Histoplasma capsulatum, with manifestation

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y120

Diagnosis Table	115.10	Histoplasma duboisII, with manifestation
Relational Table	115.11-115.19	Histoplasma duboisII, with manifestation

---

VW241 Exclusive Check (if match, error) - Y121

Diagnosis Table	115.9	Histoplasmosis, unspecified
Relational Table	115.0-115.1	Histoplasmosis, specified

VW241 Exclusive Check (if match, error) - Y122

Diagnosis Table	120.9	Schistosomiasis, unspecified
Relational Table	120.0-120.8	Schistosomiasis, specified

VW241 Exclusive Check (if match, error) - Y123

Diagnosis Table	121.9	Trematode infection, unspecified
Relational Table	121.0-121.8	Trematode infection, specified

VW241 Exclusive Check (if match, error) - Y124

Diagnosis Table	122.4	Echinococcus granulosus, unspecified
Relational Table	122.0-122.3	Echinococcus granulosus, specified

---

VW241 Exclusive Check (if match, error) - Y125

Diagnosis Table	122.7	Echinococcus multilocularis infection, unspecified
Relational Table	122.4-122.6	Echinococcus multilocularis infection, specified

---

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y126

Diagnosis Table	123.9	Cestode infection, unspecified
Relational Table	123.0- 123.8	Cestode infection, specified

VW241 Exclusive Check (if match, error) - Y127

Diagnosis Table	125.9	Filariasis, unspecified
Relational Table	125.0- 125.7	Filariasis, specified

VW241 Exclusive Check (if match, error) - Y128

Diagnosis Table	126.9	Ancylostomiasis and Necatoriasis, unspecified
Relational Table`	126.0- 126.8	Ancylostomiasis and Necatoriasis, specified

---

VW241 Exclusive Check (if match, error) - Y129

Diagnosis Table	127.9	Intestinal helminthiasis, unspecified
Relational Table	127.0- 127.8	Intestinal helminthiasis, specified

---

VW241 Exclusive Check (if match, error) - Y130

Diagnosis Table	128.9	Helminth infection, unspecified
Relational Table	128.0- 128.8	Helminth infections, specified

VW241 Exclusive Check (if match, error) - Y131

Diagnosis Table	130.9	Toxoplasmosis, unspecified
Relational Table	130.0- 130.8	Toxoplasmosis, specified

VW241 UNSPECIFIED versus SPECIFIED INFECTIONS - CONTINUED (see pg 203)

VW241 Exclusive Check (if match, error) - Y132

Diagnosis Table	131.00	Urogenital trichomoniasis, unspecified
Relational Table	131.01-131.09	Urogenital trichomoniasis, unspecified

---

VW241 Exclusive Check (if match, error) - Y133

Diagnosis Table	131.9	Trichomoniasis, unspecified
Relational Table	131.0-131.8	Trichomoniasis, specified

VW241 Exclusive Check (if match, error) - Y134

Diagnosis Table	132.9	Pediculosis, unspecified
Relational Table	132.0-132.3	Pediculosis, specified

VW241 Exclusive Check (if match, error) - Y135

Diagnosis Table	133.9	Acariasis, unspecified
Relational Table	133.0-133.8	Acariasis, specified

VW241 Exclusive Check (if match, error) - Y136

Diagnosis Table	134.9	Infestation, unspecified
Relational Table	134.0-134.8	Infestations, specified

VW241 Exclusive Check (if match, error) - Y137

Diagnosis Table	136.9	Infectious and parasitic diseases, unspecified
Relational Table	136.0-136.8	Infectious and parasitic diseases, specified

---

VW242 **UNSPECIFIED versus SPECIFIED TUMORS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more60 specific code from the same category is also assigned.

It is illogical for tumors of the same site to be both unspecified and specified from the same category on the same record.

VW242 Exclusive Check (if match, error) - Y138

Diagnosis Table	140.9	Tumor of lip, unspecified
Relational Table	140.0-140.8	Tumor of lip, specified

VW242 Exclusive Check (if match, error) - Y139

Diagnosis Table	141.9	Tumor of tongue, unspecified
Relational Table	141.0-141.8	Tumor of tongue, specified

VW242 Exclusive Check (if match, error) - Y140

Diagnosis Table	142.9	Tumor of salivary gland, unspecified
Relational Table	142.0-142.8	Tumor of salivary gland, specified

---

VW242 Exclusive Check (if match, error) - Y141

Diagnosis Table	143.9	Tumor of gum, unspecified
Relational Table	143.0-143.8	Tumor of gum, specified

VW242 Exclusive Check (if match, error) - Y142

Diagnosis Table	144.9	Tumor, floor of mouth, unspecified
Relational Table	144.0-144.8	Tumor, floor of mouth, specified

---

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y143

Diagnosis Table	145.5	Tumor of palate, unspecified
Relational Table	145.2- 145.3	Tumor of palate, specified

VW242 Exclusive Check (if match, error) - Y144

Diagnosis Table	145.9	Tumor of mouth, unspecified
Relational Table	145.0- 145.8	Tumor of mouth, specified

VW242 Exclusive Check (if match, error) - Y145

Diagnosis Table	146.9	Tumor of oropharynx, unspecified
Relational Table	146.0- 146.8	Tumor of oropharynx, specified

VW242 Exclusive Check (if match, error) - Y146

Diagnosis Table	147.9	Tumor of nasopharynx, unspecified
Relational Table	147.0- 147.8 148.8	Tumor of nasopharynx, specified

---

VW242 Exclusive Check (if match, error) - Y147

Diagnosis Table	148.9	Tumor of hypoharynx, unspecified
Relational Table	148.0- 148.8	Tumor of hypopharynx, specified

---

VW242 Exclusive Check (if match, error) - Y148

Diagnosis Table	150.9	Tumor of esophagus, unspecified
Relational Table	150.0- 150.8	Tumor of esophagus, specified

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y149

Diagnosis Table	151.9	Tumor of stomach, unspecified
Relational Table	151.0-151.8	Tumor of stomach, specified

VW242 Exclusive Check (if match, error) - Y150

Diagnosis Table	152.9	Tumor of small intestine, unspecified
Relational Table	152.0-152.8	Tumor of small intestine, specified

---

VW242 Exclusive Check (if match, error) - Y151

Diagnosis Table	153.9	Tumor of colon, unspecified
Relational Table	153.0-153.8	Tumor of colon, specified

VW242 Exclusive Check (if match, error) - Y152

Diagnosis Table	156.9	Tumor of biliary tract, unspecified
Relational Table	156.0-156.8	Tumor of biliary tract, specified

---

VW242 Exclusive Check (if match, error) - Y153

Diagnosis Table	157.9	Tumor of pancreas, part unspecified
Relational Table	157.0-157.8	Tumor of pancreas, part specified

---

VW242 Exclusive Check (if match, error) - Y154

Diagnosis Table	158.9	Tumor of peritoneum, unspecified
Relational Table	158.0-158.8	Tumor of peritoneum, specified

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y155

Diagnosis Table	160.9	Tumor of accessory sinus, unspecified
Relational Table	160.0-160.8	Tumor of accessory sinus, specified

---

VW242 Exclusive Check (if match, error) - Y156

Diagnosis Table	161.9	Tumor of larynx, unspecified
Relational Table	161.0-161.8	Tumor of larynx, specified

VW242 Exclusive Check (if match, error) - Y157

Diagnosis Table	162.9	Tumor of bronchus and lung, unspecified
Relational Table	162.0-162.8	Tumor of bronchus and lung, specified

---

VW242 Exclusive Check (if match, error) - Y158

Diagnosis Table	163.9	Tumor of pleura, unspecified
Relational Table	163.0-163.8	Tumor of pleura, specified

VW242 Exclusive Check (if match, error) - Y159

Diagnosis Table	164.9	Tumor of mediastinum, part unspecified
Relational Table	164.2-164.3	Tumor of mediastinum, part specified

---

VW242 Exclusive Check (if match, error) - Y160

Diagnosis Table	170.9	Tumor of bone and cartilage, unspecified
Relational Table	170.0-170.8	Tumor of bone and cartilage, specified

---

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y161

Diagnosis Table	171.9	Tumor of connective and other soft tissue, unspecified site
Relational Table	171.0-171.8	Tumor of connective and other soft tissue, specified site

---

VW242 Exclusive Check (if match, error) - Y162

Diagnosis Table	172.9	Melanoma of skin, unspecified site
Relational Table	172.0-172.8	Melanoma of skin, specified sites

---

VW242 Exclusive Check (if match, error) - Y163

Diagnosis Table	173.9	Tumor of skin, unspecified site
Relational Table	173.0-173.8	Tumor of skin, specified sites

VW242 Exclusive Check (if match, error) - Y164

Diagnosis Table	174.9	Tumor of breast, unspecified
Relational Table	174.0-174.8	Tumor of breast, specified

VW242 Exclusive Check (if match, error) - Y165

Diagnosis Table	176.9	Kaposi's sarcoma, unspecified site
Relational Table	176.0-176.8	Kaposi's sarcoma, specified sites

---

VW242 Exclusive Check (if match, error) - Y166

Diagnosis Table	180.9	Tumor of cervix uteri, unspecified
Relational Table	180.0-180.8	Tumor of cervix uteri, specified

---

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y167

Diagnosis Table	183.9	Tumor of uterine adnexa, unspecified
Relational Table	183.0-183.8	Tumor of uterine adnexa, specified

---

VW242 Exclusive Check (if match, error) - Y168

Diagnosis Table	184.9	Tumor of female genital organ, unspecified site
Relational Table	184.0-184.8	Tumor of female genital organ, specified sites

---

VW242 Exclusive Check (if match, error) - Y169

Diagnosis Table	187.9	Tumor of male genital organ, unspecified site
Relational Table	187.1-187.8	Tumor of male genital organ, specified sites

---

VW242 Exclusive Check (if match, error) - Y170

Diagnosis Table	188.9	Tumor of bladder, unspecified part
Relational Table	188.0-188.8	Tumor of bladder, specified part

---

VW242 Exclusive Check (if match, error) - Y171

Diagnosis Table	189.9	Tumor of urinary organ, unspecified site
Relational Table	189.0-189.8	Tumor of urinary organ, specified sites

---

VW242 Exclusive Check (if match, error) - Y172

Diagnosis Table	190.9	Tumor of eye, unspecified part
Relational Table	190.0-190.8	Tumor of eye, specified part

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y173

Diagnosis Table	191.9	Tumor of brain, unspecified
Relational Table	191.0-191.8	Tumor of brain, specified

VW242 Exclusive Check (if match, error) - Y174

Diagnosis Table	192.9	Tumor of nervous system, unspecified part
Relational Table	192.0-192.8	Tumor of nervous system, specified part

---

VW242 Exclusive Check (if match, error) - Y175

Diagnosis Table	194.9	Tumor of endocrine gland, unspecified site
Relational Table	194.0-194.8	Tumor of endocrine gland, specified sites

---

VW242 Exclusive Check (if match, error) - Y176

Diagnosis Table	196.9	Tumor of lymph nodes, unspecified site
Relational Table	196.0-196.8	Tumor of lymph nodes, specified sites

---

VW242 Exclusive Check (if match, error) - Y188

Diagnosis Table	201.9	Hodgkin's disease, unspecified
Relational Table	201.0-201.7	Hodgkin's disease, specified

VW242 Exclusive Check (if match, error) - Y198

Diagnosis Table	204.9	Lymphoid leukemia, unspecified
Relational Table	204.0-204.8	Lymphoid leukemia, specified

VW242 UNSPECIFIED versus SPECIFIED TUMORS - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y199

Diagnosis Table	205.9	Myeloid leukemia, unspecified
Relational Table	205.0-205.8	Myeloid leukemia, specified

VW242 Exclusive Check (if match, error) - Y200

Diagnosis Table	206.9	Monocytic leukemia, unspecified
Relational Table	206.0-206.8	Monocytic leukemia, specified

VW242 Exclusive Check (if match, error) - Y201

Diagnosis Table	208.9	Leukemia, unspecified
Relational Table	208.0-208.8	Leukemia, specified

VW242 Exclusive Check (if match, error) - Y208

Diagnosis Table	218.9	Leiomyoma of uterus, unspecified
Relational Table	218.0-218.2	Leiomyoma of uterus, specified

VW242 Exclusive Check (if match, error) - Y209

Diagnosis Table	219.9	Benign tumor of uterus, unspecified part
Relational Table	219.0-219.8	Benign tumor of uterus, specified part

---

VW242 Exclusive Check (if match, error) - Y210

Diagnosis Table	221.9	Benign tumor of female genital organ, unspecified site
Relational Table	221.0-221.8	Benign tumor of female genital organ, specified site

---

VW242 **UNSPECIFIED versus SPECIFIED TUMORS** - CONTINUED (see pg 225)

VW242 Exclusive Check (if match, error) - Y211

Diagnosis Table	222.9	Benign tumor of male genital organ, unspecified site
Relational Table	222.0- 222.8	Benign tumor of male genital organ, specified site

---

VW242 Exclusive Check (if match, error) – Y448

Diagnosis Table	233.30	Carcinoma-in-situ, female genital organ, unspecified
Relational Table	233.31- 233.39	Carcinoma-in-situ, female genital organ, specified

---

VW242 Exclusive Check (if match, error) - Y220

Diagnosis Table	237.70	Neurofibromatosis, unspecified
Relational Table	237.71- 237.72	Neurofibromatosis, specified

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the endocrine disease to be both unspecified and specified from the same category on the same record.

VW243 Exclusive Check (if match, error) - Y221

Diagnosis Table	240.9	Goiter, unspecified
Relational Table	240.0	Goiter, specified

VW243 Exclusive Check (if match, error) - Y222

Diagnosis Table	241.9	Nontoxic nodular goiter, unspecified
Relational Table	241.0-241.1	Nontoxic nodular goiter, specified

---

VW243 Exclusive Check (if match, error) - Y223

Diagnosis Table	242.3	Toxic nodular goiter, unspecified
Relational Table	242.0-242.2	Toxic nodular goiter, specified

VW243 Exclusive Check (if match, error) - Y224

Diagnosis Table	242.9	Thyrotoxicosis without goiter
Relational Table	242.0-242.8	Thyrotoxicosis with goiter

VW243 Exclusive Check (if match, error) - Y225

Diagnosis Table	244.9	Hypothyroidism, unspecified
Relational Table	244.0-244.8	Hypothyroidism, specified

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) - Y226

Diagnosis Table	245.9	Thyroiditis, unspecified
Relational Table	245.0-245.8	Thyroiditis, specified

VW243 Exclusive Check (if match, error) - Y227

Diagnosis Table	246.9	Thyroid disorder, unspecified
Relational Table	246.0-246.8	Thyroid disorder, specified

VW243 Exclusive Check (if match, error) - Y228

Diagnosis Table	251.2	Hypoglycemia, unspecified
Relational Table	251.0-251.1	Hypoglycemia, specified

VW243 Exclusive Check (if match, error) - Y229

Diagnosis Table	251.9	Disorder of pancreatic internal secretion, unspecified
Relational Table	251.4-251.8	Disorder of pancreatic internal secretion, specified

---

VW243 Exclusive Check (if match, error) - Y230

Diagnosis Table	252.9	Disorder of parathyroid gland, unspecified
Relational Table	252.0-252.8	Disorder of parathyroid gland, specified

---

VW243 Exclusive Check (if match, error) - Y272

Diagnosis Table	252.00	Hyperparathyroidism, unspecified
Relational Table	252.01-252.08	Hyperparathyroidism, specified

---

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) - Y231

Diagnosis Table	253.9	Disorder of pituitary gland, unspecified
Relational Table	253.0-253.8	Disorder of pituitary gland, specified

---

VW243 Exclusive Check (if match, error) - Y232

Diagnosis Table	254.9	Disease of Thymus gland, unspecified
Relational Table	254.0-254.8	Disease of Thymus gland, specified

---

VW243 Exclusive Check (if match, error) - Y233

Diagnosis Table	255.9	Disorder of adrenal gland, unspecified
Relational Table	255.0-255.8	Disorder of adrenal gland, specified

---

VW243 Exclusive Check (if match, error) - Y234

Diagnosis Table	256.9	Ovarian dysfunction, unspecified
Relational Table	256.0-256.8	Ovarian dysfunction, specified

VW243 Exclusive Check (if match, error) - Y235

Diagnosis Table	257.9	Testicular dysfunction, unspecified
Relational Table	257.0-257.8	Testicular dysfunction, specified

---

VW243 Exclusive Check (if match, error) - Y236

Diagnosis Table	258.9	Polyglandular dysfunction, unspecified
Relational Table	258.0-258.8	Polyglandular dysfunction, specified

---

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) - Y238

Diagnosis Table	263.9	Malnutrition, unspecified
Relational Table	263.0-263.8	Malnutrition, specified

VW243 Exclusive Check (if match, error) - Y239

Diagnosis Table	264.9	Vitamin A deficiency, unspecified
Relational Table	264.0-264.8	Vitamin A deficiency, specified

VW243 Exclusive Check (if match, error) - Y240

Diagnosis Table	266.9	Vitamin B deficiency, unspecified
Relational Table	266.0-266.2	Vitamin B deficiency, specified

VW243 Exclusive Check (if match, error) - Y241

Diagnosis Table	268.9	Vitamin D deficiency, unspecified
Relational Table	268.0-268.2	Vitamin D deficiency, specified

VW243 Exclusive Check (if match, error) - Y242

Diagnosis Table	269.9	Nutritional deficiency, unspecified
Relational Table	269.0-269.8	Nutritional deficiency, specified

---

VW243 Exclusive Check (if match, error) - Y243

Diagnosis Table	270.9	Disorder of amino-acid metabolism, unspecified
Relational Table	270.0-270.8	Disorder of amino-acid metabolism, specified

---

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) - Y244

Diagnosis Table	271.9	Disorder of carbohydrate transport and metabolism, unspecified
Relational Table	271.0-271.8	Disorder of carbohydrate transport and metabolism, specified

---

VW243 Exclusive Check (if match, error) - Y245

Diagnosis Table	272.9	Disorder of lipoid metabolism, unspecified
Relational Table	272.0-272.8	Disorder of lipoid metabolism, specified

---

VW243 Exclusive Check (if match, error) - Y246

Diagnosis Table	273.9	Disorder of plasma protein metabolism, unspecified
Relational Table	273.0-273.8	Disorder of plasma protein metabolism, specified

---

VW243 Exclusive Check (if match, error) - Y247

Diagnosis Table	274.10	Gouty nephropathy, unspecified
Relational Table	274.19	Gouty nephropathy, specified

VW243 Exclusive Check (if match, error) - Y248

Diagnosis Table	274.9	Gout, unspecified
Relational Table	274.0-274.8	Gout, specified

VW243 Exclusive Check (if match, error) - Y249

Diagnosis Table	275.9	Disorder of mineral metabolism, unspecified
Relational Table	275.0-275.8	Disorder of mineral metabolism, specified

---

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) – Y445

Diagnosis Table	277.30	Amyloidosis, unspecified
Ralational Table	277.31- 277.39	Disorder of Amyloidosis, specified

---

VW243 Exclusive Check (if match, error) - Y250

Diagnosis Table	277.9	Disorder of metabolism, unspecified
Relational Table	277.0x- 277.8x	Disorder of metabolism, specified

---

VW243 Exclusive Check (if match, error) - R096

Diagnosis Table	278.00	Obesity, unspecified
Relational Table	278.01 278.02	Morbid obesity Overweight

VW243 Exclusive Check (if match, error) - Y252

Diagnosis Table	279.00	Hypogammaglobulinemia, unspecified
Relational Table	279.01- 279.09	Hypogammaglobulinemia, specified

---

VW243 Exclusive Check (if match, error) - Y253

Diagnosis Table	279.10	Immunodeficiency with T-cell, unspecified
Relational Table	279.11- 279.19	Immunodeficiency with T-cell, specified

---

VW243 Exclusive Check (if match, error) - Y254

Diagnosis Table	279.3	Immunity deficiency, unspecified
Relational Table	279.1- 279.2	Immunity deficiency, specified

VW243 **UNSPECIFIED versus SPECIFIED ENDOCRINE DISEASE** - CONTINUED
(see guideline on page 234)

VW243 Exclusive Check (if match, error) - Y255

Diagnosis Table	279.9	Disorder of immune mechanism, unspecified
Relational Table	279.0-279.8	Disorder of immune mechanism, specified

---

VW244 **UNSPECIFIED versus SPECIFIED BLOOD DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the blood diagnoses to be both unspecified and specified from the same category on the same record.

VW244 Exclusive Check (if match, error) - Y256

Diagnosis Table	280.9	Iron deficiency anemia, unspecified
Relational Table	280.0-280.8	Iron deficiency anemia, specified

---

VW244 Exclusive Check (if match, error) - Y257

Diagnosis Table	281.9	Deficiency anemia, unspecified
Relational Table	281.0-281.8	Deficiency anemia, specified

VW244 Exclusive Check (if match, error) - Y258

Diagnosis Table	282.60	Sickle-cell anemia, unspecified
Relational Table	282.61-282.69	Sickle-cell anemia, specified

VW244 Exclusive Check (if match, error) - Y259

Diagnosis Table	282.9	Hereditary hemolytic anemia, unspecified
Relational Table	282.0-282.8	Hereditary hemolytic anemia, specified

---

VW244 Exclusive Check (if match, error) - Y260

Diagnosis Table	283.9	Acquired hemolytic anemia, unspecified
Relational Table	283.0-283.2	Acquired hemolytic anemia, specified

---

VW244 **UNSPECIFIED versus SPECIFIED BLOOD DIAGNOSIS** - CONTINUED
(see guideline on page 241)

VW244 Exclusive Check (if match, error) - Y261

Diagnosis Table	283.10	Non-autoimmune hemolytic anemia, unspecified
Relational Table	283.11-283.19	Non-autoimmune hemolytic anemia, specified

---

VW244 Exclusive Check (if match, error) - Y262

Diagnosis Table	284.9	Aplastic anemia, unspecified
Relational Table	284.0-284.8	Aplastic anemia, specified

VW244 Exclusive Check (if match, error) - Y263 – **Turned off** – wait for Coding Clinic

---

Diagnosis Table	285.9	Anemia, unspecified
Relational Table	285.0-285.8	Anemia, specified

VW244 Exclusive Check (if match, error) - Y264

Diagnosis Table	287.5	Thromboytopenia, unspecified
Relational Table	287.3-287.4	Thromboytopenia, specified

VW244 Exclusive Check (if match, error) - Y265

Diagnosis Table	287.9	Hemorrhagic conditions, unspecified
Relational Table	287.0-287.8	Hemorrhagic conditions, specified

---

VW244 Exclusive Check (if match, error) - Y266

Diagnosis Table	288.9	Disease of white blood cells, unspecified
Relational Table	288.0-288.8	Disease of white blood cells, specified

---

VW244 **UNSPECIFIED versus SPECIFIED BLOOD DIAGNOSIS** - CONTINUED
(see guideline on page 241)

VW244 Exclusive Check (if match, error) - Y267

Diagnosis Table	289.50	Disease of spleen, unspecified
Relational Table	289.51-289.59	Disease of spleen, specified

VW244 Exclusive Check (if match, error) - Y268

Diagnosis Table	289.9	Disease of blood and blood-forming organs, unspecified
Relational Table	289.0-289.8x	Disease of blood and blood-forming organs, specified

---

VW244 Excusive Check (if match, error) - Y446

Diagnosis Table	288.00	Neutropenia, unspecified
Relational Table	288.01-288.09	Neutropenia, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the psych or drug diagnosis to be unspecified and specified from the same category on the same record.

VW245 Exclusive Check (if match, error) - Y269

Diagnosis Table	290.10	Presenile dementia, uncomplicated
Relational Table	290.11- 290.13	Presenile dementia, complicated

---

VW245 Exclusive Check (if match, error) - Y270

Diagnosis Table	290.0	Senile dementia, uncomplicated
Relational Table	290.2- 290.3 290.8- 290.9	Senile dementia, complicated

---

VW245 Exclusive Check (if match, error) - Y271

Diagnosis Table	290.40	Arteriosclerosis dementia, uncomplicated
Relational Table	290.41- 290.43	Arteriosclerosis dementia, complicated

---

VW245 Exclusive Check (if match, error) - Y277

Diagnosis Table	290.9	Senile psychotic condition, unspecified
Relational Table	290.0- 290.8	Senile psychotic condition, specified

---

VW245 Exclusive Check (if match, error) - Y278

Diagnosis Table	291.9	Alcoholic psychosis, unspecified
Relational Table	291.0- 291.8	Alcoholic psychosis, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y279

Diagnosis Table	292.9	Drug-induced mental disorder, unspecified
Relational Table	292.0-292.8	Drug-induced mental disorder, specified

---

VW245 Exclusive Check (if match, error) - Y280

Diagnosis Table	293.9	Transient organic mental disorder, unspecified
Relational Table	293.0-293.8	Transient organic mental disorder, specified

---

VW245 Exclusive Check (if match, error) - Y281

Diagnosis Table	294.9	Brain syndrome, unspecified
Relational Table	294.0-294.8	Brain syndrome, specified

VW245 Exclusive Check (if match, error) - R110

Diagnosis Table	295.x0	Schizophrenic, unspecified type
Relational Table	295.x1-295.x5	Schizophrenic, specified type

VW245 Exclusive Check (if match, error) - Y282

Diagnosis Table	295.9x	Schizophrenic disorders, unspecified
Relational Table	295.0-295.8	Schizophrenic disorders, specified

---

VW245 Exclusive Check (if match, error) - Y089

Diagnosis Table	295.00	Schizophrenic, simple type, unspecified
Relational Table	295.01-295.05	Schizophrenic, simple type, specified

---

VW245 UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS – CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y197

Diagnosis Table	295.10	Schizophrenic, disorganized type, unspecified
Relational Table	295.11-295.15	Schizophrenic, disorganized type, specified

---

VW245 Exclusive Check (if match, error) - Y202

Diagnosis Table	295.20	Schizophrenic, catatonic type, unspecified
Relational Table	295.21-295.25	Schizophrenic, catatonic type, specified

---

VW245 Exclusive Check (if match, error) - Y203

Diagnosis Table	295.30	Schizophrenic, paranoid type, unspecified
Relational Table	295.31-295.35	Schizophrenic, paranoid type, specified

---

VW245 Exclusive Check (if match, error) - Y204

Diagnosis Table	295.40	Acute Schizophrenic episode, unspecified
Relational Table	295.41-295.45	Acute Schizophrenic episode, specified

---

VW245 Exclusive Check (if match, error) - Y205

Diagnosis Table	295.50	Latent Schizophrenic episode, unspecified
Relational Table	295.51-295.55	Latent Schizophrenic episode, specified

---

VW245 Exclusive Check (if match, error) - Y206

Diagnosis Table	295.60	Residual Schizophrenic episode, unspecified
Relational Table	295.61-295.65	Residual Schizophrenic episode, specified

---

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y207

Diagnosis Table	295.70	Schizo-affective type, unspecified
Relational Table	295.71-295.75	Schizo-affective type, specified

---

VW245 Exclusive Check (if match, error) - Y212

Diagnosis Table	295.80	Schizophrenia, other types, unspecified
Relational Table	295.81-295.85	Schizophrenia, other types, specified

---

VW245 Exclusive Check (if match, error) - Y213

Diagnosis Table	296.00	Manic disorder, single episode, unspecified
Relational Table	296.01-296.06	Manic disorder, single episode, specified

---

VW245 Exclusive Check (if match, error) - Y214

Diagnosis Table	296.10	Manic disorder, recurrent episode, unspecified
Relational Table	296.11-296.16	Manic disorder, recurrent episode, specified

---

VW245 Exclusive Check (if match, error) - Y215

Diagnosis Table	296.20	Major depressive disorder, single episode, unspecified
Relational Table	296.21-296.26	Major depressive disorder, single episode, specified

---

VW245 Exclusive Check (if match, error) - Y216

Diagnosis Table	296.30	Major depressive disorder, recurrent episode, unspecified
Relational Table	296.31-296.36	Major depressive disorder, recurrent episode, specified

---

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y217

Diagnosis Table	296.40	Bipolar affective disorder, manic, unspecified
Relational Table	296.41- 296.46	Bipolar affective disorder, manic, specified

---

VW245 Exclusive Check (if match, error) - Y218

Diagnosis Table	296.50	Bipolar affective disorder, depressed, unspecified
Relational Table	296.51- 296.56	Bipolar affective disorder, depressed, specified

---

VW245 Exclusive Check (if match, error) - Y219

Diagnosis Table	296.60	Bipolar affective disorder, mixed, unspecified
Relational Table	296.61 296.66	Bipolar affective disorder, mixed, specified

---

VW245 Exclusive Check (if match, error) - Y283

Diagnosis Table	297.9	Paranoid state, unspecified
Relational Table	297.0- 297.8	Paranoid state, specified

VW245 Exclusive Check (if match, error) - Y284

Diagnosis Table	298.9	Psychosis, unspecified
Relational Table	298.0- 298.8	Psychosis, specified

VW245 Exclusive Check (if match, error) - Y286

Diagnosis Table	300.10	Hysteria, unspecified
Relational Table	300.11- 300.15	Hysteria, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y287

Diagnosis Table	300.20	Phobia, unspecified
Relational Table	300.21-300.29	Phobia, specified

VW245 Exclusive Check (if match, error) - Y288

Diagnosis Table	300.9	Neurotic disorder, unspecified
Relational Table	300.0-300.8	Neurotic disorder, specified

VW245 Exclusive Check (if match, error) - Y289

Diagnosis Table	301.10	Affective personality disorder, unspecified
Relational Table	301.11-301.13	Affective personality disorder, specified

---

VW245 Exclusive Check (if match, error) - Y290

Diagnosis Table	301.20	Schizoid personality disorder, unspecified
Relational Table	301.21-301.22	Schizoid personality disorder, specified

---

VW245 Exclusive Check (if match, error) - Y291

Diagnosis Table	301.50	Histrionic personality disorder, unspecified
Relational Table	301.51-301.59	Histrionic personality disorder, specified

---

VW245 Exclusive Check (if match, error) - Y292

Diagnosis Table	301.9	Personality disorder, unspecified
Relational Table	301.0-301.8	Personality disorder, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y293

Diagnosis Table	302.50	Trans-sexualism, unspecified sex history
Relational Table	302.51-302.53	Trans-sexualism, specified sex history

---

VW245 Exclusive Check (if match, error) - Y294

Diagnosis Table	302.9	Psychosexual disorder, unspecified
Relational Table	302.0-302.8	Psychosexual disorder, specified

---

VW245 Exclusive Check (if match, error) - Y295

Diagnosis Table	302.70	Psychosexual dysfunction, unspecified
Relational Table	302.71-302.79	Psychosexual dysfunction, specified

---

VW245 Exclusive Check (if match, error) - Y406

Diagnosis Table	303.00	Acute alcoholic intoxication, unspecified
Relational Table	303.01-303.03	Acute alcoholic intoxication, specified

---

VW245 Exclusive Check (if match, error) - Y407

Diagnosis Table	303.90	Chronic alcoholic intoxication, unspecified
Relational Table	303.91-303.93	Chronic alcoholic intoxication, specified

---

VW245 Exclusive Check (if match, error) - Y408

Diagnosis Table	304.00	Opioid dependence, unspecified
Relational Table	304.01-304.03	Opioid dependence, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y409

Diagnosis Table	304.10	Barbiturate dependence, unspecified
Relational Table	304.11-304.13	Barbiturate dependence, specified

---

VW245 Exclusive Check (if match, error) - Y410

Diagnosis Table	304.20	Cocaine dependence, unspecified
Relational Table	304.21-304.23	Cocaine dependence, specified

VW245 Exclusive Check (if match, error) - Y411

Diagnosis Table	304.30	Cannibis dependence, unspecified
Relational Table	304.31-304.33	Cannibis dependence, specified

---

VW245 Exclusive Check (if match, error) - Y412

Diagnosis Table	304.40	Amphetamine dependence, unspecified
Relational Table	304.41-304.43	Amphetamine dependence, specified

---

VW245 Exclusive Check (if match, error) - Y413

Diagnosis Table	304.50	Hallucinogen dependence, unspecified
Relational Table	304.51-304.53	Hallucinogen dependence, specified

---

VW245 Exclusive Check (if match, error) - Y414

Diagnosis Table	304.60	Other drug dependence, unspecified
Relational Table	304.61-304.63	Other drug dependence, specified

---

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y415

Diagnosis Table	304.70	Other drug/opioid dependence, unspecified
Relational Table	304.71-304.73	Other drug/opioid dependence, specified

---

VW245 Exclusive Check (if match, error) - Y416

Diagnosis Table	304.80	Other drug without opioid dependence, unspecified
Relational Table	304.81-304.83	Other drug without opioid dependence, specified

---

VW245 Exclusive Check (if match, error) - Y296

Diagnosis Table	304.9	Drug dependence, unspecified
Relational Table	304.0-304.8	Drug dependence, specified

VW245 Exclusive Check (if match, error) - Y417

Diagnosis Table	305.00	Alcohol abuse, unspecified
Relational Table	305.01-305.03	Alcohol abuse, specified

VW245 Exclusive Check (if match, error) - Y418

Diagnosis Table	305.20	Cannabis abuse, unspecified
Relational Table	305.21-305.23	Cannabis abuse, specified

VW245 Exclusive Check (if match, error) - Y419

Diagnosis Table	305.30	Hallucinogen abuse, unspecified
Relational Table	305.31-305.33	Hallucinogen abuse, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y420

Diagnosis Table	305.40	Barbiturate abuse, unspecified
Relational Table	305.41-305.43	Barbiturate abuse, specified

VW245 Exclusive Check (if match, error) - Y421

Diagnosis Table	305.50	Opioid abuse, unspecified
Relational Table	305.51-305.53	Opioid abuse, specified

VW245 Exclusive Check (if match, error) - Y422

Diagnosis Table	305.60	Cocaine abuse, unspecified
Relational Table	305.61-305.63	Cocaine abuse, specified

VW245 Exclusive Check (if match, error) - Y423

Diagnosis Table	305.70	Amphetamine abuse, unspecified
Relational Table	305.71-305.73	Amphetamine abuse, specified

VW245 Exclusive Check (if match, error) - Y424

Diagnosis Table	305.80	Antidepressant abuse, unspecified
Relational Table	305.81-305.83	Antidepressant abuse, specified

---

VW245 Exclusive Check (if match, error) - Y297

Diagnosis Table	306.50	Psychogenic genitourinary malfunction, unspecified
Relational Table	306.51-306.59	Psychogenic genitourinary malfunction, specified

---

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y298

Diagnosis Table	306.9	Psychophysiological malfunction, unspecified
Relational Table	306.0-306.8	Psychophysiological malfunction, specified

---

VW245 Exclusive Check (if match, error) - Y299

Diagnosis Table	307.20	Tic disorder, unspecified
Relational Table	307.21-307.23	Tic disorder, specified

VW245 Exclusive Check (if match, error) - Y300

Diagnosis Table	307.40	Nonorganic sleep disorder, unspecified
Relational Table	307.41-307.49	Nonorganic sleep disorder, specified

---

VW245 Exclusive Check (if match, error) - Y301

Diagnosis Table	307.50	Eating disorder, unspecified
Relational Table	307.51-307.59	Eating disorder, specified

VW245 Exclusive Check (if match, error) - Y302

Diagnosis Table	308.9	Acute reaction to stress, unspecified
Relational Table	308.0-308.4	Acute reaction to stress, specified

---

VW245 Exclusive Check (if match, error) - Y303

Diagnosis Table	309.9	Adjustment reaction, unspecified
Relational Table	309.0-309.8	Adjustment reaction, unspecified

---

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y304

Diagnosis Table	310.9	Nonpsychotic mental disorder following organic brain damage, unspecified
Relational Table	310.0-310.8	Nonpsychotic mental disorder following organic brain damage, unspecified

---

VW245 Exclusive Check (if match, error) - Y305

Diagnosis Table	312.x0	Undersocialized conduct disorder, unspecified
Relational Table	312.01-312.23	Undersocialized conduct disorder, specified

---

VW245 Exclusive Check (if match, error) - Y306

Diagnosis Table	312.9	Conduct disturbance, unspecified
Relational Table	312.0-312.8	Conduct disturbance, specified

VW245 Exclusive Check (if match, error) - Y307

Diagnosis Table	312.30	Impulse control disorder, unspecified
Relational Table	312.31-312.39	Impulse control disorder, specified

---

VW245 Exclusive Check (if match, error) - Y308

Diagnosis Table	314.9	Hyperkinetic syndrome, unspecified
Relational Table	314.0-314.8	Hyperkinetic syndrome, specified

---

VW245 Exclusive Check (if match, error) - Y309

Diagnosis Table	315.00	Reading disorder, unspecified
Relational Table	315.01-315.09	Reading disorder, specified

VW245 **UNSPECIFIED versus SPECIFIED PSYCHIATRIC AND/OR DRUG DIAGNOSIS** - CONTINUED (see guideline on page 244)

VW245 Exclusive Check (if match, error) - Y310

Diagnosis Table	315.9	Delay in development, unspecified
Relational Table	315.0-315.8	Delay in development, specified

VW245 Exclusive Check (if match, error) - Y311

Diagnosis Table	319	Mental retardation, unspecified
Relational Table	317-318.2	Mental retardation, specified

VW246 **UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the diagnosis for the central nervous system or the sense organ to be both unspecified and specified from the same category on the same record.

VW246 Exclusive Check (if match, error) - Y312

Diagnosis Table	320.9	Meningitis, unspecified bacteria
Relational Table	320.0-320.8	Meningitis, specified bacteria

VW246 Exclusive Check (if match, error) - Y313

Diagnosis Table	322.9	Meningitis, unspecified
Relational Table	322.0-322.2	Meningitis, specified

VW246 Exclusive Check (if match, error) - Y314

Diagnosis Table	323.9	Encephalitis, unspecified
Relational Table	323.0-323.8	Encephalitis, specified

VW246 Exclusive Check (if match, error) - Y315

Diagnosis Table	324.9	Intracranial and intraspinal abscess, unspecified site
Relational Table	324.0-324.1	Intracranial and intraspinal abscess, specified site

---

VW246 Exclusive Check (if match, error) - Y316

Diagnosis Table	330.9	Cerebral degeneration in childhood, unspecified
Relational Table	330.3-330.8	Cerebral degeneration in childhood, specified

---

VW246 **UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS** - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) - Y317

Diagnosis Table	331.9	Cerebral degeneration, unspecified
Relational Table	331.0-331.8x	Cerebral degeneration, specified

---

VW246 Exclusive Check (if match, error) - Y318

Diagnosis Table	333.90	Extrapyramidal disease and abnormal movement disorder, unspecified
Relational Table	333.0-333.89 333.91 - 333.99	Extrapyramidal disease and abnormal movement disorders, specified

---

VW246 Exclusive Check (if match, error) - Y319

Diagnosis Table	334.9	Spinocerebellar disease, unspecified
Relational Table	334.0-334.8	Spinocerebellar disease, specified

---

VW246 Exclusive Check (if match, error) - Y320

Diagnosis Table	335.9	Anterior horn cell disease, unspecified
Relational Table	335.0-335.8	Anterior horn cell disease, specified

---

VW246 Exclusive Check (if match, error) - Y321

Diagnosis Table	335.10	Spinal muscular atrophy, unspecified
Relational Table	335.11-335.19	Spinal muscular atrophy, specified

---

VW246 UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) - Y322

Diagnosis Table	336.9	Disease of spinal cord, unspecified
Relational Table	336.0-336.8	Disease of spinal cord, specified

---

VW246 Exclusive Check (if match, error) - Y323

Diagnosis Table	337.9	Disorder of autonomic nervous system, unspecified
Relational Table	337.0-337.3	Disorder of autonomic nervous system, specified

---

VW246 Exclusive Check (if match, error) - Y324

Diagnosis Table	337.20	Reflex sympathetic dystrophy, unspecified
Relational Table	337.21-337.29	Reflex sympathetic dystrophy, specified

---

VW246 Exclusive Check (if match, error) - Y325

Diagnosis Table	341.9	Demyelinating disease of CNS, unspecified
Relational Table	341.0-341.8	Demyelinating disease of CNS, specified

---

VW246 Exclusive Check (if match, error) - Y326

Diagnosis Table	342.00	Flaccid hemiplegia, affecting unspecified side
Relational Table	342.01-342.02	Flaccid hemiplegia, affecting specified side

---

VW246 Exclusive Check (if match, error) - Y327

Diagnosis Table	342.10	Spastic hemiplegia, affecting unspecified side
Relational Table	342.11-342.12	Spastic hemiplegia, affecting specified side

---

VW246 UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) - Y328

Diagnosis Table	342.80	Other hemiplegia, affecting unspecified side
Relational Table	342.81-342.82	Other hemiplegia, affecting specified side

---

VW246 Exclusive Check (if match, error) - Y329

Diagnosis Table	342.90	Hemiplegia, affecting unspecified side
Relational Table	342.91-342.92	Hemiplegia, affecting specified side

---

VW246 Exclusive Check (if match, error) - Y330

Diagnosis Table	342.9	Hemiplegia, unspecified
Relational Table	342.0-342.8	Hemiplegia, specified

VW246 Exclusive Check (if match, error) - Y331

Diagnosis Table	343.9	Infantile cerebral palsy, unspecified
Relational Table	343.0-343.8	Infantile cerebral palsy, specified

---

VW246 Exclusive Check (if match, error) - Y332

Diagnosis Table	344.00	Quadraplegia, unspecified
Relational Table	344.01-344.09	Quadraplegia, specified

VW246 Exclusive Check (if match, error) - Y333

Diagnosis Table	344.30	Monoplegia of lower limb, affecting unspecified side
Relational Table	344.31-344.32	Monoplegia of lower limb, affecting specified side

---

VW246 UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) - Y334

Diagnosis Table	344.40	Monoplegia of upper limb, affecting unspecified side
Relational Table	344.41-344.42	Monoplegia of upper limb, affecting specified side

---

VW246 Exclusive Check (if match, error) - Y335

Diagnosis Table	344.9	Paralysis, unspecified
Relational Table	344.0-344.8	Paralysis, specified

VW246 Exclusive Check (if match, error) - Y337

Diagnosis Table	346.9	Migraine, unspecified
Relational Table	346.0-346.8	Migraine, specified

VW246 Exclusive Check (if match, error) - Y338

Diagnosis Table	348.9	Brain condition, unspecified
Relational Table	348.0-348.8	Brain condition, specified

VW246 Exclusive Check (if match, error) - Y339

Diagnosis Table	349.9	Disorder of nervous system, unspecified
Relational Table	349.0-349.8	Disorder of nervous system, specified

---

VW246 Exclusive Check (if match, error) - Y340

Diagnosis Table	350.9	Trigeminal nerve disorder, unspecified
Relational Table	350.1-350.8	Trigeminal nerve disorder, specified

---

VW246 **UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS** - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) - Y341

Diagnosis Table	351.9	Facial nerve disorder, unspecified
Relational Table	351.0-351.8	Facial nerve disorder, specified

---

VW246 Exclusive Check (if match, error) - Y343

Diagnosis Table	353.9	Nerve root and plexus disorder, unspecified
Relational Table	353.0-353.8	Nerve root and plexus disorder, specified

---

VW246 Exclusive Check (if match, error) - Y344

Diagnosis Table	356.9	Hereditary and idiopathic peripheral neuropathy, unspecified
Relational Table	356.0-356.8	Hereditary and idiopathic peripheral neuropathy, specified

---

VW246 Exclusive Check (if match, error) - Y345

Diagnosis Table	357.9	Inflammatory and toxic neuropathy, unspecified
Relational Table	357.0-357.8x	Inflammatory and toxic neuropathy, specified

---

VW246 Exclusive Check (if match, error) - Y346

Diagnosis Table	358.9	Myoneural disorders, unspecified
Relational Table	358.0-358.8	Myoneural disorders, specified

VW246 Exclusive Check (if match, error) - Y347

Diagnosis Table	359.9	Myopathy, unspecified
Relational Table	359.0x-359.8x	Myopathy, specified

VW246 UNSPECIFIED versus SPECIFIED CNS OR SENSE ORGAN DIAGNOSIS - CONTINUED (see guideline on page 257)

VW246 Exclusive Check (if match, error) – Y440

Diagnosis Table	327.00	Organic insomnia, unspecified
Relational Table	327.01- 327.09	Organic insomnia, specified

VW246 Exclusive Check (if match, error) – Y441

Diagnosis Table	327.10	Organic hypersomnia, unspecified
Relational Table	327.11- 327.19	Organic hypersomnia, specified

---

VW246 Exclusive Check (if match, error) – Y442

Diagnosis Table	327.20	Organic sleep apnea, unspecified
Relational Table	327.21- 327.29	Organic sleep apnea, specified

---

VW246 Exclusive Check (if match, error) – Y443

Diagnosis Table	327.30	Circadian rhythm sleep disorder, unspecified
Relational Table	327.31- 327.39	Circadian rhythm sleep disorder, specified

---

VW246 Exclusive Check (if match, error) – Y444

Diagnosis Table	327.40	Organic parasomnia, unspecified
Relational Table	327.41- 327.49	Organic parasomnia, specified

---

VW246 Exclusive Check (if match, error) – Y450

Diagnosis Table	339.00	Cluster headache syndrome, unspecified
Relational Table	339.01- 339.02	Cluster headache syndrome, specified

---

VW246 Exclusive Check (if match, error) – Y451

Diagnosis Table	339.10	Tension type headache, unspecified
Relational Table	339.11- 339.12	Tension type headache, specified

---

VW246 Exclusive Check (if match, error) – Y452

Diagnosis Table	339.20	Post-traumatic headache, unspecified
Relational Table	339.21- 339.22	Post-traumatic headache, specified

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the circulatory diagnosis to be both unspecified and specified from the same category on the same record.

VW247 Exclusive Check (if match, error) - Y348

Diagnosis Table	401.9	Hypertension, unspecified
Relational Table	401.0-401.1	Hypertension, specified

VW247 Exclusive Check (if match, error) - Y349

Diagnosis Table	402.9	Hypertensive heart disease, unspecified
Relational Table	402.0-402.1	Hypertensive heart disease, specified

---

VW247 Exclusive Check (if match, error) - Y350

Diagnosis Table	403.9	Hypertensive kidney disease, unspecified
Relational Table	403.0-403.1	Hypertensive kidney disease, specified

---

VW247 Exclusive Check (if match, error) - Y351

Diagnosis Table	404.9	Hypertensive heart and kidney disease, unspecified
Relational Table	404.0-404.1	Hypertensive heart and kidney disease, specified

---

VW247 Exclusive Check (if match, error) - Y352

Diagnosis Table	405.9	Secondary hypertension, unspecified
Relational Table	405.0-405.1	Secondary hypertension, specified

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y425

Diagnosis Table	410.00	Acute anterior wall MI, unspecified episode of care
Relational Table	410.01-410.02	Acute anterior wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y426

Diagnosis Table	410.10	Acute other anterior wall MI, unspecified episode of care
Relational Table	410.11-410.12	Acute other anterior wall MI, specified episode of

---

VW247 Exclusive Check (if match, error) - Y427

Diagnosis Table	410.20	Acute inferolateral wall MI, unspecified episode of care
Relational Table	410.21-410.22	Acute inferolateral wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y428

Diagnosis Table	410.30	Acute inferoposterior wall MI, unspecified episode of care
Relational Table	410.31-410.32	Acute inferoposterior wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y429

Diagnosis Table	410.40	Acute other inferior wall MI, unspecified episode of care
Relational Table	410.41-410.42	Acute other inferior wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y430

Diagnosis Table	410.50	Acute other lateral wall MI, unspecified episode of care
Relational Table	410.51-410.52	Acute other lateral wall MI, specified episode of care

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y431

Diagnosis Table	410.60	Acute true posterior wall MI, unspecified episode of care
Relational Table	410.61-410.62	cute true posterior wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y432

Diagnosis Table	410.70	Subendocardial wall MI, unspecified episode of care
Relational Table	410.71-410.72	Subendocardial wall MI, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y433

Diagnosis Table	410.80	MI of other sites, unspecified episode of care
Relational Table	410.81-410.82	MI of other sites, specified episode of care

---

VW247 Exclusive Check (if match, error) - Y354

Diagnosis Table	414.9	Chronic ischemic heart disease, unspecified
Relational Table	414.0x-414.8	Chronic ischemic heart disease, specified

---

VW247 Exclusive Check (if match, error) - Y355

Diagnosis Table	417.9	Disease of pulmonary circulation, unspecified
Relational Table	417.0-417.8	Disease of pulmonary circulation, specified

---

VW247 Exclusive Check (if match, error) - Y356

Diagnosis Table	416.9	Chronic pulmonary heart disease, unspecified
Relational Table	416.0-416.8	Chronic pulmonary heart disease, specified

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y357

Diagnosis Table	420.90	Acute pericarditis, unspecified
Relational Table	420.0 420.91- 420.99	Acute pericarditis, specified

---

VW247 Exclusive Check (if match, error) - Y358

Diagnosis Table	421.9	Acute endocarditis, unspecified
Relational Table	421.0- 421.1	Acute endocarditis, specified

VW247 Exclusive Check (if match, error) - Y359

Diagnosis Table	422.90	Acute myocarditis, unspecified
Relational Table	422.0 422.91- 421.99	Acute myocarditis, specified

---

VW247 Exclusive Check (if match, error) - Y360

Diagnosis Table	423.9	Disease of pericardium, unspecified
Relational Table	423.0- 423.8	Disease of pericardium, specified

---

VW247 Exclusive Check (if match, error) - Y361

Diagnosis Table	424.90	Endocarditis, unspecified valve, unspecified cause
Relational Table	424.0- 424.3	Endocarditis, specified valves, unspecified cause

---

VW247 Exclusive Check (if match, error) - Y362

Diagnosis Table	425.9	Secondary cardiomyopathy, unspecified
Relational Table	425.0- 425.8	Secondary cardiomyopathy, specified

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y363

Diagnosis Table	426.10	Atrioventricular block, unspecified
Relational Table	426.0 426.11- 426.13	Atrioventricular block, specified

---

VW247 Exclusive Check (if match, error) - Y364

Diagnosis Table	426.50	Bundle branch block, unspecified
Relational Table	426.2- 426.4 426.51- 426.59	Bundle branch block, specified

---

VW247 Exclusive Check (if match, error) - Y365

Diagnosis Table	426.9	Conduction disorder, unspecified
Relational Table	426.0- 426.8	Conduction disorder, specified

VW247 Exclusive Check (if match, error) - Y366

Diagnosis Table	427.2	Paroxysmal tachycardia, unspecified
Relational Table	427.0- 427.1	Paroxysmal tachycardia, specified

---

VW247 Exclusive Check (if match, error) - Y367

Diagnosis Table	427.9	Cardiac dysrhymia, unspecified
Relational Table	427.0- 427.8	Cardiac dysrhymia, specified

VW247 Exclusive Check (if match, error) - Y368

Diagnosis Table	428.9	Heart failure, unspecified
Relational Table	428.0- 428.4x	Heart failure, specified

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y369

Diagnosis Table	432.9	Intracranial hemorrhage, unspecified
Relational Table	432.0- 432.1	Intracranial hemorrhage, specified

---

VW247 Exclusive Check (if match, error) - Y370

Diagnosis Table	433.9	Occlusion and stenosis, unspecified precerebral artery
Relational Table	433.0- 433.8	Occlusion and stenosis, specified precerebral artery

---

VW247 Exclusive Check (if match, error) - Y371

Diagnosis Table	434.9	Occlusion, unspecified cerebral artery
Relational Table	434.0- 434.1	Occlusion, specified cerebral artery

---

VW247 Exclusive Check (if match, error) - Y372

Diagnosis Table	435.9	Transient cerebral ischemia, unspecified
Relational Table	435.0- 435.8	Transient cerebral ischemia, specified

---

VW247 Exclusive Check (if match, error) - Y373

Diagnosis Table	440.20	Atherosclerosis of extremities, unspecified
Relational Table	440.21- 440.24	Atherosclerosis of extremities, specified

---

VW247 Exclusive Check (if match, error) - Y374

Diagnosis Table	441.00	Dissecting aneurysm of aorta, unspecified site
Relational Table	441.01- 441.03	Dissecting aneurysm of aorta, specified site

---

VW247 **UNSPECIFIED versus SPECIFIED CIRCULATORY DIAGNOSIS** - CONTINUED
(see guideline on page 264)

VW247 Exclusive Check (if match, error) - Y375

Diagnosis Table	444.9	Arterial embolism and thrombosis, unspecified artery
Relational Table	444.0-444.8	Arterial embolism and thrombosis, specified artery

---

VW247 Exclusive Check (if match, error) - Y376

Diagnosis Table	446.20	Hypersensitivity angiitis, unspecified
Relational Table	446.21-446.29	Hypersensitivity angiitis, specified

---

VW247 Exclusive Check (if match, error) - Y377

Diagnosis Table	447.9	Disorder of arteries and arterioles, unspecified
Relational Table	447.0-447.8	Disorder of arteries and arterioles, specified

---

VW247 Exclusive Check (if match, error) - Y237

Diagnosis Table	457.9	Noninfectious disorder of lymphatic channels, unspecified
Relational Table	457.0-457.81	Noninfectious disorder of lymphatic channels, specified

---

VW248 **UNSPECIFIED versus SPECIFIED RESPIRATORY DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for respiratory diagnosis to be both unspecified and specified from the same category on the same record.

VW248 Exclusive Check (if match, error) - Y378

Diagnosis Table	465.9	Upper respiratory infection, unspecified site
Relational Table	465.8	Upper respiratory infection, multiple sites

---

VW248 Exclusive Check (if match, error) - Y379

Diagnosis Table	474.9	Chronic disease of tonsils and adenoids, unspecified
Relational Table	474.0-474.8	Chronic disease of tonsils and adenoids, specified

---

VW248 Exclusive Check (if match, error) - Y380

Diagnosis Table	478.20	Disease of pharynx, unspecified
Relational Table	478.21-478.29	Disease of pharynx, specified

VW248 Exclusive Check (if match, error) - Y381

Diagnosis Table	480.9	Viral pneumonia, unspecified
Relational Table	480.0-480.8	Viral pneumonia, specified

VW248 Exclusive Check (if match, error) – Y285

Diagnosis Table	482.30	Streptococcus pneumonia, unspecified
Relational Table	482.31-482.39	Streptococcus pneumonia, specified

---

VW248 Exclusive Check (if match, error) – Y453

Diagnosis Table	482.40	Staphylococcus pneumonia, unspecified
Relational Table	482.41-482.49	Staphylococcus pneumonia, specified

VW248 **UNSPECIFIED versus SPECIFIED RESPIRATORY DIAGNOSIS** - CONTINUED
(see guideline on page 271)

VW248 Exclusive Check (if match, error) - Y382

Diagnosis Table	482.9	Bacterial pneumonia, unspecified
Relational Table	482.0-482.8	Bacterial pneumonia, specified

VW248 Exclusive Check (if match, error) - Y383

Diagnosis Table	491.9	Chronic bronchitis, unspecified
Relational Table	491.0-491.8	Chronic bronchitis, specified

VW248 Exclusive Check (if match, error) - Y336

Diagnosis Table	493.9	Asthma, unspecified
Relational Table	493.0-493.2	Asthma, specified

VW248 Exclusive Check (if match, error) - Y384

Diagnosis Table	506.9	Unspecified respiratory conditions due to fumes and vapors
Relational Table	506.0-506.4	Specified respiratory conditions due to fumes and vapors

---

VW248 Exclusive Check (if match, error) - Y385

Diagnosis Table	516.9	Alveolar and parietoalveolar pneumonopathy, unspecified
Relational Table	516.0-516.8.1	Alveolar and parietoalveolar pneumonopathy, specified

---

VW249 **UNSPECIFIED versus SPECIFIED DIGESTIVE DIAGNOSIS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category is also assigned.

It is illogical for the digestive diagnosis to be both unspecified and specified from the same category on the same record.

VW249 Exclusive Check (if match, error) - Y386

Diagnosis Table	520.9	Disorder of tooth development and eruption, unspecified
Relational Table	520.0-520.8	Disorder of tooth development and eruption, specified

---

VW249 Exclusive Check (if match, error) - Y387

Diagnosis Table	521.9	Disease of hard tissues of teeth, unspecified
Relational Table	521.0-521.8	Disease of hard tissues of teeth, specified

---

VW249 Exclusive Check (if match, error) – Y437

Diagnosis Table	521.00	Dental caries, unspecified
Relational Table	521.01-521.09	Dental caries, specified

VW249 Exclusive Check (if match, error) - Y388

Diagnosis Table	523.9	Gingival and periodontal disease, unspecified
Relational Table	523.0-523.8	Gingival and periodontal disease, specified

---

VW249 Exclusive Check (if match, error) - Y389

Diagnosis Table	524.00	Major anomaly of jaw size, unspecified
Relational Table	524.01-524.09	Major anomaly of jaw size, specified

---

VW249 **UNSPECIFIED versus SPECIFIED DIGESTIVE DIAGNOSIS** - CONTINUED
(see guideline on page 273)

VW249 Exclusive Check (if match, error) - Y390

Diagnosis Table	524.10	Anomaly of jaw to cranial base, unspecified
Relational Table	524.11-524.19	Anomaly of jaw to cranial base, specified

---

VW249 Exclusive Check (if match, error) - Y392

Diagnosis Table	525.9	Disorder of teeth and supporting structures, unspecified
Relational Table	525.0-525.8	Disorder of teeth and supporting structures, specified

---

VW249 Exclusive Check (if match, error) – Y436

Diagnosis Table	525.10	Acquired absence of teeth, unspecified
Relational Table	525.11-525.19	Acquired absence of teeth, specified

---

VW249 Exclusive Check (if match, error) - Y393

Diagnosis Table	526.9	Disease of jaws, unspecified
Relational Table	526.0-526.8	Disease of jaws, specified

VW249 Exclusive Check (if match, error) - Y394

Diagnosis Table	529.9	Condition of tongue, unspecified
Relational Table	529.0-529.8	Condition of tongue, specified

VW249 Exclusive Check (if match, error) - Y395

Diagnosis Table	530.10	Esophagitis, unspecified
Relational Table	530.11-530.19	Esophagitis, specified

VW249 **UNSPECIFIED versus SPECIFIED DIGESTIVE DIAGNOSIS** - CONTINUED
(see guideline on page 273)

VW249 Exclusive Check (if match, error) - Y396

Diagnosis Table	530.9	Disorder of esophagus, unspecified
Relational Table	530.0-530.8x	Disorder of esophagus, specified

---

VW249 Exclusive Check (if match, error) - Y397

Diagnosis Table	540.9	Appendicitis, unspecified
Relational Table	540.0-540.1	Appendicitis, specified

VW249 Exclusive Check (if match, error) - Y398

Diagnosis Table	555.9	Regional enteritis, unspecified site
Relational Table	555.0-555.2	Regional enteritis, specified site

---

VW249 Exclusive Check (if match, error) – Y435

Diagnosis Table	564.00	Constipation, unspecified
Relational Table	564.01-564.09	Constipation, specified

VW249 Exclusive Check (if match, error) - Y399

Diagnosis Table	567.9	Peritonitis, unspecified
Relational Table	567.0-567.2, 567.8	Peritonitis, specified

VW249 Exclusive Check (if match, error) - Y400

Diagnosis Table	568.9	Disorder of peritoneum, unspecified
Relational Table	568.0-568.8	Disorder of peritoneum, specified

---

VW249 **UNSPECIFIED versus SPECIFIED DIGESTIVE DIAGNOSIS** - CONTINUED
(see guideline on page 273)

VW249 Exclusive Check (if match, error) - Y401

Diagnosis Table	569.60	Colostomy and/enterostomy complication, unspecified
Relational Table	569.61-569.69	Colostomy and/enterostomy complication, specified

---

VW249 Exclusive Check (if match, error) - Y402

Diagnosis Table	571.40	Chronic hepatitis, unspecified
Relational Table	571.41-571.49	Chronic hepatitis, specified

VW249 Exclusive Check (if match, error) - Y342

Diagnosis Table	575.10	Cholecystitis, unspecified
Relational Table	575.11-575.12	Cholecystitis, specified

VW249 Exclusive Check (if match, error) - Y403

Diagnosis Table	578.9	Gastrointestinal hemorrhage, unspecified
Relational Table	578.0-578.1	Gastrointestinal hemorrhage, specified

---

V0250 **WITH OR WITHOUT HEPATITIS DELTA?**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without Hepatitis Delta is contradictory and distorts statistics.

V0250 Exclusive check (if match, error) - R052

Diagnosis Table	070.20	Acute viral hepatitis B with hepatic coma, without Hepatitis Delta
Relational Table	070.21	Acute viral hepatitis B with hepatic coma, with Hepatitis Delta

---

V0250 Exclusive check (if match, error) - R054

Diagnosis Table	070.30	Acute viral hepatitis B without hepatic coma, without Hepatitis Delta
Relational Table	070.31	Acute viral hepatitis B without hepatic coma, with Hepatitis Delta

---

V0250 Exclusive check (if match, error) - R056

Diagnosis Table	070.22	Chronic viral hepatitis B with hepatic coma, without Hepatitis Delta
Relational Table	070.23	Chronic viral hepatitis B with hepatic coma, with Hepatitis Delta

---

V0250 Exclusive check (if match, error) - R058

Diagnosis Table	070.32	Chronic viral hepatitis B without hepatic coma, without Hepatitis Delta
Relational Table	070.33	Chronic viral hepatitis B without hepatic coma, with Hepatitis Delta

---

V0251 **WITH OR WITHOUT HEPATIC COMA?**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without hepatic coma is contradictory and distorts statistics.

V0251 Exclusive check (if match, error) - R060

Diagnosis Table	070.1	Viral hepatitis A without hepatic coma
Relational Table	070.0	Viral hepatitis A with hepatic coma

V0251 Exclusive check (if match, error) - R062

Diagnosis Table	070.20	Acute viral hepatitis B with hepatic coma
	070.22	Chronic viral hepatitis B with hepatic coma
Relational Table	070.52	Hepatitis Delta without hepatitis B or hepatic coma

---

V0251 Exclusive check (if match, error) - R064

Diagnosis Table	070.51	Acute viral hepatitis C without hepatic coma
	070.54	Chronic viral hepatitis C without hepatic coma
Relational Table	070.41	Acute viral hepatitis C with hepatic coma
	070.44	Chronic viral hepatitis C with hepatic coma

V0251 Exclusive check (if match, error) - R066

Diagnosis Table	070.3x	Viral hepatitis B without hepatic coma
Relational Table	070.42	Hepatitis Delta without hepatitis B, with hepatic coma

---

V0251 Exclusive check (if match, error) - R068

Diagnosis Table	070.3x	Viral hepatitis B without hepatic coma
Relational Table	070.2x	Viral hepatitis B with hepatic coma

V0251 **WITH OR WITHOUT HEPATIC COMA?** - CONTINUED
(see guideline on page 278)

V0251 Exclusive check (if match, error) - R070

Diagnosis Table	070.52	Hepatitis Delta without hepatitis B, without hepatic coma
Relational Table	070.42	Hepatitis Delta without hepatitis B, with hepatic coma

---

V0251 Exclusive check (if match, error) - R072

Diagnosis Table	070.53	Hepatitis E without hepatic coma
Relational Table	070.43	Hepatitis E with hepatic coma

V0251 Exclusive check (if match, error) - R074

Diagnosis Table	070.6	Unspecified viral hepatitis with hepatic coma
Relational Table	070.9	Unspecified viral hepatitis without hepatic coma

---

V0251 Exclusive check (if match, error) - R076

Diagnosis Table	070.59	Specified viral hepatitis without hepatic coma
Relational Table	070.49	Specified viral hepatitis with hepatic coma

---

V0251 Exclusive check (if match, error) – R117

Diagnosis Table	070.70	Unspecified viral hepatitis C without hepatic coma
Relational Table	070.71	Unspecified viral hepatitis C with hepatic coma

---

V0252 **LEUKEMIA, WITH OR WITHOUT REMISSION**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding leukemia with and without remission is contradictory and distorts statistics.

V0252 Exclusive check (if match, error) - R100

Diagnosis Table	203.00	Multiple myeloma
Relational Table	203.01	Muliple myeloma, in remission

V0252 Exclusive check (if match, error) - R102

Diagnosis Table	203.10	Plasma cell leukemia
Relational Table	203.11	Plasma cell leukemia, in remission

V0252 Exclusive check (if match, error) - R103

Diagnosis Table	203.80	Immunoproliferative neoplasms
Relational Table	203.81	Immunoproliferative neoplasms, in remission

---

V0252 Exclusive check (if match, error) - R104

Diagnosis Table	204.00	Acute lymphoid leukemia
	204.10	Chronic lymphoid leukemia
	204.20	Subacute lymphoid leukemia
	204.80	Other lymphoid leukemia
Relational Table	204.01	Acute lymphoid leukemia, in remission
	204.11	Chronic lymphoid leukemia, in remission
	204.21	Subacute lymphoid leukemia, in remission
	204.81	Other lymphoid leukemia, in remission

V0252 **LEUKEMIA, WITH OR WITHOUT REMISSION** - CONTINUED
(see guideline on page 280)

V0252 Exclusive check (if match, error) - R105

Diagnosis Table	205.00	Acute myeloid leukemia
	205.10	Chronic myeloid leukemia
	205.20	Subacute myeloid leukemia
Relational Table	205.01	Acute myeloid leukemia, in remission
	205.11	Chronic myeloid leukemia, in remission
	205.21	Subacute myeloid leukemia, in remission

V0252 Exclusive check (if match, error) - R106

Diagnosis Table	205.30	Myeloid sarcoma
Relational Table	205.31	Myeloid sarcoma, in remission

V0252 Exclusive check (if match, error) - R107

Diagnosis Table	205.80	Other myeloid sarcoma
Relational Table	205.81	Other myeloid sarcoma, in remission

V0252 Exclusive check (if match, error) - R108

Diagnosis Table	205.90	Unspecified myeloid sarcoma
Relational Table	205.91	Unspecified myeloid sarcoma, in remission

---

V0252 Exclusive check (if match, error) - R109

Diagnosis Table	206.00	Acute monocytic leukemia
	206.10	Chronic monocytic leukemia
	206.20	Subacute monocytic leukemia
	206.80	Other monocytic leukemia
Relational Table	206.01	Acute monocytic leukemia, in remission
	206.11	Chronic monocytic leukemia, in remission
	206.21	Subacute monocytic leukemia, in remission
	206.81	Other monocytic leukemia, in remission

V0252 **LEUKEMIA, WITH OR WITHOUT REMISSION** - CONTINUED
(see guideline on page 280)

V0252 Exclusive check (if match, error) - R078

Diagnosis Table	207.00	Acute erythremia and erythroleukemia
Relational Table	207.01	Acute erythremia and erythroleukemia, in remission

---

V0252 Exclusive check (if match, error) - R080

Diagnosis Table	207.10	Chronic erythremia
Relational Table	207.11	Chronic erythremia, in remission

V0252 Exclusive check (if match, error) - R082

Diagnosis Table	207.20	Megakaryocytic leukemia
Relational Table	207.21	Megakaryocytic leukemia, in remission

---

V0252 Exclusive check (if match, error) - R084

Diagnosis Table	207.80	Other specified leukemia
Relational Table	207.81	Other specified leukemia, in remission

---

V0252 Exclusive check (if match, error) - R086

Diagnosis Table	208.00	Acute leukemia
	208.10	Chronic leukemia
	208.20	Subacute leukemia
	208.80	Other leukemia
Relational Table	208.01	Acute leukemia, in remission
	208.11	Chronic leukemia, in remission
	208.21	Subacute leukemia, in remission
	208.81	Other leukemia, in remission

V0253 **THYROID, WITH OR WITHOUT THYROTOXIC STORM**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without thyrotoxic storm is contradictory and distorts statistics.

V0253 Exclusive check (if match, error) - R088

Diagnosis Table	242.x0	Toxic diffuse goiter, without thyrotoxic crisis or storm
Relational Table	242.x1	Toxic diffuse goiter, with thyrotoxic crisis or storm

---

V0254 **CYSTIC FIBROSIS, WITH OR WITHOUT MECONIUM ILEUS**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding cystic fibrosis with and without meconium ileus is contradictory and distorts statistics.

V0254 Exclusive check (if match, error) - R090

Diagnosis Table	277.00	Cystic fibrosis, without meconium ileus
Relational Table	277.01	Cystic fibrosis, with meconium ileus

V0255 **WITH OR WITHOUT SICKLE-CELL CRISIS?**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without sickle-cell crisis is contradictory and distorts statistics.

V0255 Exclusive check (if match, error) - R092

Diagnosis Table	282.61	Hb-SS disease without crisis
Relational Table	282.62	Hb-SS disease with crisis

V0255 Exclusive check (if match, error) - R179

Diagnosis Table	282.63	Sickle-cell/Hb-C disease without crisis
Relational Table	282.64	Sickle-cell/Hb-C disease with crisis

V0256 **SCHIZOPHRENIA, CHRONIC or CHRONIC / ACUTE?**
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as chronic and acute status for the same condition or when the Alphabetic Index so direct.

V0256 Exclusive Check (if match, error) - R111

Diagnosis Table	295.02	Schizophrenic, simple type, chronic
Relational Table	295.04	Schizophrenic, simple type, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R153

Diagnosis Table	295.12	Schizophrenic, disorganized type, chronic
Relational Table	295.14	Schizophrenic, disorganized type, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R154

Diagnosis Table	295.22	Schizophrenic, catatonic type, chronic
Relational Table	295.24	Schizophrenic, catatonic type, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R155

Diagnosis Table	295.32	Schizophrenic, paranoid type, chronic
Relational Table	295.34	Schizophrenic, paranoid type, chronic with acute exacerbation

---

VO256 Exclusive Check (if match, error) - R156

Diagnosis Table	295.42	Acute schizophrenic episode
Relational Table	295.44	Acute schizophrenic episode, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R157

Diagnosis Table	295.52	Latent schizophrenic, chronic
Relational Table	295.54	Latent schizophrenic, chronic with acute exacerbation

---

V0256 **SCHIZOPHRENIA, CHRONIC or CHRONIC / ACUTE? -** CONTINUED
(see guideline on page 286)

V0256 Exclusive Check (if match, error) - R158

Diagnosis Table	295.62	Residual schizophrenic, chronic
Relational Table	295.64	Residual schizophrenic, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R159

Diagnosis Table	295.72	Schizo-affective type, chronic
Relational Table	295.74	Schizo-affective type, chronic with acute exacerbation

---

V0256 Exclusive Check (if match, error) - R160

Diagnosis Table	295.82	Schizophrenic types, chronic
Relational Table	295.84	Schizophrenic types, chronic with acute exacerbation

---

V0257 **SCHIZOPHRENIA, SUBCHRONIC or SUBCHRONIC / ACUTE?**
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as chronic and acute status for the same condition or when the Alphabetic Index so direct.

V0257 Exclusive Check (if match, error) - R112

Diagnosis Table	295.01	Schizophrenic, simple type, subchronic
Relational Table	295.03	Schizophrenic, simple type, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R161

Diagnosis Table	295.11	Schizophrenic, disorganized type, subchronic
Relational Table	295.13	Schizophrenic, disorganized type, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R162

Diagnosis Table	295.21	Schizophrenic, catatonic type, subchronic
Relational Table	295.23	Schizophrenic, catatonic type, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R163

Diagnosis Table	295.31	Schizophrenic, paranoid type, subchronic
Relational Table	295.33	Schizophrenic, paranoid type, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R164

Diagnosis Table	295.41	Acute schizophrenic episode, subchronic
Relational Table	295.43	Acute schizophrenic episode, subchronic with acute exacerbation

V0257 **SCHIZOPHRENIA, SUBCHRONIC or SUBCHRONIC / ACUTE?** - CONTINUED (see guideline on page 288)

V0257 Exclusive Check (if match, error) - R165

Diagnosis Table	295.51	Latent schizophrenic, subchronic
Relational Table	295.53	Latent schizophrenic, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R166

Diagnosis Table	295.61	Residual schizophrenic, subchronic
Relational Table	295.63	Residual schizophrenic, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R167

Diagnosis Table	295.71	Schizo-affective type, subchronic
Relational Table	295.73	Schizo-affective type, subchronic with acute exacerbation

---

V0257 Exclusive Check (if match, error) - R168

Diagnosis Table	295.81	Schizophrenic types, subchronic
Relational Table	295.83	Schizophrenic types, subchronic with acute exacerbation

---

V0258 **SCHIZOPHRENIA, IN REMISSION OR ACTIVE?**
new 1/1/97

Guideline: During the current episode of care, it is illogical for schizophrenia to be both active and remission states. The correct interpretation in such cases is that one or the other should be used, but not both.

V0258 Exclusive check (if match, error) - R113

Diagnosis Table	295.05	Schizophrenia, simple type, in remission
Relational Table	295.01	Schizophrenia, simple type, subchronic
	295.02	Schizophrenia, simple type, chronic
	295.03	Schizophrenia, simple type, subchronic with acute exacerbation
	295.04	Schizophrenia, simple type, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R170

Diagnosis Table	295.15	Schizophrenia, disorganized type, in remission
Relational Table	295.11	Schizophrenia, disorganized type, subchronic
	295.12	Schizophrenia, disorganized type, chronic
	295.13	Schizophrenia, disorganized type, subchronic with acute exacerbation
	295.14	Schizophrenia, disorganized type, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R171

Diagnosis Table	295.25	Schizophrenia, catatonic type, in remission
Relational Table	295.21	Schizophrenia, catatonic type, subchronic
	295.22	Schizophrenia, catatonic type, chronic
	295.23	Schizophrenia, catatonic type, subchronic with acute exacerbation
	295.24	Schizophrenia, catatonic type, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R172

Diagnosis Table	295.35	Schizophrenia, paranoid type, in remission
Relational Table	295.31	Schizophrenia, paranoid type, subchronic
	295.32	Schizophrenia, paranoid type, chronic
	295.33	Schizophrenia, paranoid type, subchronic with acute exacerbation
	295.34	Schizophrenia, paranoid type, chronic with acute exacerbation

---

V0258 **SCHIZOPHRENIA, IN REMISSION OR ACTIVE?** - CONTINUED
(see guideline on page 290)

V0258 Exclusive check (if match, error) - R173

Diagnosis Table	295.45	Acute schizophrenia episode, in remission
Relational Table	295.41	Acute schizophrenia episode, subchronic
	295.42	Acute schizophrenia episode, chronic
	295.43	Acute schizophrenia episode, subchronic with acute exacerbation
	295.44	Acute schizophrenia episode, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R174

Diagnosis Table	295.55	Latent schizophrenia, in remission
Relational Table	295.51	Latent schizophrenia, subchronic
	295.52	Latent schizophrenia, chronic
	295.53	Latent schizophrenia, subchronic with acute exacerbation
	295.54	Latent schizophrenia, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R175

Diagnosis Table	295.65	Residual schizophrenia, in remission
Relational Table	295.61	Residual schizophrenia, subchronic
	295.62	Residual schizophrenia, chronic
	295.63	Residual schizophrenia, subchronic with acute exacerbation
	295.64	Residual schizophrenia, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R176

Diagnosis Table	295.75	Schizo-affective type, in remission
Relational Table	295.71	Schizo-affective type, subchronic
	295.72	Schizo-affective type, chronic
	295.73	Schizo-affective type, subchronic with acute exacerbation
	295.74	Schizo-affective type, chronic with acute exacerbation

---

V0258 Exclusive check (if match, error) - R177

Diagnosis Table	295.85	Schizophrenia types, in remission
Relational Table	295.81	Schizophrenia types, subchronic
	295.82	Schizophrenia types, chronic
	295.83	Schizophrenia types, subchronic with acute exacerbation
	295.84	Schizophrenia types, chronic with acute exacerbation

V0259 **SEVERE PSYCHOSES, WITH and WITHOUT PSYCHOTIC BEHAVIOR**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without psychotic behavior is contradictory and distorts statistics.

V0259 Exclusive check (if match, error) - R115

Diagnosis Table	296.03	Manic disorder, single episode, severe, without psychotic behavior
Relational Table	296.04	Manic disorder, single episode, severe, with psychotic behavior

---

V0259 Exclusive Check (if match, error) - R147

Diagnosis Table	296.13	Manic disorder, recurrent episode, severe, without psychotic behavior
Relational Table	296.14	Manic disorder, recurrent episode, severe, with psychotic behavior

---

V0259 Exclusive Check (if match, error) - R148

Diagnosis Table	296.23	Major depressive disorder, single episode, severe, without psychotic behavior
Relational Table	296.24	Major depressive disorder, single episode, severe, with psychotic behavior

---

V0259 Exclusive Check (if match, error) - R149

Diagnosis Table	296.33	Major depressive disorder, recurrent episode, severe, without psychotic behavior
Relational Table	296.34	Major depressive disorder, recurrent episode, severe, with psychotic behavior

---

V0259 **SEVERE PSYCHOSES, WITH and WITHOUT PSYCHOTIC BEHAVIOR** - CONTINUED (see guideline on page 292)

V0259 Exclusive Check (if match, error) - R150

Diagnosis Table	296.43	Bipolar affective disorder, manic, severe, without psychotic behavior
Relational Table	296.44	Bipolar affective disorder, manic, severe, with psychotic behavior

---

V0259 Exclusive Check (if match, error) - R151

Diagnosis Table	296.53	Bipolar affective disorder, depressed, severe, without psychotic behavior
Relational Table	296.54	Bipolar affective disorder, depressed, severe, with psychotic behavior

---

V0259 Exclusive Check (if match, error) - R152

Diagnosis Table	296.63	Bipolar affective disorder, mixed, severe, without psychotic behavior
Relational Table	296.64	Bipolar affective disorder, mixed, severe, with psychotic behavior

---

V0260 **CONDUCT DISORDER, CHILDHOOD OR ADOLESCENCE?**
new 1/1/97

Guideline: During the current episode of care, it is illogical for the conduct disorder to be both childhood onset and adolescent onset. The correct interpretation in such cases is that one or the other should be used, but not both.

V0260 Exclusive check (if match, error) - R120

Diagnosis Table	312.81	Conduct disorder, childhood onset type
Relational Table	312.82	Conduct disorder, adolescent onset type

---

V0261 **ATTENTION DEFICIT DISORDER, WITH and WITHOUT HYPERACTIVITY**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding attention deficit disorder (ADD) with and without hyperactivity is contradictory and distorts statistics.

V0261 Exclusive check (if match, error) - R121

Diagnosis Table	314.00	Attention deficit disorder, without hyperactivity
Relational Table	314.01	Attention deficit disorder, with hyperactivity

---

V0262 **INCOMPLETE OR COMPLETE QUADRIPLEGIA?**
new 1/1/97

Guideline: During the current episode of care, it is illogical for the quadriplegia to be both incomplete and complete at the same level of spine. The correct interpretation in such cases is that one or the other should be used, but not both.

V0262 Exclusive check (if match, error) - R122

Diagnosis Table	344.02	C1-C4 quadriplegia, incomplete
Relational Table	344.01	C1-C4 quadriplegia, complete

V0262 Exclusive check (if match, error) - R123

Diagnosis Table	344.04	C5-C7 quadriplegia, incomplete
Relational Table	344.03	C5-C7 quadriplegia, complete

V0263 **WITH OR WITHOUT NEUROGENIC BLADDER?**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without neurogenic bladder is contradictory and distorts statistics.

V0263 Exclusive check (if match, error) - R124

Diagnosis Table	344.60	Cauda equina syndrome without neurogenic bladder
Relational Table	344.61	Cauda equina syndrome with neurogenic bladder

---

V0264 **WITH OR WITHOUT INTRACTABLE MIGRAINE?**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without intractable migraine is contradictory and distorts statistics.

V0264 Exclusive check (if match, error) - R125

Diagnosis Table	346.x0	Migraine, without intractability
	346.x2	
Relational Table	346.x1	Migraine, with intractability
	346.x3	

V0265 **HYPERTENSIVE DIAGNOSIS, BENIGN OR MALIGNANT?**
new 1/1/97

Guideline: During the current episode of care, it is illogical for the hypertensive diagnosis to be both benign and malignant. The correct interpretation in such cases is that one or the other should be used, but not both.

V0265 Exclusive check (if match, error) - R126

Diagnosis Table	401.0	Malignant hypertension
Relational Table	401.1	Benign hypertension

V0265 Exclusive check (if match, error) - R127

Diagnosis Table	402.0x	Malignant hypertensive heart disease
Relational Table	402.1x	Benign hypertensive heart disease

V0265 Exclusive check (if match, error) - R128

Diagnosis Table	403.0x	Malignant hypertensive kidney disease
Relational Table	403.1x	Benign hypertensive kidney disease

V0265 Exclusive check (if match, error) - R129

Diagnosis Table	404.0x	Malignant hypertensive heart and kidney disease
Relational Table	404.1x	Benign hypertensive heart and kidney disease

---

V0265 Exclusive check (if match, error) - R130

Diagnosis Table	405.0x	Malignant secondary hypertension
Relational Table	405.1x	Benign secondary hypertension

V0266 **HYPERTENSION, WITH OR WITHOUT HEART FAILURE AND/OR KIDNEY FAILURE?** *new 1/1/97*

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding hypertensive congestive heart and renal disease with and without renal/heart failure, is contradictory and distorts statistics.

V0266 Exclusive check (if match, error) - R131

Diagnosis Table	402.x0	Hypertensive heart disease, without heart failure
Relational Table	402.x1	Hypertensive heart disease, with heart failure

---

V0266 Exclusive check (if match, error) - R132

Diagnosis Table	403.x0	Hypertensive kidney disease, without chronic kidney disease
Relational Table	403.x1	Hypertensive kidney disease, with chronic kidney disease

---

V0266 Exclusive check (if match, error) - R133

Diagnosis Table	404.x0	Hypertensive heart and kidney disease without heart failure or chronic kidney disease
Relational Table	404.x1	Hypertensive heart and kidney disease with heart failure
	404.x2	Hypertensive heart and kidney disease with chronic kidney disease
	404.x3	Hypertensive heart and kidney disease with heart failure and chronic kidney disease

---

V0267 HYPERTENSIVE HEART FAILURE AND KIDNEY FAILURE COMBINATION CODE: 404.x3

new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hypertensive congestive failure and renal failure or when the Alphabetic Index so directs.

Code 404.x3, hypertensive congestive heart failure and renal failure, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0267 Exclusive check (if match, error) - R134

Diagnosis Table	404.x1	Hypertensive heart and kidney disease with heart failure
Relational Table	404.x3	Hypertensive heart and kidney disease with heart failure and chronic kidney disease

---

V0267 Exclusive check (if match, error) - R135

Diagnosis Table	404.x2	Hypertensive heart and kidney disease with chronic kidney disease
Relational Table	404.x3	Hypertensive heart and kidney disease with heart failure and chronic kidney disease

---

V0267 Exclusive check (if match, error) - R136

Diagnosis Table	404.x1	Hypertensive heart and kidney disease with heart failure
Relational Table	404.x2	Hypertensive heart and kidney disease with chronic kidney disease

---

V0268 **LEFT AND RIGHT BBB:**
COMBINATION CODE: 426.51-426.54
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as left and right bundle branch block or when the Alphabetic Index so directs.

Codes 426.51-426.54, left and right bundle branch block, are combination codes that clearly identify all the elements documented in the diagnostic statement.

V0268 Exclusive check (if match, error) - R137

Diagnosis Table	426.4	Right bundle branch block
Relational Table	426.2	Left bundle branch block
	426.3	Other left bundle branch block

V0268 Exclusive check (if match, error) - R138

Diagnosis Table	426.51	Right bundle branch block and left posterior fascicular block
	426.52	Right bundle branch block and left anterior fascicular block
Relational Table	426.4	Right bundle branch block

V0268 Exclusive check (if match, error) - X139

Diagnosis Table	426.51	Right bundle branch block and left posterior fascicular block
	426.52	Right bundle branch block and left anterior fascicular block
Relational Table	426.3	Other left bundle branch block

V0269 **LEFT AND RIGHT HEART FAILURE:**
COMBINATION CODE: 428.0
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as left and right congestive heart failure or when the Alphabetic Index so directs.

Code 428.0, left and right congestive heart failure, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0269 Exclusive check (if match, error) - R140

Diagnosis Table	428.0	Congestive heart failure (right)
Relational Table	428.1	Left heart failure

V0270 **VERTEBROBASILAR SYNDROME VERSUS VERTEBRAL OR BASILAR SYNDROME?**

new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as basilar artery syndrome and vertebral artery syndrome or when the Alphabetic Index so directs.

Code 435.3, Vertebrobasilar artery syndrome, should be the only combination code that clearly identifies all the elements documented in the diagnostic statement.

V0270 Exclusive check (if match, error) - R141

Diagnosis Table	435.3	Vertebrobasilar artery syndrome
Relational Table	435.0	Basilar artery syndrome
	435.1	Vertebral artery syndrome

V0271 **ANEURYSM, WITH and WITHOUT RUPTURE**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding an aneurysm with and without rupture is contradictory and distorts statistics.

V0271 Exclusive check (if match, error) - X105

Diagnosis Table	441.2	Thoracic aneurysm, without rupture
Relational Table	441.1	Thoracic aneurysm, with rupture

V0271 Exclusive check (if match, error) - X106

Diagnosis Table	441.4	Abdominal aneurysm, without rupture
Relational Table	441.3	Abdominal aneurysm, with rupture

V0271 Exclusive check (if match, error) - X107

Diagnosis Table	441.7	Thoracoabdominal aneurysm, without rupture
Relational Table	441.6	Thoracoabdominal aneurysm, with rupture

---

V0272 **HEMORRHOIDS, WITH and WITHOUT COMPLICATION**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding hemorrhoids with and without complication is contradictory and distorts statistics.

V0272 Exclusive check (if match, error) - X108

Diagnosis Table	455.0	Internal hemorrhoids, without complication
Relational Table	455.1	Internal hemorrhoids, thrombosed
	455.2	Internal hemorrhoids, with other complications

V0272 Exclusive check (if match, error) - X109

Diagnosis Table	455.3	External hemorrhoids, without complication
Relational Table	455.4	External hemorrhoids, thrombosed
	455.5	External hemorrhoids, with other complications

V0272 Exclusive check (if match, error) - X112

Diagnosis Table	455.6	Unspecified hemorrhoids, without complication
Relational Table	455.0	Unspecified hemorrhoids, thrombosed
	455.3	Unspecified hemorrhoids, with other complications

VW273 **UNSPECIFIED versus SPECIFIED HEMORRHOIDS**
new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category.

It is illogical for hemorrhoids to be both unspecified and specified from the same category on the same record.

VW273 Exclusive Check (if match, error) - X110

Diagnosis Table	455.8	Unspecified hemorrhoids, with other complications
Relational Table	455.1	Internal hemorrhoids, thrombosed
	455.2	Internal hemorrhoids, with other complications
	455.4	External hemorrhoids, thrombosed
	455.5	External hemorrhoids, with other complications

VW273 Exclusive Check (if match, error) - X111

Diagnosis Table	455.7	Unspecified hemorrhoids, thrombosed
Relational Table	455.1	Internal hemorrhoids, thrombosed
	455.4	External hemorrhoids, thrombosed

V0274 **VARICES, WITH and WITHOUT BLEEDING**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding varices with and without bleeding is contradictory and distorts statistics.

V0274 Exclusive check (if match, error) - X113

Diagnosis Table	456.1	Esophageal varices without bleeding
Relational Table	456.0	Esophageal varices with bleeding
	456.20	Esophageal varices with bleeding, in diseases classified elsewhere

---

V0275 **LARYNX AND/OR TRACHEA, WITH and WITHOUT OBSTRUCTION**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without obstruction is contradictory and distorts statistics.

V0275 Exclusive check (if match, error) - X125

Diagnosis Table	464.00	Acute laryngitis without obstruction
Relational Table	464.01	Acute laryngitis with obstruction

V0275 Exclusive check (if match, error) - X115

Diagnosis Table	464.10	Acute tracheitis without obstruction
Relational Table	464.11	Acute tracheitis with obstruction

V0275 Exclusive check (if match, error) - X116

Diagnosis Table	464.20	Acute laryngotracheitis without obstruction
Relational Table	464.21	Acute laryngotracheitis with obstruction

---

V0275 Exclusive check (if match, error) - X117

Diagnosis Table	464.30	Acute epiglottitis without obstruction
Relational Table	464.31	Acute epiglottitis with obstruction

V0275 Exclusive check (if match, error) – X126

Diagnosis Table	464.50	Supraglottitis without obstruction
Relational Table	464.51	Supraglottitis with obstruction

.

V0276 **HYPERTROPHY OF TONSILS AND ADENOIDS**
COMBINATION CODE: 474.10
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as hypertrophy of tonsils and adenoids or when the Alphabetic Index so directs.

Code 474.10, hypertrophy of tonsils and adenoids, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0276 Exclusive check (if match, error) - R142

Diagnosis Table	474.11	Hypertrophy of tonsils
Relational Table	474.12	Hypertrophy of adenoids

V0277 **LARYNGITIS or LARYNGOTRACHEITIS?**
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as the inflammation of the larynx and trachea or when the Alphabetic Index so directs.

Code 476.1, chronic laryngotracheitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0277 Exclusive Check (if match, error) - R143

Diagnosis Table	476.1	Chronic laryngotracheitis
Relational Table	476.0	Chronic laryngitis

V0278 **ILLOGICAL CODES FOR VOCAL CORD PARALYSIS**

new 1/1/97

Guideline: During the current episode of care, it is illogical for bilateral complete vocal cord paralysis to be reported along with other vocal cord paralysis codes.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0278 Exclusive check (if match, error) - X124

Diagnosis Table	478.34	Bilateral, complete, paralysis of vocal cord
Relational Table	478.31	Unilateral, partial, paralysis of vocal cord
	478.32	Unilateral, complete, paralysis of vocal cord
	478.33	Bilateral, partial, paralysis of vocal cord

V0279 **OBSTRUCTIVE CHRONIC BRONCHITIS, WITH and WITHOUT ACUTE EXACERBATION**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding obstructive chronic bronchitis with and without acute exacerbation is contradictory and distorts statistics.

V0279 Exclusive check (if match, error) - X118

Diagnosis Table	491.20	Obstructive chronic bronchitis, without acute exacerbation
Relational Table	491.21	Obstructive chronic bronchitis, with acute exacerbation

---

V0280 **WITH OR WITHOUT STATUS ASTHMATICUS?**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without status asthmaticus is contradictory and distorts statistics.

V0280 Exclusive check (if match, error) - X119

Diagnosis Table	493.x0	Asthma, without status asthmaticus
Relational Table	493.x1	Asthma, with status asthmaticus (*except: 493.81 Exercise induced bronchospasm*)

V0281 **EMPYEMA, WITH AND WITHOUT FISTULA**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding empyema with and without fistula is contradictory and distorts statistics.

V0281 Exclusive check (if match, error) - X120

Diagnosis Table	510.9	Empyema without fistula
Relational Table	510.0	Empyema with fistula

V0282 **ANGIODYSPLASIA, WITH AND WITHOUT HEMORRHAGE**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding angiodysplasia with and without hemorrhage is contradictory and distorts statistics.

V0282 Exclusive check (if match, error) - X121

Diagnosis Table	537.82	Angiodysplasia of stomach and duodenum, without hemorrhage
Relational Table	537.83	Angiodysplasia of stomach and duodenum, with hemorrhage

---

V0282 Exclusive check (if match, error) - X122

Diagnosis Table	569.84	Angiodysplasia of intestine, without hemorrhage
Relational Table	569.85	Angiodysplasia of intestine, with hemorrhage

---

V0283 **CIRRHOSIS, WITH and WITHOUT ALCOHOL**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding cirrhosis with and without alcohol is contradictory and distorts statistics.

V0283 Exclusive check (if match, error) - X123

Diagnosis Table	571.5	Cirrhosis of liver without mention of alcohol
Relational Table	571.2	Cirrhosis of liver with mention of alcohol

---

V0284 **ACUTE AND CHRONIC CHOLECYSTITIS**
COMBINATION CODE: 575.12
new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as acute and chronic cholecystitis or when the Alphabetic Index so directs.

Code 575.12, acute and chronic cholecystitis, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0284 Exclusive check (if match, error) - R144

Diagnosis Table	575.12	Acute and chronic cholecystitis
Relational Table	575.0	Acute cholecystitis
	575.10	Cholecystitis
	575.11	Chronic cholecystitis

V0285 **AMEBIC ABSCESS - COMBINATION CODE: 006.5**

new 1/1/97

Guideline: Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved such as amebic abscess of brain, liver, and lung, or when the Alphabetic Index so directs.

Code 006.5, amebic brain abscess include involvement with liver and/or lung, is a combination code that clearly identifies all the elements documented in the diagnostic statement.

V0285 Exclusive check (if match, error) - R043

Diagnosis Table	006.5	Amebic brain abscess (and liver) (and lung)
Relational Table	006.3	Amebic liver abscess
	006.4	Amebic lung abscess

V0286 **LIVER CANCER, PRIMARY OR SECONDARY?**

new 1/1/97

Guideline: A code for an unspecified condition is never assigned when a more specific code from the same category.

It is illogical for liver cancer to be both unspecified and specified (such as primary or secondary) on the same record.

V0286 Exclusive Check (if match, error) - N031

Diagnosis Table	155.2	Malignant neoplasm, liver, not specified as primary or secondary
Relational Table	155.0	Malignant neoplasm, liver, primary
	197.7	Malignant neoplasm, liver secondary

V0287 **MADURA FOOT, WITH AND WITHOUT MYCOTIC INFECTION**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding this condition with and without mycotic infection is contradictory and distorts statistics.

V0287 Exclusive check (if match, error) - X103

Diagnosis Table	039.4	Madura foot
Relational Table	117.4	Madura foot due to mycotic infection

VW288 **MALNUTRITION, HIGHEST HIERARCHY ONLY**

new 1/1/97

Guideline: Malnutrition with different degrees (mild, moderate, severe) are classified to the highest or most severe degree only. These codes are listed in order of increasing priority.

During the current episode of care, it is illogical for malnutrition to be simultaneously mild, moderate, and severe.

VW288 Exclusive Check (if match, error) - R045

Diagnosis Table	261	Nutritional marasmus (severe)
	262	Other severe protein-calorie malnutrition
Relational Table	263.0	Malnutrition, moderate
	263.1	Malnutrition, mild

VW289 **PHYSICAL ABUSE, ACTIVE OR HISTORY?**

new 1/1/97

Guideline: If the condition mentioned is still present or under treatment or if the patient is seen for a complication, the code for the condition is assigned, instead of a history code. A history code indicates that the patient no longer has the condition.

During the current episode of care, it is illogical for the physical abuse to be both active and historical states. The correct interpretation in such cases is that one or the other should be used, but not both.

VW289 Exclusive Check (if match, error) - N032

Diagnosis Table	V15.41	History of physical abuse
Relational Table	995.54	Child physical abuse
	995.81	Adult physical abuse

VW290 **EMOTIONAL ABUSE, ACTIVE OR HISTORY?**

new 1/1/97

Guideline: If the condition mentioned is still present or under treatment or if the patient is seen for a complication, the code for the condition is assigned, instead of a history code. A history code indicates that the patient no longer has the condition.

During the current episode of care, it is illogical for the physical abuse to both active and historical state. The correct interpretation in such cases is that one or the other should be used, but not both.

VW290 Exclusive Check (if match, error) - N033

Diagnosis Table	V15.42	History of emotional abuse
Relational Table	995.51	Child emotional abuse
	995.82	Adult emotional abuse

VW291 **ADULT ABUSE, COUNSELING OR TREATMENT?**
new 1/1/97

Guideline: Counseling V codes are used when a patient or family member receives assistance in the aftermath of an illness or injury, or when support is required in coping with family or social problems. They are not necessary for use in conjunction with a diagnosis code when the counseling component of care is considered integral to standard treatment.

During this current episode of care, it is illogical for both the treatment of the adult abuse injury (which includes counseling component) and the counseling of adult abuse to be reported together. The correct interpretation in such cases is that one or the other should be used, but not both.

VW291	Exclusive check (if match, error) - N034	
Diagnosis Table	995.80-995.85	Adult abuse
Relational Table	V61.11	Counseling for victim of spousal and partner abuse

VW292 **CHILD ABUSE, COUNSELING OR TREATMENT?**

new 1/1/97

Guideline: Counseling V codes are used when a patient or family member receives assistance in the aftermath of an illness or injury, or when support is required in coping with family or social problems. They are not necessary for use in conjunction with a diagnosis code when the counseling component of care is considered integral to standard treatment.

During this current episode of care, it is illogical for both the treatment of the child abuse injury (which includes counseling component) and the counseling of child abuse to be reported together. The correct interpretation in such cases is that one or the other should be used, but not both.

VW292	Exclusive check (if match, error) - N035	
Diagnosis Table	995.50-995.59	Child abuse
Relational Table	V61.21	Counseling for victim of child abuse

VW293 **CHILD PSYCHOSES, RESIDUAL OR ACTIVE?**
new 1/1/97

Guideline: During the current episode of care, it is illogical for psychosis to be both a current or active state, and a residual state. The correct interpretation in such cases is that one or the other should be used, but not both.

VW293 Exclusive check (if match, error) - R116

Diagnosis Table	299.01	Autism, residual
Relational Table	299.00	Autism, active state

VW293 Exclusive check (if match, error) - R145

Diagnosis Table	299.11	Disintegrative psychosis, residual
Relational Table	299.10	Disintegrative psychosis, active

VW293 Exclusive check (if match, error) - R146

Diagnosis Table	299.81	Early childhood psychoses, residual
Relational Table	299.80	Early childhood psychoses, active

V0294 **LATE EFFECT or ACTIVE CONDITION?**
new 1/1/97

Guideline: A late effect is the residual condition that remains after the termination of the acute phase of an illness or injury. A late effect code is never assigned with a current injury or illness code with which it is associated. A current injury or illness must be resolved before the late effect code is assigned.

V0294 Exclusive check (if match, error) - X099

Diagnosis Table	011-012	Respiratory tuberculosis
Relational Table	137.0	Late effects of respiratory tuberculosis

---

V0294 Exclusive check (if match, error) - X100

Diagnosis Table	013	CNS tuberculosis
Relational Table	137.1	Late effects of CNS tuberculosis

V0294 Exclusive check (if match, error) - X101

Diagnosis Table	016	Tuberculosis of genitourinary system
Relational Table	137.2	Late effects of genitourinary tuberculosis

---

V0294 Exclusive check (if match, error) - X102

Diagnosis Table	015	Tuberculosis of bones and joints
Relational Table	137.3	Late effects of tuberculosis, bones and joints

---

V0294 Exclusive check (if match, error) - X104

Diagnosis Table	045	Acute poliomyelitis
Relational Table	138	Late effects of acute poliomyelitis

V0294 **LATE EFFECT or ACTIVE CONDITION? -** CONTINUED
(see guideline on page 328)

V0294 Exclusive check (if match, error) - X097

Diagnosis Table	062-064	Viral encephalitis
Relational Table	139.0	Late effects of viral encephalitis

V0294 Exclusive check (if match, error) - X098

Diagnosis Table	076	Trachoma
Relational Table	139.1	Late effects of trachoma

V0294 Exclusive check (if match, error) - R094

Diagnosis Table	268.1	Rickets, late effects
Relational Table	268.0	Rickets, active

V0295 **AMNESIA, WITH AND WITHOUT ALCOHOL**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs.

Coding amnesia with and without alcohol is contradictory and distorts statistics.

V0295 Exclusive check (if match, error) - R098

Diagnosis Table	294.0	Amnestic syndrome (nonalcoholic)
Relational Table	291.1	Alcoholic amnestic syndrome

V0296 **ALCOHOL WITHDRAWAL, WITH and WITHOUT SPECIFIED CONDITION**
new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code. A combination code clearly identifies all the elements documented in the diagnostic statement.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so direct.

Coding alcohol withdrawal with and without specified condition is contradictory and distorts statistics.

V0296 Exclusive check (if match, error) - R047

Diagnosis Table	291.81	Alcohol withdrawal
Relational Table	291.0	Alcohol withdrawal delirium
	291.3	Alcohol withdrawal hallucinosis

V0297 **USE COMBINATION CODE FOR HYPOCHONDRIASIS**

new 1/1/97

Guideline: A single code used to classify two diagnoses or a diagnosis with an associated secondary process (manifestation) or complication is called a combination code.

Combination codes can be located in the index lists referring to the subterm entries, with particular reference to such entries as "with," "due to," "in," and "associated with." Others are identified by reading inclusion and exclusion notes in the tabular lists. Only the combination code is assigned when the code fully identifies the diagnostic conditions involved or when the Alphabetic Index so directs. Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement.

HINT: Read the "Excludes" note under code 300.7.

V0297 Exclusive check (if match, error) - R050

Diagnosis Table	300.7	Hypochondriasis
Relational Table	295.xx	"hypochondriasis" in schizophrenia
	296.2x	"hypochondriasis" in manic-depressive psychosis
	296.3x	"hypochondriasis" in manic-depressive psychosis
	300.1x	"hypochondriasis" in hysteria
	300.3	“hypochondriasis” in obsessive-compulsive disorders
	300.5	"hypochondriasis" in neurasthenia

V0298 **518.84 COMBINATION CODE NEEDED FOR ACUTE AND CHRONIC RESPIRATORY FAILURE**
new 10-1-98

Guideline: Code 518.84, Acute and chronic respiratory failure, is a combination code that clearly identifies all the elements documented in the diagnostic statement. This is effective for discharges on or after October 1, 1998.

Multiple codes should not be assigned when the classification provides a combination code that clearly identifies all the elements documented in the diagnostic statement. Therefore, the combination code 518.84 is more appropriate because it fully identifies both acute respiratory failure and chronic respiratory failure.

V0298 Exclusive check (if match, error) – R178

Diagnosis Table	518.83	Chronic respiratory failure
Relational Table	518.81	Acute respiratory failure

HINT: The combination code is 518.84 (Acute and chronic respiratory failure).

V0299 **URINARY TRACT INFECTION, SITE SPECIFIED VERSUS UNSPECIFIED**
new 6/1/99

Guidelines Urinary Tract Infections (UTI) are assigned codes based on the "site" of the infection. UTI refers to lower urinary tract infection, such as urethritis and cystitis, or upper urinary tract infection, such as pyelonephritis.

Code 599.0, Urinary Tract Infection Site Not Specified, should not be used in combination with codes that specifically identify the site(s) of the UTI. For example, if the term "acute cystitis" and "urinary tract infection" are both documented separately on the final diagnosis sheet, only the code for the acute cystitis should be assigned. If the infection has spread to other sites, these may be coded, as well. It should be noted that urinary tract infections that are due to sexually transmitted disease, such as candidiasis or chlamydia would be coded elsewhere.

V0299 Exclusive check (if match, error) – Y434

Diagnosis Table	590	Infection of kidney
	595	Cystitis
	597.80	Urethritis
Relational Table	599.0	Urinary tract infection, site not specified

---

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE

Guideline: This dual classification is used to describe the assignment of two codes for certain diagnostic statements that contain information about a manifestation and the underlying disease (etiology) with which it is associated. Mandatory multiple coding of this type is identified in the Tabular List by the use of italic type and by the printed instruction "Code also underlying disease." It is identified in the Alphabetic Index by the use of the second code in slanted brackets and italic type. The first code identifies the underlying condition (etiology) and the second italicized code identifies the manifestation listed. Both codes must be assigned.

VW300 Inclusive check (if no match, error) – D111

Diagnosis Table Other Diagnosis	*289.52*	*Splenic sequestration*
Relational Table	282.42	Sickle-cell Thalessemia with crisis
	282.62	Hb-SS Disease with crisis
	282.64	Sickle-cell/Hb-C Disease with crisis
	282.69	Other Sickle-cell Disease with crisis

VW300 Inclusive check (if no match, error) - D001

Diagnosis Table Other Diagnosis	*320.7*	*Meningitis in other bacterial diseases classified elsewhere*
Relational Table	002.0	Typhoid fever
	027.0	Listeriosis
	033.0- 033.9	Whooping cough
	039.8	Actinomycotic infections of other specified sites
	088.81	Lyme Disease (per Index)

VW300 Inclusive check (if no match, error) - D002

Diagnosis Table Other Diagnosis	*321.0*	*Cryptococcal meningitis*
Relational Table	117.5	Cryptococcosis

VW300 Inclusive check (if no match, error) - D003

Diagnosis Table Other Diagnosis	*321.1*	*Meningitis in other fungal diseases*
Relational Table	110-118	Mycoses

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D004

Diagnosis Table	*321.2*	*Meningitis due to viruses not elsewhere classified*
Other Diagnosis		
Relational Table	045.x	Acute poliomyelitis (per Index)
	060.0	Sylvatic yellow fever
	060.1	Urban yellow fever
	060.9	Yellow fever, unspecified
	062.0	Japanese encephalitis
	062.1	Western equine encephalitis
	062.2	Eastern equine encephalitis
	062.3	St. Louis encephalitis
	062.4	Australian encephalitis
	062.5	California virus encephalitis
	062.8	Other specified mosquito-borne viral encephalitis
	062.9	Mosquito-borne viral encephalitis, unspecified
	063.0	Russian spring-summer encephalitis
	063.1	Louping ill tick-borne viral encephalitis
	063.2	Central European encephalitis
	063.8	Other specified tick-borne viral encephalitis
	063.9	Tick-borne viral encephalitis, unspecified
	064	Viral encephalitis transmitted by other and unspecified arthropods
	065.0	Crimean hemorrhagic fever
	065.1	OMSK hemorrhagic fever
	065.2	Kyasanur forest disease
	065.3	Other tick-borne hemorrhagic fever
	065.4	Mosquito-borne hemorrhagic fever
	065.8	Other specified arthropod-borne hemorrhagic fever
	065.9	Arthropod-borne hemorrhagic fever, unspecified
	066.0	Phlebotomus fever
	066.1	Tick borne fever
	066.2	Venezuelan equine fever
	066.3	Other mosquito-borne fever
	066.4	West Nile fever
	066.8	Other specified arthropod-borne viral diseases
	066.9	Arthropod-borne viral disease, unspecified

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D005

Diagnosis Table	*321.3*	*Meningitis due to trypanosomiasis*
Other Diagnosis		
Relational Table	086.0	Chagas' disease with heart involvement
	086.1	Chagas' disease with other organ involvement
	086.2	Chagas' disease without mention of organ involvement
	086.3	Gambian trypanosomiasis
	086.4	Rhodesian trypanosomiasis
	086.5	African trypanosomiasis, unspecified
	086.9	Trypanosomiasis, unspecified

VW300 Inclusive check (if no match, error) - D006

Diagnosis Table	*321.4*	*Meningitis in sarcoidosis*
Other Diagnosis		
Relational Table	135	Sarcoidosis

VW300 Inclusive check (if no match, error) - D007

Diagnosis Table	*323.01*	*Encephalitis and encephalomyelitis in viral diseases classified elsewhere*
Other Diagnosis		
	323.02	*Myelitis in viral diseases classified elsewhere*
Relational Table	073.7	Ornithosis with other specified complications
	075	Infectious mononucleosis
	078.3	Cat-scratch disease

VW300 Inclusive check (if no match, error) - D008

Diagnosis Table	*323.1*	*Encephalitis in rickettsial diseases classified elsewhere*
Other Diagnosis		
Relational Table	080	Louse-borne typhus
	081.0	Murine typhus
	081.1	Brill's disease

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D008 - Continued

---

Diagnosis Table	*323.1*	*Encephalitis in rickettsial diseases classified elsewhere*
Other Diagnosis		(continued)
Relational Table	081.2	Scrub typhus
	081.9	Typhus, unspecified
	082.0	Spotted fever
	082.1	Boutonneuse fever
	082.2	North Asian tick fever
	082.3	Queensland tick typhus
	082.4x	Ehrlichiosis
	082.8	Other specified tick-borne rickettsioses
	082.9	Tick-borne rickettsiosis, unspecified
	083.0	Q fever
	083.1	Trench fever
	083.2	Rickettsialpox
	083.8	Other specified rickettsioses
	083.9	Rickettsiosis, unspecified

VW300 Inclusive check (if no match, error) - D009

Diagnosis Table	*323.2*	*Encephalitis in protozoal diseases classified elsewhere*
Other Diagnosis		
Relational Table	084.x	Malaria
	086.x	Trypanosomiasis

VW300 Inclusive check (if no match, error) - D010

Diagnosis Table	*323.71*	*Toxic encephalitis and encephalomyelitis*
Other Diagnosis	*323.72*	*Toxic myelitis*
Relational Table	961.3	Poisoning by Hydroxyquinoline derivatives
	982.1	Toxic effect of Carbon tetrachloride
	984.x	Toxic effect of Lead compounds
	985.0	Toxic effect of Mercury
	985.8	Toxic effect of other specified metals - Thallium
	987.x	Toxic effect of other gases, fumes, or vapors
	989.9	Toxic effect of unspecified substance (per Index)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D011

Diagnosis Table Other Diagnosis	*330.2*	*Cerebral degeneration in generalized lipidoses*
Relational Table	272.7	Lipidoses (Fabry's disease, Gaucher's disease, Niemann-Pick disease, Sphingolipidosis)

VW300 Inclusive check (if no match, error) - D012

Diagnosis Table Other Diagnosis	*330.3*	*Cerebral degeneration of childhood in other diseases classified elsewhere*
Relational Table	277.5	Mucopolysaccharidosis or Hunter's disease

---

VW300 Inclusive check (if no match, error) - D013

Diagnosis Table Other Diagnosis	*331.7*	*Cerebral degeneration in diseases classified elsewhere*
Relational Table	140-239	Neoplasms
	244.x	Hypothyroidism/Myxedema
	265.0	Beriberi
	266.2	Other B-complex deficiencies
	303.0x	Acute alcoholic intoxication
	303.9x	Other and unspecified alcohol dependence
	430-438	Cerebrovascular disease
	741.0x	Spina bifida with hydrocephalus
	742.3	Congenital hydrocephalus

VW300 Inclusive check (if no match, error) - D014

Diagnosis Table Other Diagnosis	*334.4*	*Cerebellar ataxia in diseases classified elsewhere*
Relational Table	140-239	Neoplasms
	244.x	Hypothyroidism/Myxedema
	303.0x	Acute alcoholic intoxication
	303.9x	Other and unspecified alcohol dependence

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D015

Diagnosis Table Other Diagnosis	*336.2*	*Subacute combined degeneration of spinal cord in diseases*
Relational Table	266.2	Other B-complex deficiencies
	281.0	Pernicious anemia
	281.1	Other vitamin B12 deficiency anemia

VW300 Inclusive check (if no match, error) - D016

Diagnosis Table Other Diagnosis	*336.3*	*Myelopathy in other diseases classified elsewhere*
Relational Table	042	HIV disease (per Index)
	140-239	Neoplasms
	249.6x	Secondary Diabetes with neurological manifestations (Index)
	250.6x	Diabetes with neurological manifestations (per Index)
	281.0	Pernicious Anemia (per Index)
	324.1	Intraspinal Abscess (per Index)

VW300 Inclusive check (if no match, error) - D017

Diagnosis Table Other Diagnosis	*337.1*	*Peripheral autonomic neuropathy in disorders classified elsewhere*
Relational Table	242.9x	Thyrotoxicosis without mention of goiter or other cause (per Index)
	249.6x	Secondary Diabetes with neurological manifestations
	250.6x	Diabetes with neurological manifestations
	274.89	Other Gout (per Index)
	277.3x	Amyloidosis

VW300 Inclusive check (if no match, error) - D018

Diagnosis Table Other Diagnosis	*357.1*	*Polyneuropathy in collagen vascular disease*
Relational Table	446.0	Polyarteritis nodosa and allied conditions
	710.x	Diffuse diseases of connective tissue
	714.0	Rheumatoid arthritis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D019

Diagnosis Table	*357.2*	*Polyneuropathy in diabetes*
Other Diagnosis		
Relational Table	249.6x	Secondary Diabetes with neurological manifestations
	250.6x	Diabetes with neurological manifestations

VW300 Inclusive check (if no match, error) - D020

Diagnosis Table	*357.3*	*Polyneuropathy in malignant disease*
Other Diagnosis		
Relational Table	140-208	Neoplasms

VW300 Inclusive check (if no match, error) - D021

Diagnosis Table	*357.4*	*Polyneuropathy in other diseases classified elsewhere*
Other Diagnosis		
Relational Table	032.x	Diphtheria
	042	Human Immunodeficiency virus [HIV] disease
	135	Sarcoidosis
	251.2	Hypoglycemia, unspecified
	265.0	Beriberi
	265.2	Pellagra
	266.x	Deficiency of B vitamins
	269.1	Deficiency of other vitamins (per Index)
	269.2	Unspecified vitamin deficiency (per Index)
	269.8	Other nutritional deficiency (per Index)
	269.9	Unspecified nutritional deficiency (per Index)
	274.89	Other gout with other manifestations (per Tabular)
	277.1	Disorders of porphyrin metabolism
	277.3x	Amyloidosis
	281.0	Pernicious anemia (per Index)
	281.1	Other Vitamin B deficiency anemia (per Index)
	403.x1	Hypertensive kidney disease with chronic kidney disease
	404.x2	Hypertensive heart and kidney disease with chronic kidney disease
	404.x3	Hypertensive heart and kidney disease with heart failure and chronic kidney disease
	585.9	Chronic kidney disease, unspecified

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D022

Diagnosis Table Other Diagnosis	*358.1*	*Myasthenic syndromes in diseases classified elsewhere*
Relational Table	005.1	Botulism
	140-208	Neoplasms
	242.x	Thyrotoxicosis
	244.x	Hypothyroidism/Myxedema
	249.6x	Secondary Diabetes with neurological manifestations
	250.6x	Diabetes with neurological manifestations
	281.0	Other vitamin B12 deficiency anemia

VW300 Inclusive check (if no match, error) - D023

Diagnosis Table Other Diagnosis	*359.5*	*Myopathy in endocrine disease classified elsewhere*
Relational Table	242.x	Thyrotoxicosis
	243.	Cretinism (per Index)
	244.x	Hypothyroidism/Myxedema
	252.x	Disorders of parathyroid gland (per Index)
	253.2	Panhypopituitarism
	255.0	Cushing's syndrome
	255.3	Other corticoadrenal overactivity (per Index)
	255.4x	Corticoadrenal insufficiency
	259.8	Other specified endocrine disorders (per Index)
	259.9	Unspecified endocrine disorder (per Index)

VW300 Inclusive check (if no match, error) - D024

Diagnosis Table Other Diagnosis	*359.6*	*Symptomatic inflammatory myopathy in diseases classified elsewhere*
Relational Table	135	Sarcoidosis
	140-208	Neoplasms
	277.3x	Amyloidosis
	446.0	Polyarteritis nodosa
	446.5	Giant cell arteritis (per Index)
	710.x	Diffuse diseases of connective tissue (per Index)
	714.0	Rheumatoid arthritis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D025

Diagnosis Table Other Diagnosis	*362.01-* *362.07*	*Diabetic retinopathy*
Relational Table	249.5x 250.5x	Secondary Diabetes with ophthalmic manifestations Diabetes with ophthalmic manifestations

---

VW300 Inclusive check (if no match, error) - D026

Diagnosis Table Other Diagnosis	*362.71*	*Retinal dystrophy in other systemic disorders and syndromes*
Relational Table	272.7 330.1	Lipidoses Cerebral lipidoses

VW300 Inclusive check (if no match, error) - D027

Diagnosis Table Other Diagnosis	*362.72*	*Retinal dystrophy in other systemic disorders and syndrome*
Relational Table	272.5 356.3	Lipoprotein deficiencies (Bassen-Kornzweig syndrome) Refsum's disease

---

VW300 Inclusive check (if no match, error) - D028

Diagnosis Table Other Diagnosis	*364.11*	*Chronic iridocyclitis in diseases classified elsewhere*
Relational Table	017.3x 030.0 090.0 095.8 135 274.89	Tuberculosis of eye Leprosy (per Index) Congenital syphilis (per Index) Papulosa (per Index) Sarcoidosis Other Gout with specified manifestations (per Index)

VW300 Inclusive check (if no match, error) - D029

Diagnosis Table Other Diagnosis	*365.41*	*Glaucoma associated with chamber angle anomalies*
Relational Table	743.44	Specified anomalies of anterior chamber, chamber angle, and related structures (Axenfeld's anomaly or Rieger's anomaly or syndrome)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D030

Diagnosis Table	*365.42*	*Glaucoma associated with anomalies of iris*
Other Diagnosis		
Relational Table	364.51	Essential iris atrophy
	743.45	Aniridia
	743.46	Iris anomalies

VW300 Inclusive check (if no match, error) - D031

Diagnosis Table	*365.43*	*Glaucoma associated with other anterior segment anomalies*
Other Diagnosis		
Relational Table	743.41	Anomalies of corneal size and shape (microcornea)

VW300 Inclusive check (if no match, error) - D032

Diagnosis Table	*365.44*	*Glaucoma associated with systemic syndromes*
Other Diagnosis		
Relational Table	237.7x	Neurofibromatosis
	759.6	Other hamartoses, not elsewhere classified
	759.89	Other specified congenital anomalies

VW300 Inclusive check (if no match, error) - D033

Diagnosis Table	*366.41*	*Diabetic cataract*
Other Diagnosis		
Relational Table	249.5x	Secondary Diabetes with ophthalmic manifestations
	250.5x	Diabetes with ophthalmic manifestations

VW300 Inclusive check (if no match, error) - D034

Diagnosis Table	*366.42*	*Tetanic cataract*
Other Diagnosis		
Relational Table	252.1	Hypoparathyroidism
	275.4x	Disorders of calcium metabolism (calcinosis)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D035

Diagnosis Table	*366.43*	*Myotonic cataract*
Other Diagnosis		
Relational Table	359.2x	Myotonic disorders

VW300 Inclusive check (if no match, error) - D036

Diagnosis Table	*366.44*	*Cataract associated with other syndromes*
Other Diagnosis		
Relational Table	244.9	Myxedema (per Index) ~~*(will be programmed for 2008)*~~
	271.1	Galactosemia
	756.0	Anomalies of skull and face bones (craniofacial dysotosis)

VW300 Inclusive check (if no match, error) - D037

Diagnosis Table	*370.44*	*Keratitis or keratoconjunctivitis in exanthema*
Other Diagnosis		
Relational Table	050.x	Smallpox
	051.x	Cowpox and Paravaccinia
	052.x	Chickenpox/Varicella
	057.9	Viral exanthem, unspecified (per Index)

VW300 Inclusive check (if no match, error) - D038

Diagnosis Table	*371.05*	*Phthisical cornea*
Other Diagnosis		
Relational Table	017.3x	Tuberculosis of eye

VW300 Inclusive check (if no match, error) - D039

Diagnosis Table	*372.15*	*Parasitic conjunctivitis*
Other Diagnosis		
Relational Table	085.5	Mucocutaneous leishmaniasis
	125.x	Filariasis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D040

Diagnosis Table	*372.31*	*Rosacea conjunctivitis*
Other Diagnosis		
Relational Table	695.3	Rosacea dermatitis

VW300 Inclusive check (if no match, error) - D041

Diagnosis Table	*372.33*	*Conjunctivitis in mucocutaneous disease*
Other Diagnosis		
Relational Table	099.3	Reiter's disease
	695.1x	Erythema multiforme

VW300 Inclusive check (if no match, error) - D042

Diagnosis Table	*373.4*	*Infective dermatitis of eyelid of types resulting in deformity*
Other Diagnosis		
Relational Table	017.0x	Tuberculosis of skin and subcutaneous cellular tissue
	030.x	Leprosy
	102.x	Yaws

VW300 Inclusive check (if no match, error) - D043

Diagnosis Table	*373.5*	*Other infective dermatitis of eyelid*
Other Diagnosis		
Relational Table	039.3	Cervicofacial actinomycosis
	051.0	Cowpox (vaccinia)
	110-111	Dermatophytosis/Mycotic dermatitis
	684	Impetigo
	999.0	Generalized vaccinia (from vaccination)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D045

Diagnosis Table	*374.51*	*Xanthelasma*
Other Diagnosis		
Relational Table	272.0	Pure hypercholesterolemia
	272.1	Pure hyperglyceridemia
	272.2	Mixed hyperlipidemia
	272.3	Hyperchylomicronemia
	272.4	Other and unspecified hyperlipidemia
	272.5	Lipoprotein deficiencies
	272.6	Lipodystrophy
	272.7	Lipidoses
	272.8	Other disorders of lipoid metabolism
	272.9	Unspecified disorder of lipoid metabolism

VW300 Inclusive check (if no match, error) - D046

Diagnosis Table	*376.13*	*Parasitic infestation of orbit*
Other Diagnosis		
Relational Table	122.3	Echinococcus granulosus infection, other
	122.6	Echinococcus multilocularis infection, other
	122.9	Echinococcosis, other and unspecified
	134.0	Myiasis of orbit

VW300 Inclusive check (if no match, error) - D047

Diagnosis Table	*376.21*	*Thyrotoxic exophthalmos*
Other Diagnosis	*376.22*	*Exophthalmic ophthalmoplegia*
Relational Table	242.xx	Thyrotoxicosis
	259.9	Unspecified endocrine disorder (per Index)

VW300 Inclusive check (if no match, error) - D048

Diagnosis Table	*380.13*	*Other acute infections of external ear*
Other Diagnosis		
Relational Table	035	Erysipelas
	680.0	Furuncular otitis (per Index)
	684	Impetigo
	690	Erythematosquamous dermatosis (seborrheic dermatitis)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D049

Diagnosis Table	*380.15*	*Chronic mycotic otitis externa*
Other Diagnosis		
Relational Table	111.8	Otomycosis, tropical (per Index)
	111.9	Dermatomycosis, unspecified (otomycosis)
	117.3	Aspergillosis

VW300 Inclusive check (if no match, error) - D050

Diagnosis Table	*382.02*	*Acute suppurative otitis media in diseases classified elsewhere*
Other Diagnosis		
Relational Table	034.1	Scarlet fever
	487.8	Influenza with other manifestations

VW300 Inclusive check (if no match, error) - D051

Diagnosis Table	*420.0*	*Acute pericarditis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	006.8	Amebic infection of other sites
	017.9x	Tuberculosis of other specified organs
	039.8	Actinomycotic infections of other specified sites
	116.0	Blastomycosis
	403.x1	Hypertensive kidney disease
	404.x2	Hypertensive heart and kidney disease with chronic kidney disease
	404.x3	Hypertensive heart/kidney dis. with chr. kidney dis.& heart failure
	585.9	Chronic kidney disease, unspecified

VW300 Inclusive check (if no match, error) - D052

Diagnosis Table	*421.1*	*Acute and subacute infective endocarditis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	002.0	Typhoid fever
	083.0	Q fever
	116.0	Blastomycosis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D053

Diagnosis Table	*422.0*	*Acute myocarditis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	002.0	Typhoid fever
	017.9x	Tuberculosis of other specified organs
	034.1	Scarlet fever (per Index)
	080	Louse-borne typhus, epidemic (per Index)
	081.x	Other typhus (per Index)
	088.81	Lyme Disease
	487.8	Influenza with other manifestations

VW300 Inclusive check (if no match, error) - D054

Diagnosis Table	*424.91*	*Endocarditis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	017.9x	Tuberculosis of other specified organs
	710.0	Systemic/disseminated lupus erythematosus

VW300 Inclusive check (if no match, error) - D055

Diagnosis Table	*425.7*	*Nutritional and metabolic cardiomyopathy*
Other Diagnosis		
Relational Table	242.xx	Thyrotoxicosis
	243-245	Hypothyroiditis and thyroiditis (per Index)
	249.8x	Secondary Diabetes with other specified manifestations
	250.8x	Diabetes mellitus with other specified manifestations
	260-269	Nutritional deficiencies (per Index)
	271.0	Cardiac glycogenosis
	277.3x	Amyloidosis
	277.5	Mucopolysaccharidosis
	277.9	Unspecified disorder of metabolism (per Index)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
-CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D056

Diagnosis Table Other Diagnosis	*425.8*	*Cardiomyopathy in other diseases classified elsewhere*
Relational Table	017.9x	Tuberculosis of other specified organs (per Index)
	042	HIV (per Index)
	135	Sarcoidosis
	334.0	Friedreich's ataxia
	359.1	Hereditary progressive muscular dystrophy
	359.21	Myotonia atrophica
	402.x1	Hypertensive heart failure
	404.xx	Hypertensive heart and kidney disease

VW300 Inclusive check (if no match, error) - D057

Diagnosis Table Other Diagnosis	*443.81*	*Peripheral angiopathy in diseases classified elsewhere*
Relational Table	249.7x	Secondary Diabetes with peripheral circulatory disorders
	250.7x	Diabetes with peripheral circulatory disorders

VW300 Inclusive check (if no match, error) - D058

Diagnosis Table Other Diagnosis	*456.20*	*Esophageal varices in diseases classified elsewhere - with bleeding*
	456.21	*Esophageal varices in diseases classified elsewhere - without mention of bleeding*
Relational Table	571.x	Cirrhosis of liver
	572.3	Portal hypertension

VW300 Inclusive check (if no match, error) - D059

Diagnosis Table Other Diagnosis	*484.1*	*Pneumonia in cytomegalic inclusion disease*
Relational Table	078.5	Cytomegalic inclusion disease

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D060

Diagnosis Table	*484.3*	*Pneumonia in whooping cough*
Other Diagnosis		
Relational Table	033.0	Bordetella pertussis
	033.1	Bordetella parapertussis
	033.8	Whooping cough due to other specified organism
	033.9	Whooping cough, unspecified organism

VW300 Inclusive check (if no match, error) - D061

Diagnosis Table	*484.5*	*Pneumonia in anthrax*
Other Diagnosis		
Relational Table	022.1	Pulmonary anthrax

VW300 Inclusive check (if no match, error) - D062

Diagnosis Table	*484.6*	*Pneumonia in aspergillosis*
Other Diagnosis		
Relational Table	117.3	Aspergillosis

VW300 Inclusive check (if no match, error) - D063

Diagnosis Table	*484.8*	*Pneumonia in other infectious diseases classified elsewhere*
Other Diagnosis		
Relational Table	002.0	Typhoid fever
	038.8	Metastatic pneumonia NEC (per Index)
	083.0	Q fever
	083.8	Other specified rickettsioses (per Index)
	083.9	Rickettsiosis, unspecified (per Index)
	104.8	Other specified spirochetal infections (per Index)
	127.0	Ascariasis (per Index)
	136.9	Unspecified infectious & parasitic diseases (Index)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
- CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D064

Diagnosis Table	*516.1*	*Idiopathic pulmonary hemosiderosis*
Other Diagnosis		
Relational Table	275.0	Disorders of iron metabolism

VW300 Inclusive check (if no match, error) - D065

Diagnosis Table	*517.1*	*Rheumatic pneumonia*
Other Diagnosis		
Relational Table	390	Rheumatic fever with no heart involvement

---

VW300 Inclusive check (if no match, error) - D066

Diagnosis Table	*517.2*	*Lung involvement in systemic sclerosis*
Other Diagnosis		
Relational Table	710.1	Systemic sclerosis

VW300 Inclusive check (if no match, error) – D110

Diagnosis Table	*517.3*	Lung involvement in other diseases classified elsewhere
Other Diagnosis		
Relational Table	282.42	Sickle-cell Thalassemia with crisis
	282.62	Hb-SS disease with crisis
	282.64	Sickle-cell/Hb-C disease with crisis
	282.69	Other sickle-cell disease with crisis

VW300 Inclusive check (if no match, error) - D067

Diagnosis Table	*517.8*	*Lung involvement in other diseases classified elsewhere*
Other Diagnosis		
Relational Table	135	Sarcoidosis
	277.0x	Cystic fibrosis (per children's hospitals)
	277.3x	Amyloidosis
	710.x	Diseases of connective tissue (per Tabular)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) – D113

Diagnosis Table	*525.10-*	*Loss of teeth due to trauma, extraction, or periodontal disease*
Other Diagnosis	*525.19*	
Relational Table	525.40-525.44	Complete edentulism
	525.50-525.54	Partial edentulism

VW300 Inclusive check (if no match, error) - D068

Diagnosis Table	*573.1*	*Hepatitis in viral diseases classified elsewhere*
Other Diagnosis		
Relational Table	074.8	Other specified diseases due to Coxsackie virus
	075	Infectious mononucleosis
	078.5	Cytomegalic inclusion disease

VW300 Inclusive check (if no match, error) - D069

Diagnosis Table	*573.2*	*Hepatitis in other infectious diseases classified elsewhere*
Other Diagnosis		
Relational Table	084.9	Other pernicious complications of malaria
	090.0	Early congenital syphilis, symptomatic (per Index)
	090.5	Late congenital syphilis, symptomatic (per Index)

VW300 Inclusive check (if no match, error) - D070

Diagnosis Table	*580.81*	*Acute glomerulonephritis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	002.0	Typhoid fever
	032.89	Other specified diphtheria (per Index)
	070.x	Infectious hepatitis
	072.79	Mumps with other specified complications
	421.0	Acute and subacute bacterial endocarditis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
–CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D071

Diagnosis Table	*581.81*	*Nephrotic syndrome in diseases classified elsewhere*
Other Diagnosis		
Relational Table	084.9	Other pernicious complications of malaria
	249.4x	Secondary Diabetes with renal manifestations
	250.4x	Diabetes with renal manifestations
	277.3x	Amyloidosis
	446.0	Polyarteritis nodosa
	710.0	Systemic lupus erythematosus

VW300 Inclusive check (if no match, error) - D072

Diagnosis Table	*582.81*	*Chronic glomerulonephritis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	277.3x	Amyloidosis
	710.0	Systemic lupus erythematosus

VW300 Inclusive check (if no match, error) - D073

Diagnosis Table	*583.81*	*Nephritis and nephropathy, not specified as acute or chronic, in diseases classified elsewhere*
Other Diagnosis		
Relational Table	016.0x	Tuberculosis of kidney
	090.5	Congenital syphilis (per Index)
	091.69	Secondary syphilis of other viscera (per Index)
	098.19	Other acute gonococcal infections, of upper genitourinary tract
	098.39	Other chronic gonococcal infections, of upper genitourinary tract (per Index)
	249.4x	Secondary Diabetes with renal manifestations
	250.4x	Diabetes with renal manifestations
	277.3x	Amyloidosis
	282.6x	Sickle-cell anemia (after 7/11/98)
	446.21	Goodpasture's syndrome
	710.0	Systemic lupus erythematosus

VW300 Inclusive check (if no match, error) - D074

Diagnosis Table	*590.81*	*Pyelitis or pyelonephritis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	016.0x	Tuberculosis of kidney

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D075

Diagnosis Table Other Diagnosis	*595.4*	*Cystitis in diseases classified elsewhere*
Relational Table	006.8	Amebic infection of other sites
	039.8	Actinomycotic infection of other specified sites
	099.53	Lower genitourinary sites (per Tabular)
	120.x	Schistosomiasis [Bilharziasis]
	122.3	Echinococcus granulosus infection, other
	122.6	Echinococcus multilocularis infection, other

VW300 Inclusive check (if no match, error) - D076

Diagnosis Table Other Diagnosis	*598.01*	*Urethral stricture due to infective diseases classified elsewhere*
Relational Table	095.8	Other specified forms of late symptomatic syphilis
	098.2	Chronic gonococcal infection of lower genitourinary tract
	120.x	Schistosomiasis [Bilharziasis]

VW300 Inclusive check (if no match, error) - D077

Diagnosis Table Other Diagnosis	*601.4*	*Prostatitis in diseases classified elsewhere*
Relational Table	016.5x	Tuberculosis of other male genital organs
	039.8	Actinomycotic infection of other specified sites
	095.8	Other specified forms of late symptomatic syphilis
	116.0	Blastomycosis

VW300 Inclusive check (if no match, error) - D078

Diagnosis Table Other Diagnosis	*604.91*	*Orchitis and epididymitis in diseases classified elsewhere*
Relational Table	032.89	Other specified diphtheria
	095.8	Other specified forms of late symptomatic syphilis
	099.54	Other genitourinary sites (per Tabular)
	125.x	Filariasis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D079

Diagnosis Table	*608.81*	*Disorders of male genital organs in diseases classified elsewhere*
Other Diagnosis		
Relational Table	016.5x	Tuberculosis of other male genital organs
	125.x	Filariasis

VW300 Inclusive check (if no match, error) - D080

Diagnosis Table	*616.11*	*Vaginitis and vulvovaginitis in diseases classified elsewhere*
Other Diagnosis		
Relational Table	099.53	Venereal diseases of lower genitourinary sites due to chlamydia trachomatis (per Index)
	127.4	Enterobiasis (pinworm vaginitis)

VW300 Inclusive check (if no match, error) - D081

Diagnosis Table	*616.51*	*Ulceration of vulva in diseases elsewhere*
Other Diagnosis		
Relational Table	016.7x	Tuberculosis of other female genital organs
	136.1	Behcet's syndrome

VW300 Inclusive check (if no match, error) - D082

Diagnosis Table	*628.1*	*Infertility, female, of pituitary-hypothalamic origin*
Other Diagnosis		
Relational Table	253.0	Acromegaly and gigantism
	253.1	Other and unspecified anterior pituitary hyperfunction
	253.2	Panhypopituitarism
	253.3	Pituitary dwarfism
	253.4	Other anterior pituitary disorders
	253.8	Other disorders of the pituitary and other syndromes of diencephalohypophysial origin

---

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
–CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D083

Diagnosis Table Other Diagnosis	*711.10-* *711.19*	*Arthropathy associated with Reiter's disease and nonspecific urethritis*
Relational Table	099.3	Reiter's disease
	099.4x	Nongonococcal urethritis

VW300 Inclusive check (if no match, error) - D084

Diagnosis Table Other Diagnosis	*711.20-* *711.29*	*Arthropathy associated with Behcet's syndrome*
Relational Table	136.1	Behcet's syndrome

VW300 Inclusive check (if no match, error) - D085

Diagnosis Table Other Diagnosis	*711.30-* *711.39*	*Postdysenteric arthropathy*
Relational Table	002.x	Typhoid and Paratyphoid fevers
	008.xx	Infectious enteritis
	009.x	Infectious colitis, enteritis, and gastroenteritis (per Index)

VW300 Inclusive check (if no match, error) - D086

Diagnosis Table Other Diagnosis	*711.40-* *711.49*	*Arthropathy associated with other bacterial diseases*
Relational Table	010-018	Tuberculosis
	020-027	Zoonotic bacterial diseases
	030-040	Other bacterial diseases
	090-099	Syphilis and other venereal diseases

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D087

Diagnosis Table Other Diagnosis	*711.50-* *711.56*	*Arthropathy associated with other viral diseases*
Relational Table	045-049	Poliomyelitis and other non-arthropod borne viral diseases of central nervous system
	050-059	Viral diseases accompanied by exanthem
	060-066	Arthropod-borne viral diseases
	070-079	Other diseases due to viruses and Chlamydiae
	480.x	Viral Pneumonia
	487.x	Influenza

VW300 Inclusive check (if no match, error) - D088

Diagnosis Table Other Diagnosis	*711.60-* *711.69*	*Arthropathy associated with mycoses*
Relational Table	110-118	Mycoses

VW300 Inclusive check (if no match, error) - D089

Diagnosis Table Other Diagnosis	*711.70-* *711.79*	*Arthropathy associated with Helminthiasis*
Relational Table	125.x	Filariasis

VW300 Inclusive check (if no match, error) - D090

Diagnosis Table Other Diagnosis	*711.80-* *711.89*	*Arthropathy associated with other infectious and parasitic diseases*
Relational Table	080-088	Rickettsioses and other arthropod-borne diseases
	100-104	Other spirochetal diseases
	130-136	Other infectious and parasitic diseases

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D091

Diagnosis Table Other Diagnosis	*712.10-712.19*	*Chondrocalcinosis due to dicalcium phosphate crystals*
	712.20-712.29	*Chondrocalcinosis due to pyrophosphate crystals*
	712.30-712.39	*Chondrocalcinosis, unspecified*
Relational Table	275.4x	Disorders of calcium metabolism

VW300 Inclusive check (if no match, error) - D092

Diagnosis Table Other Diagnosis	*713.0*	*Arthropathy associated with other endocrine and metabolic disorders*
Relational Table	243-244	Hypothyroidism
	252.0x	Hyperparathyroidism
	253.0	Acromegaly and gigantism
	259.9	Unspecified endocrine disorder (per Index)
	270.2	Other disturbances of aromatic amino-acid metabolism
	272.x	Lipoid metabolism disorder
	275.0	Disorders of iron metabolism
	277.9	Unspecified disorder of metabolism (per Index)
	279.0x	Hypogammaglobulinemia

VW300 Inclusive check (if no match, error) - D093

Diagnosis Table Other Diagnosis	*713.1*	*Arthropathy associated with gastrointestinal conditions other than infections*
Relational Table	555.x	Regional enteritis
	556	Idiopathic proctocolitis
	569.9	Gastrointestinal disorder (per Index)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D094

Diagnosis Table	*713.2*	*Arthropathy associated with hematological disorders*
Other Diagnosis		
Relational Table	202.3x	Malignant histiocytosis
	203.0x	Multiple myelomatosis
	204-208	Leukemia
	282.4x	Thalassemias
	282.5	Sickle-cell trait
	282.6x	Sickle-cell anemia
	282.7	Other hemoglobinopathies
	286.0	Congenital factor VIII disorder
	286.1	Congenital factor IX disorder
	286.2	Congenital factor XI deficiency
	289.9	Hematological disorder (per Index)

VW300 Inclusive check (if no match, error) - D095

Diagnosis Table	*713.3*	*Arthropathy associated with dermatological disorders*
Other Diagnosis		
Relational Table	695.1x	Erythema multiforme
	695.2	Erythema nodosum
	709.x	Dermatological disorder (per Index)

VW300 Inclusive check (if no match, error) - D096

Diagnosis Table	*713.4*	*Arthropathy associated with respiratory disorders*
Other Diagnosis		
Relational Table	490-519	Respiratory disorders *Except: 516.1 and 517.x*

VW300 Inclusive check (if no match, error) - D097

Diagnosis Table	*713.5*	*Arthropathy associated with neurological disorders*
Other Diagnosis		
Relational Table	094.0	Tabes dorsalis neurosyphilis
	249.6x	Secondary Diabetes with neurological manifestations
	250.6x	Diabetes with neurological manifestations
	336.0	Syringomyelia and syringobulbia
	349.9	Neurological disorder (per Index)

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D098

Diagnosis Table Other Diagnosis	*713.6*	*Arthropathy associated with hypersensitivity reaction*
Relational Table	287.0	Allergic purpura (Henoch's purpura)
	995.3	Hypersensitivity reaction, NEC (per Index)
	999.5	Other serum reaction (serum sickness)

VW300 Inclusive check (if no match, error) - D099

Diagnosis Table Other Diagnosis	*713.7*	*Other general diseases with articular involvement*
Relational Table	135	Sarcoidosis
	277.3x	Amyloidosis (Familial Mediterranean fever)

VW300 Inclusive check (if no match, error) - D100

Diagnosis Table Other Diagnosis	*720.81*	*Inflammatory spondylopathies in diseases classified elsewhere*
Relational Table	002.0	Typhosa (per Index) *(not programmed in this edit)*
	015.0x	Tuberculosis of vertebral column

VW300 Inclusive check (if no match, error) - D114

Diagnosis Table Other Diagnosis	*727.01*	*Synovitis and tenosynovitis in diseases classified elsewhere*
Relational Table	015.0- 015.9	Tuberculosis

VW300 Inclusive check (if no match, error) - D101

Diagnosis Table Other Diagnosis	*730.70-* *730.79*	*Osteopathy resulting from poliomyelitis*
Relational Table	045.xx	Poliomyelitis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D102

Diagnosis Table Other Diagnosis	*730.80-* *730.89*	*Other infections involving bone in diseases classified*
Relational Table	002.0	Typhoid fever
	015.x	Tuberculosis

VW300 Inclusive check (if no match, error) - D103

Diagnosis Table Other Diagnosis	*731.1*	*Osteitis deformans in diseases classified elsewhere*
Relational Table	170.x	Malignant neoplasm - bones

VW300 Inclusive check (if no match, error) - D104

Diagnosis Table Other Diagnosis	*731.8*	*Other bone involvement in diseases classified elsewhere*
Relational Table	249.8x	Secondary diabetes with other specified manifestations
	250.8x	Non-insulin dependent diabetes with other specified manifestations

---

VW300 Inclusive check (if no match, error) - D105

Diagnosis Table Other Diagnosis	*737.40-* *737.44*	*Curvature of spine associated with other conditions*
Relational Table	015.0x	Tuberculosis of vertebral column
	138	Late effect of acute poliomyelitis
	237.7x	Neurofibromatosis
	252.01	Hyperparathyroidism resulting in osteitis fibrosis cystica
	268.1	Late effect of rickets (per Index)
	277.5	Mucopolysaccharidosis
	356.1	Peroneal muscular atrophy
	731.0	Osteitis deformans without mention of bone tumor
	733.0x	Osteoporosis

VW300 MANDATORY MULTIPLE CODING:
NEED UNDERLYING DISEASE FOR MANIFESTATION DIAGNOSIS CODE
– CONTINUED (see guideline on page 335)

VW300 Inclusive check (if no match, error) - D106

Diagnosis Table Other Diagnosis	*774.0*	*Perinatal jaundice from hereditary hemolytic anemias*
Relational Table	282.xx	Anemias

VW300 Inclusive check (if no match, error) - D107

Diagnosis Table Other Diagnosis	*774.31*	*Neonatal jaundice due to delayed conjugation in diseases classified elsewhere*
Relational Table	243	Congenital hyperthyroidism
	277.4	Disorders of bilirubin excretion (Crigler-Najjar syndrome; Gilbert's syndrome)

VW300 Inclusive check (if no match, error) - D108

Diagnosis Table Other Diagnosis	*774.5*	*Perinatal jaundice from other causes*
Relational Table	271.1	Galactosemia
	277.0x	Cystic fibrosis
	751.61	Biliary atresia (Congenital obstruction of bile duct)

VW300 Inclusive check (if no match, error) - D115

Diagnosis Table Other Diagnosis	*780.61*	*Fever presenting conditions classified elsewhere*
Relational Table	204-208	Leukemia
	288.0x	Neutropenia
	282.6x	Sickle-cell disease

VW300 Inclusive check (if no match, error) - D112

Diagnosis Table Other Diagnosis	*785.52*	*Septic Shock*
Relational Table		
	995.92	Systemic inflammatory response syndrome due to infectious process with organ dysfunction
	995.94	Systemic inflammatory response syndrome due to non-infectious process with organ dysfunction

---

***

STOP!!!

NEXT V-EDIT IS V0301